


## softwall + softblock modular system



mo|o design, ltd.  
1470 venables street  
vancouver, b.c  
canada V5L 2G7  
t + 1 604 685 0340  
info@molodesign.com  
www.molodesign.com  
instagram-molo\_studio  
twitter-molostudio  
facebook-molodesign



## softwall + softblock modular system




softwall + softblock is a modular system of flexible space partitions. Elements are made from paper—a blend of new and recycled fibres—or a non-woven polyethylene textile and come in various heights and colours. softwall + softblock are connectable by concealed magnetic end panels; making it possible to create endless lengths of walls, or stack and link blocks to shape entire environments.

Opening softwall + softblock is a playful, engaging experience. The honeycomb geometry expands to create a freestanding structure that is over one hundred times longer than its compressed form. The system's flexibility is pragmatic for compact portability, and spontaneous reshaping of living and working environments. Any softwall or softblock element can expand to a maximum of 4.5 meters, or to shorter lengths to suit particular occasions. The elements compress for storage, and a stainless steel wall hook is provided for hanging softwall.


Recognized for elegant innovation, softwall + softblock is part of the permanent collection of the Museum of Modern Art.


Design by Stephanie Forsythe + Todd MacAllen






the final layer of softwall + softblock is a magnetic panel that folds on itself for stability, connects multiple walls and blocks to one another, or anchors the elements to ferrous surfaces.






black textile softwall has an opaque sheen reminiscent of charred wood.



white textile comes to life when light shines through its delicate pattern of translucent fibres.




the internal honeycomb and pleated fins break up reflected sound to provide acoustic absorption and enhance clarity of speech.






flexible building blocks, each softblock can be stretched to 4.5m (15') long and stacked to create tall, richly textured walls.






softwalls flat pack for portability and storage, and can expand to over a hundred times their compressed form.



for ease of handling, felt handles can be attached to the ends of softwalls that are opened and closed frequently.



custom cuts can act as both practical display and sculptural form, revealing the airy structure of the internal honeycomb.



softwall + softblock comes to life when illuminated from within by LED, emphasizing the visually delicate fibres and airy structure.




white textile softblock with optional integrated LED.



the white textile material is used for other luminaires in the soft collection, allowing immersive environments to be created.















product	dimensions	material + colour <sup>1</sup>	product weight <sup>2</sup>	shipping weight <sup>2</sup>	product code
<b>softwall</b> 1830mm tall (6')	<p>1830mm (6')</p> <p>4260mm (14') total</p> <p>235mm (9.25")</p>	kraft paper - natural brown (235mm wide) kraft paper - black (235mm wide) kraft paper - indigo blue™ (235mm wide) textile - white transcurt (235mm wide) textile - black (235mm wide) FR textile - white (235mm wide) textile - custom colour™ (235mm wide)	12.6kg 18.9kg 13.8kg 18.9kg 7.8kg 13.9kg 10.5kg varies	17.9kg 18.9kg 13.8kg 18.9kg 7.8kg 13.9kg 15.1kg varies	SW-P-BR-06-09 SW-P-BK-06-09 SW-P-BU-06-09 SW-T-WH-06-09 SW-T-BK-06-09 SW-FRT-WH-06-12-M1-B1 SW-T-CC-06-09**
<b>softwall</b> 2140mm tall (8')	<p>2140mm (8')</p> <p>4260mm (14') total</p> <p>235mm (9.25")</p>	kraft paper - natural brown (235mm wide) kraft paper - black (235mm wide) kraft paper - indigo blue™ (235mm wide) textile - white transcurt (235mm wide) textile - black (235mm wide) FR textile - white (235mm wide) textile - custom colour™ (235mm wide)	16.3kg 18.1kg 18.1kg 10.3kg 11.3kg 14.4kg varies	20.2kg 22.0kg 22.0kg 14.2kg 15.2kg 20.6kg varies	SW-P-BR-08-09 SW-P-BK-08-09 SW-P-BU-08-09 SW-T-WH-08-09 SW-T-BK-08-09 SW-FRT-WH-08-12-M1-B1 SW-T-CC-08-09**
<b>softwall</b> 2140mm tall (8')	<p>2140mm (8')</p> <p>4260mm (14') total</p> <p>340mm (13.3")</p>	textile - white transcurt (340mm wide) textile - black (340mm wide) FR textile - white (340mm wide) textile - custom colour™ (340mm wide)	14.9kg 16.3kg 18.0kg varies	22.1kg 23.5kg 25.6kg varies	SW-T-WH-08-13 SW-T-BK-08-13 SW-FRT-WH-08-18-M1-B1 SW-T-CC-08-13**
<b>softwall</b> 3050mm tall (10')	<p>3050mm (10')</p> <p>4260mm (14') total</p> <p>340mm (13.3")</p>	textile - white transcurt (340mm wide) textile - black (340mm wide) FR textile - white (340mm wide) textile - custom colour™ (340mm wide)	18.6kg 20.4kg 22.5kg varies	31.6kg 33.4kg 36.0kg varies	SW-T-WH-10-13 SW-T-BK-10-13 SW-FRT-WH-10-18-M1-B1 SW-T-CC-10-13**
<b>custom colour**</b>	*softwall + softblock elements are flexible in length, opening to a max 4.5m (15') long when compressed for storage, softwall + softblock are less than 50mm (2") thick	textile softwall + softblock available in any Pantone colour lead time: 12 - 14 weeks (expedited service available) minimum order: varies, please inquire for more details		price varies with colour + size (please request a quote)	
<b>custom height</b>		any softwall + softblock element can be cut shorter to a custom height (there are some constraints due to position of magnets in end panels, please inquire)			SRV-CUT-H-WALL

<sup>1</sup>weights may vary

<sup>2</sup>12 - 14 weeks lead time + minimum quantities may apply for indigo blue kraft paper + custom colour textile







3 acoustic testing documentation + fire-rating certification available upon request

product	dimensions	material + colour <sup>1</sup>	product weight <sup>2</sup>	shipping weight <sup>2</sup>	product code
<b>softblock</b> 335mm tall (1')		kraft paper - natural brown (255mm wide) kraft paper - black (255mm wide) kraft paper - indigo blue™ (255mm wide) textile - white (translucent) (255mm wide) textile - black (255mm wide) FR textile - white (255mm wide) textile - custom colour™ (255mm wide)	2.1kg 2.3kg 2.3kg 1.3kg 1.4kg 3.5kg varies	3.2kg 3.4kg 3.4kg 2.4kg 2.5kg 4.5kg varies	SB-PBR-01-09 SB-PBK-01-09 SB-PBU-01-09** SB-T-WH-01-09 SB-TBK-01-09 SB-FRT-WH-01-12 M1-B1 SB-T-CC-01-09**
<b>softblock</b> 610mm tall (2')		kraft paper - natural brown (255mm wide) kraft paper - black (255mm wide) kraft paper - indigo blue™ (255mm wide) textile - white (translucent) (255mm wide) textile - black (255mm wide) FR textile - white (255mm wide) textile - custom colour™ (255mm wide)	4.2kg 4.5kg 4.5kg 2.6kg 2.8kg 7.0kg varies	6.2kg 6.5kg 6.5kg 4.9kg 4.8kg 8.9kg varies	SB-PBR-02-09 SB-PBK-02-09 SB-PBU-02-09** SB-T-WH-02-09 SB-TBK-02-09 SB-FRT-WH-02-12 M1-B1 SB-T-CC-02-09**
<b>softblock</b> 915mm tall (3')		kraft paper - natural brown (255mm wide) kraft paper - black (255mm wide) kraft paper - indigo blue™ (255mm wide) textile - white (translucent) (255mm wide) textile - black (255mm wide) FR textile - white (255mm wide) textile - custom colour™ (255mm wide)	6.3kg 6.8kg 6.8kg 3.9kg 4.2kg 10.3kg varies	9.3kg 9.8kg 9.8kg 6.9kg 7.3kg 11.1kg varies	SB-PBR-03-09 SB-PBK-03-09 SB-PBU-03-09** SB-T-WH-03-09 SB-TBK-03-09 SB-FRT-WH-03-12 M1-B1 SB-T-CC-03-09**
<b>softblock</b> 305mm tall (1')		kraft paper - natural brown (340mm wide) kraft paper - black (340mm wide) textile - white (translucent) (340mm wide) textile - black (340mm wide) FR textile - white (340mm wide) textile - custom colour™ (340mm wide)	3.3kg 3.3kg 1.9kg 2.0kg 2.3kg varies	4.5kg 4.5kg 3.1kg 3.2kg 3.6kg varies	SB-PBR-01-13 SB-PBK-01-13 SB-T-WH-01-13 SB-TBK-01-13 SB-FRT-WH-01-18 M1-B1 SB-T-CC-01-13**
<b>softblock</b> 610mm tall (2')		kraft paper - natural brown (340mm wide) kraft paper - black (340mm wide) textile - white (translucent) (340mm wide) textile - black (340mm wide) FR textile - white (340mm wide) textile - custom colour™ (340mm wide)	6.5kg 6.5kg 3.7kg 4.0kg 4.5kg varies	8.7kg 8.7kg 5.9kg 6.2kg 6.7kg varies	SB-PBR-02-13 SB-PBK-02-13 SB-T-WH-02-13 SB-TBK-02-13 SB-FRT-WH-02-18 M1-B1 SB-T-CC-02-13**
<b>softblock</b> 915mm tall (3')		kraft paper - natural brown (340mm wide) kraft paper - black (340mm wide) textile - white (translucent) (340mm wide) textile - black (340mm wide) textile - white heavyweight (translucent) FR textile - white (340mm wide) textile - custom colour™ (340mm wide)	9.7kg 9.7kg 5.6kg 6.2kg 13.0kg 6.8kg varies	13.0kg 13.0kg 8.9kg 9.5kg 16.8kg 10.6kg varies	SB-PBR-03-13 SB-PBK-03-13 SB-T-WH-03-13 SB-TBK-03-13 SB-T-WH-03-18-HW SB-FRT-WH-03-18 M1-B1 SB-T-CC-03-13**

<sup>2</sup>Weights may vary









<sup>1</sup>\*12 - 14 weeks lead time + minimum quantities may apply for indigo blue kraft paper + custom colour textile

<sup>2</sup> acoustic testing documentation + fire-rating certification available upon request

product		dimensions + specs	colour of LED	product code	
LED kit for softwall	 x2	LED kit for 6' tall softwall - 2 ribbon  LED kit for 8-10' tall softwall - 2 ribbon  5400 lumens and 66W power draw from two LED ribbons**  LED kit includes: + two flexible LED ribbon 4.5m (15') long + 2-way coupler + 5m (15') power wire with dimmer + 100 - 240V 120W plug-in transformer + NA and EU plug types included  shipping weight: 1.6kg (3.5lb)*	daylight white 4200K warm white 2500K  daylight white 4200K warm white 2500K	SA-LED-RIB-DW-6 SA-LED-RIB-WW-6  SA-LED-RIB-DW-8-10 SA-LED-RIB-WW-8-10	
	 x1	LED kit for softwall - 1 ribbon 1 LED ribbon in bottom half of any size softwall  2700 lumens and 33W power draw from one LED ribbon**  LED kit includes: + one flexible LED ribbon 4.5m (15') long + 5m (15') power wire with dimmer + 100 - 240V 30W plug-in transformer + NA and EU plug types included  shipping weight: 0.75kg (1.6lb)*	daylight white 4200K warm white 2500K	SA-LED-RIB-DW-1 SA-LED-RIB-WW-1	
	LED kit for softblock we recommend 1 LED ribbon per every 2' in height of softblocks. Please ask for advice specific to your project.	 x1	LED kit for softblock - 1 ribbon  2700 lumens and 33W power draw from one LED ribbon**  LED kit includes: + one flexible LED ribbon 4.5m (15') long + 5m (15') power wire with dimmer + 100 - 240V 30W plug-in transformer + NA and EU plug types included  shipping weight: 0.75kg (1.6lb)*	daylight white 4200K warm white 2500K	SA-LED-RIB-DW-1 SA-LED-RIB-WW-1
		 x2	LED kit for softblock - 2 ribbon  5400 lumens and 66W power draw from two LED ribbons**  LED kit includes: + two flexible LED ribbon 4.5m (15') long + 2-way coupler + 5m (15') power wire with dimmer + 100 - 240V 120W plug-in transformer + NA and EU plug types included  shipping weight: 1.6kg (3.5lb)*	daylight white 4200K warm white 2500K	SA-LED-RIB-DW-2 SA-LED-RIB-WW-2
4.5m (15') electrical extension	 x3	LED kit for softblock - 3 ribbon  8100 lumens and 99W power draw from three LED ribbons**  LED kit includes: + three flexible LED ribbon 4.5m (15') long + 2-way coupler + 5m (15') power wire with dimmer + 100 - 240V 120W plug-in transformer + NA and EU plug types included  shipping weight: 1.8kg (3.9lb)*	daylight white 4200K warm white 2500K	SA-LED-RIB-DW-3 SA-LED-RIB-WW-3	
		to extend the length of power wire for softwall + softblock LED ribbon (silver coaxial cable)  details available upon request		SA-EEXT-15	

\*weights may vary

\*\*lumen values refer to LED output; textile material of softwall + softblock will absorb some light

product		dimensions	material + colour	product code
<b>peg + strip</b> for use with 250mm or 255mm wide softblock  <b>peg + disc</b> for use with 450mm or 345mm wide softblock	 	150mm x 40mm Ø (6" x 1.5") cork pegs (set of 2)  + steel strip 300mm x 70mm (11.75" x 2.8") or steel disc 165mm (6.5") Ø  0.4kg (0.9lb)*	natural cork pegs with magnets  white powder coated steel strip white powder coated steel disc	SA/2PEG-1STRP SA/2PEG-1DISC
<b>steel disc</b>  use as tray / display surface on softblocks		small 165mm (6.5") Ø  medium 300mm (11.75") Ø  large 350mm (13.75") Ø  0.6lb (0.3kg)*  1.7lb (0.8kg)*  2.2lb (1.0kg)*	white powder coated steel  white powder coated steel  white powder coated steel	SA-DISC-ST-WH-SM  SA-DISC-ST-WH-MD  SA-DISC-ST-WH-LG
<b>steel anchor strips</b> set of 2		small 300mm x 70mm (11.75" x 2.8")  medium for 1820mm Ø tall softwall 1800mm x 70mm (71" x 2.8")  large for 2440mm Ø tall softwall 2415mm x 70mm (95" x 2.8")  0.9kg (0.2lb)*  4.9kg (10.7lb)*  6.3kg (13.8lb)*	white powder coated steel  white powder coated steel  white powder coated steel	SA-STRP-ST-WH-SM  SA-STRP-ST-WH-MD  SA-STRP-ST-WH-LG
<b>tubes</b>  to lock softwall + softblock in straight line, or as a lined above window + doorways		custom cut to length for your project, please ask for advice	clear PETG  natural brown paper	SA-TUBE-PETG-300 SA-TUBE-P-BR-300
<b>clipping system</b> set of 10		small magnets 13mm x 6mm Ø (0.5" x 0.25")  large magnets 3mm x 25mm Ø (0.12" x 1")  0.3kg (0.6lb)*  0.1kg (0.2lb)*	white steel clips nickel plated magnets	SA-CLIP-SM  SA-CLIP-LG
<b>glass vase</b>  insert into honeycomb cells of softblock for flowers, pens, catering, etc.		180mm x 40mm Ø (7" x 1.5")  0.4kg (0.9lb)*	clear borosilicate glass	SA-VASE-GLS-CL
<b>felt handles</b> - 1 set per end of softwall - 1 set for two ends of thinwall		216mm x 305mm (8.5" x 12")  0.2kg (0.4lb)*	natural gray felted wool for 235mm (9.25") wide softwall for 340mm (13.3") wide softwall  black felted wool for 235mm (9.25") wide softwall for 340mm (13.3") wide softwall	SA-HNDL-FLT-GR-09 SA-HNDL-FLT-GR-13  SA-HNDL-FLT-BK-09 SA-HNDL-FLT-BK-13

\*weights may vary