

EUR price list

orders delivered within Europe

fall 2025

Molo Design, Ltd.

1470 Venables Street
Vancouver, BC
Canada V5L 2G7

t +1 604 586 0340
f +1 604 685 0342


info@molodesign.com
www.molodesign.com



soft collection

softwall + softblock modular system

softwall + softblock is a modular system of freestanding, flexible partition walls and building blocks. The elements are available in a variety of materials and colours to offer a range of properties including translucency or opacity, acoustic absorption, fire rating, UV and water resistance. The paper and textile materials are recyclable. Blue and brown paper products are made from wood harvested from FSC® Certified (FSC® C158591) responsible sources. softwall + softblock is flexible in length, opening to a maximum of 4.5 meters long (15 feet) when fully expanded. When softwall + softblock are compressed for storage, they measure less than 5 centimeters thick (2 inches). Elements may open less than the full length to create shorter partitions, or form longer walls by connecting two or more softwalls via their magnetic end panels. An optional wall hook is available for simple, compact storage.



product	dimensions	material + colour	product weight *	shipping weight *	pricing EUR€ ***	product code
softwall 5 feet tall x 9.25 inches deep (152.5 cm x 23.5 cm) [§] FR textile softwall is 11.5 inches (29 centimeters)	 152.5 cm (5 ft) 23.5 cm (9.25 in) or FR textile [§] 4.5 m (15 ft) max [†]	paper · brown paper · black textile · white (translucent) FR textile · white (translucent) [§] textile · aluminum textile · forest green textile · black textile · custom colour **	10.5 kg 11.3 kg 6.5 kg 8.8 kg 7.1 kg 7.1 kg 7.1 kg varies	15.2 kg 16.0 kg 11.2 kg 12.9 kg 11.8 kg 11.8 kg 11.8 kg varies	1025 1225 1875 2475 2300 2300 2300 varies	M-SW-P-FSC-BR-05-09 M-SW-P-BK-05-09 M-SW-T-WH-05-09 M-SW-FR-T-WH-05-12 M-SW-T-AL-05-09 M-SW-T-GRN-05-09 M-SW-T-BK-05-09 M-SW-T-CC-05-09
softwall 6 feet tall x 9.25 inches deep (183 cm x 23.5 cm) [§] FR textile softwall is 11.5 inches (29 centimeters)	 183 cm (6 ft) 23.5 cm (9.25 in) or FR textile [§] 4.5 m (15 ft) max [†]	paper · brown paper · black textile · white (translucent) FR textile · white (translucent) [§] textile · aluminum textile · forest green textile · black textile · custom colour **	12.6 kg 13.6 kg 7.8 kg 10.5 kg 8.5 kg 8.5 kg 8.5 kg varies	17.9 kg 18.9 kg 13.1 kg 15.1 kg 13.8 kg 13.8 kg 13.8 kg varies	1200 1400 2150 2825 2600 2600 2600 varies	M-SW-P-FSC-BR-06-09 M-SW-P-BK-06-09 M-SW-T-WH-06-09 M-SW-FR-T-WH-06-12 M-SW-T-AL-06-09 M-SW-T-GRN-06-09 M-SW-T-BK-06-09 M-SW-T-CC-06-09
softwall 8 feet tall x 9.25 inches deep (244 cm x 23.5 cm) [§] FR textile softwall is 11.5 inches (29 centimeters)	 244 cm (8 ft) 23.5 cm (9.25 in) or FR textile [§] 4.5 m (15 ft) max [†]	paper · brown paper · black textile · white (translucent) FR textile · white (translucent) [§] textile · aluminum textile · forest green textile · black textile · custom colour **	16.3 kg 18.1 kg 10.3 kg 14.4 kg 11.3 kg 11.3 kg 11.3 kg varies	20.2 kg 22.0 kg 14.2 kg 20.6 kg 15.2 kg 15.2 kg 15.2 kg varies	1500 1775 2925 3825 3750 4050 4050 varies	M-SW-P-FSC-BR-08-09 M-SW-P-BK-08-09 M-SW-T-WH-08-09 M-SW-FR-T-WH-08-12 M-SW-T-AL-08-09 M-SW-T-GRN-08-09 M-SW-T-BK-08-09 M-SW-T-CC-08-09
softwall 8 feet tall x 13.3 inches deep (244 cm x 34 cm) [§] FR textile softwall is 17.75 inches (45 centimeters)	 244 cm (8 ft) 34 cm (13.3 in) or FR textile [§] 4.5 m (15 ft) max [†]	textile · white (translucent) FR textile · white (translucent) [§] textile · aluminum textile · forest green textile · black textile · custom colour **	14.9 kg 18.0 kg 16.3 kg 16.3 kg 16.3 kg 16.3 kg varies	22.1 kg 25.6 kg 23.5 kg 23.5 kg 23.5 kg 23.5 kg varies	3500 4750 4700 4850 4850 4850 varies	M-SW-T-WH-08-13 M-SW-FR-T-WH-08-18 M-SW-T-AL-08-13 M-SW-T-GRN-08-13 M-SW-T-BK-08-13 M-SW-T-CC-08-13
softwall 10 feet tall x 13.3 inches deep (305 cm x 34 cm) [§] FR textile softwall is 17.75 inches (45 centimeters)	 305 cm (10 ft) 34 cm (13.3 in) or FR textile [§] 4.5 m (15 ft) max [†] [†] softwall + softblock is flexible in length, opening to a max 4.5 meters long (15 feet). When compressed, softwall + softblock is less than 5 centimeters thick (2 inches).	textile · white (translucent) FR textile · white (translucent) [§] textile · aluminum textile · forest green textile · black textile · custom colour **	18.6 kg 22.5 kg 20.4 kg 20.4 kg 20.4 kg 20.4 kg varies	31.6 kg 36.0 kg 33.4 kg 33.4 kg 33.4 kg 33.4 kg varies	4500 5700 5550 5750 5750 5750 varies	M-SW-T-WH-10-13 M-SW-FR-T-WH-10-18 M-SW-T-AL-10-13 M-SW-T-GRN-10-13 M-SW-T-BK-10-13 M-SW-T-CC-10-13
custom colour **		textile softwall + softblock is available in any Pantone minimum order: varies; please inquire lead time: 21 - 25 weeks * * expedited service available			price varies with colour + size; please request a quote	
custom height fee		softwall + softblock can be trimmed to custom height there are some constraints due to position of magnets in end panels; please inquire			100	SRV-CUT-H-WALL

* weights may vary

** custom colour softwall + softblock: 21 - 25 week lead time + minimum quantities may apply

*** prices do not include shipping; purchaser is responsible for all import duties + VAT

only products identified with a 'P-FSC' signifier are FSC® certified (FSC® C158591)


2 of 21



soft collection

softwall + softblock modular system paper

paper softwall + softblock is made from a robust, cellulose-based paper that is UV resistant, coated with a non-toxic fire retardant, and recyclable. blue and brown paper products are made from FSC® Certified (FSC® C158591) responsible sources. We do not recommend using this material in environments of extreme humidity, where it may come into contact with moisture. softblock is a system of flexible building blocks that can be stacked and connected to create textured backdrops or displays.



product	dimensions	material + colour	product weight *	shipping weight *	pricing EUR€ ***	product code
softblock 1-foot tall x 9.25 inches deep (30.5 cm x 23.5 cm)		paper · brown paper · black paper · blue	2.1 kg 2.3 kg 2.3 kg	3.2 kg 3.4 kg 3.4 kg	250 275 275	M-SB-P-FSC-BR-01-09 M-SB-P-BK-01-09 M-SB-P-FSC-BU-01-09
softblock 2 feet tall x 9.25 inches deep (61 cm x 23.5 cm)		paper · brown paper · black paper · blue	4.2 kg 4.5 kg 4.5 kg	6.2 kg 6.5 kg 6.5 kg	450 500 500	M-SB-P-FSC-BR-02-09 M-SB-P-BK-02-09 M-SB-P-FSC-BU-02-09
softblock 3 feet tall x 9.25 inches deep (91.5 cm x 23.5 cm)		paper · brown paper · black paper · blue	6.3 kg 6.8 kg 6.8 kg	9.3 kg 9.8 kg 9.8 kg	650 750 750	M-SB-P-FSC-BR-03-09 M-SB-P-BK-03-09 M-SB-P-FSC-BU-03-09
softblock 4 feet tall x 9.25 inches deep (122 cm x 23.5 cm)		paper · brown paper · black paper · blue	8.4 kg 9.0 kg 9.0 kg	12.2 kg 12.8 kg 12.8 kg	825 975 950	M-SB-P-FSC-BR-04-09 M-SB-P-BK-04-09 M-SB-P-FSC-BU-04-09
softblock 1-foot tall x 13.3 inches deep (30.5 cm x 34 cm)		paper · brown paper · black paper · blue	3.3 kg 3.3 kg 3.3 kg	4.5 kg 4.5 kg 4.5 kg	300 375 375	M-SB-P-FSC-BR-01-13 M-SB-P-BK-01-13 M-SB-P-FSC-BU-01-13
softblock 2 feet tall x 13.3 inches deep (61 cm x 34 cm)		paper · brown paper · black paper · blue	6.5 kg 6.5 kg 6.5 kg	8.7 kg 8.7 kg 8.7 kg	525 675 675	M-SB-P-FSC-BR-02-13 M-SB-P-BK-02-13 M-SB-P-FSC-BU-02-13
softblock 3 feet tall x 13.3 inches deep (91.5 cm x 34 cm)		paper · brown paper · black paper · blue	9.7 kg 9.7 kg 9.7 kg	13.0 kg 13.0 kg 13.0 kg	750 950 950	M-SB-P-FSC-BR-03-13 M-SB-P-BK-03-13 M-SB-P-FSC-BU-03-13
softblock 4 feet tall x 13.3 inches deep (122 cm x 34 cm)		paper · brown paper · black paper · blue	13.0 kg 13.0 kg 13.0 kg	17.2 kg 17.2 kg 17.2 kg	975 1225 1225	M-SB-P-FSC-BR-04-13 M-SB-P-BK-04-13 M-SB-P-FSC-BU-04-13

* softblock is flexible in length, opening to a max 4.5 meters long (15 feet).
When compressed for storage, softblock is less than 5 centimeters thick (2 inches).

* weights may vary

*** prices do not include shipping; purchaser is responsible for all import duties + VAT


only products identified with a 'P-FSC' signifier are FSC® certified (FSC® C158591)

3 of 21

soft collection

softwall + softblock modular system textile

textile softwall + softblock is made from non-woven polyethylene. This material is tear and water-resistant, anti-static to repel dust, recyclable and is highly UV-resistant. molo offers a range of standard colours, and the textile material can be printed in any Pantone. softblock is a system of flexible building blocks that can be stacked and connected to create textured backdrops or displays. Please ask about minimum order quantities or limited editions.



product	dimensions	material + colour	product weight *	shipping weight *	pricing EUR€ ***	product code
softblock 1-foot tall x 9.25 inches deep (30.5 cm x 23.5 cm) §FR textile softblock is 11.5 inches (29 centimeters)		textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	1.3 kg 1.8 kg 1.4 kg 1.4 kg 1.4 kg varies	2.4 kg 2.8 kg 2.5 kg 2.5 kg 2.5 kg varies	400 525 475 475 475 varies	M-SB-T-WH-01-09 M-SB-FR-T-WH-01-12 M-SB-T-AL-01-09 M-SB-T-GRN-01-09 M-SB-T-BK-01-09 M-SB-T-CC-01-09
softblock 2 feet tall x 9.25 inches deep (61 cm x 23.5 cm) §FR textile softblock is 11.5 inches (29 centimeters)		textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	2.6 kg 3.6 kg 2.8 kg 2.8 kg 2.8 kg varies	4.6 kg 5.4 kg 4.8 kg 4.8 kg 4.8 kg varies	750 1000 900 925 925 varies	M-SB-T-WH-02-09 M-SB-FR-T-WH-02-12 M-SB-T-AL-02-09 M-SB-T-GRN-02-09 M-SB-T-BK-02-09 M-SB-T-CC-02-09
softblock 3 feet tall x 9.25 inches deep (91.5 cm x 23.5 cm) §FR textile softblock is 11.5 inches (29 centimeters)		textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	3.9 kg 5.3 kg 4.3 kg 4.3 kg 4.3 kg varies	6.9 kg 7.9 kg 7.3 kg 7.3 kg 7.3 kg varies	1100 1450 1325 1350 1350 varies	M-SB-T-WH-03-09 M-SB-FR-T-WH-03-12 M-SB-T-AL-03-09 M-SB-T-GRN-03-09 M-SB-T-BK-03-09 M-SB-T-CC-03-09
softblock 4 feet tall x 9.25 inches deep (122 cm x 23.5 cm) §FR textile softblock is 11.5 inches (29 centimeters)		textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	5.2 kg 7.2 kg 5.4 kg 5.7 kg 5.7 kg varies	9.0 kg 10.5 kg 9.2 kg 9.5 kg 9.5 kg varies	1450 1875 1700 1800 1800 varies	M-SB-T-WH-04-09 M-SB-FR-T-WH-04-12 M-SB-T-AL-04-09 M-SB-T-GRN-04-09 M-SB-T-BK-04-09 M-SB-T-CC-04-09
softblock 1-foot tall x 13.3 inches deep (30.5 cm x 34 cm) §FR textile softblock is 11.5 inches (29 centimeters)		textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	1.9 kg 2.3 kg 2.0 kg 2.0 kg 2.0 kg varies	3.1 kg 3.6 kg 3.2 kg 3.2 kg 3.2 kg varies	500 725 625 625 625 varies	M-SB-T-WH-01-13 M-SB-FR-T-WH-01-18 M-SB-T-AL-01-13 M-SB-T-GRN-01-13 M-SB-T-BK-01-13 M-SB-T-CC-01-13
softblock 2 feet tall x 13.3 inches deep (61 cm x 34 cm) §FR textile softblock is 11.5 inches (29 centimeters)		textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	3.7 kg 4.5 kg 4.0 kg 4.0 kg 4.0 kg varies	5.9 kg 6.7 kg 6.2 kg 6.2 kg 6.2 kg varies	925 1350 1150 1150 1150 varies	M-SB-T-WH-02-13 M-SB-FR-T-WH-02-18 M-SB-T-AL-02-13 M-SB-T-GRN-02-13 M-SB-T-BK-02-13 M-SB-T-CC-02-13
softblock 3 feet tall x 13.3 inches deep (91.5 cm x 34 cm) §FR textile softblock is 11.5 inches (29 centimeters)		textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	5.6 kg 6.8 kg 6.2 kg 6.2 kg 6.2 kg varies	8.9 kg 10.3 kg 9.5 kg 9.5 kg 9.5 kg varies	1350 2175 1700 1700 1700 varies	M-SB-T-WH-03-13 M-SB-FR-T-WH-03-18 M-SB-T-AL-03-13 M-SB-T-GRN-03-13 M-SB-T-BK-03-13 M-SB-T-CC-03-13
softblock 4 feet tall x 13.3 inches deep (122 cm x 34 cm) §FR textile softblock is 11.5 inches (29 centimeters)		textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	7.4 kg 9.0 kg 7.6 kg 7.6 kg 7.6 kg varies	11.6 kg 13.4 kg 11.8 kg 11.8 kg 11.8 kg varies	1800 2625 2200 2200 2200 varies	M-SB-T-WH-04-13 M-SB-FR-T-WH-04-18 M-SB-T-AL-04-13 M-SB-T-GRN-04-13 M-SB-T-BK-04-13 M-SB-T-CC-04-13

† softblock is flexible in length, opening to a max 4.5 meters long (15 feet).
When compressed for storage, softblock is less than 5 centimeters thick (2 inches).

* weights may vary

** custom colour softwall + softblock: 21 - 25 week lead time + minimum quantities may apply

*** prices do not include shipping; purchaser is responsible for all import duties + VAT


4 of 21



soft collection

softwall + softblock LED ribbon for white textile

Flexible LED ribbons integrate with textile softwall + softblock to transform the elements into expressive, luminous space partitions. Light emphasizes the subtle beauty of the translucent material, illuminating the delicate fibres. LEDs are available in neutral white (4000K), warm white (3000K) or warmer white (2700K). Please inquire about the recommended arrangement for your project.



product		dimensions	LED colour	pricing EUR€ ***	product code
softwall + softblock LED we recommend 1 LED ribbon per every 2 feet (61 centimeters) in height of softwall or softblock. Please ask for advice specific to your project.		LED · 1 ribbon kit · 4.5 m (15') ribbon 1 ribbon in any horizontal tunnel of any size softwall or softblock shipping weight: 1.7 lbs (0.79 kg) *	neutral white (4000K) warm white (3000K) warmer white (2700K)	390	M-1LED-15-24V-4000K M-1LED-15-24V-3000K M-1LED-15-24V-2700K
		LED · 1 ribbon kit · 9.0 m (30') ribbon 1 ribbon in any horizontal tunnel of any size softwall or softblock shipping weight: 2.2 lbs (0.99 kg) *	neutral white (4000K) warm white (3000K) warmer white (2700K)	630	M-1LED-30-24V-4000K M-1LED-30-24V-3000K M-1LED-30-24V-2700K
		LED · 2 ribbon kit · 4.5 m (15') ribbons up to 61 cm (2') apart 2 ribbons for a single softwall or softblock stack spaced at 2' (61 cm) vertical intervals	neutral white (4000K) warm white (3000K) warmer white (2700K)	725	M-2LED-15-24V-4000K-2 M-2LED-15-24V-3000K-2 M-2LED-15-24V-2700K-2
		LED · 2 ribbon kit · 4.5 m (15') ribbons up to 152.5 cm (5') apart 2 ribbons for a single softwall or softblock stack spaced at 5' (152.5 cm) vertical intervals	neutral white (4000K) warm white (3000K) warmer white (2700K)		M-2LED-15-24V-4000K-5 M-2LED-15-24V-3000K-5 M-2LED-15-24V-2700K-5
		LED · 2 ribbon kit · 4.5 m (15') ribbons up to 213 cm (7') apart 2 ribbons for a single softwall or softblock stack spaced at 7' (213 cm) vertical intervals shipping weight: 2.4 lbs (1.07 kg) *	neutral white (4000K) warm white (3000K) warmer white (2700K)		M-2LED-15-24V-4000K-7 M-2LED-15-24V-3000K-7 M-2LED-15-24V-2700K-7
		LED · 2 ribbon kit · 9.0 m (30') ribbons up to 61 cm (2') apart 2 ribbons for single softwall, spaced at 2' (61 cm) vertical intervals	neutral white (4000K) warm white (3000K) warmer white (2700K)	1025	M-2LED-30-24V-4000K-2 M-2LED-30-24V-3000K-2 M-2LED-30-24V-2700K-2
		LED · 2 ribbon kit · 9.0 m (30') ribbons up to 152.5 cm (5') apart 2 ribbons for single softwall, spaced at 5' (152.5 cm) vertical intervals	neutral white (4000K) warm white (3000K) warmer white (2700K)		M-2LED-30-24V-4000K-5 M-2LED-30-24V-3000K-5 M-2LED-30-24V-2700K-5
		LED · 2 ribbon kit · 9.0 m (30') ribbons up to 213 cm (7') apart 2 ribbons for single softwall, spaced at 7' (213 cm) vertical intervals shipping weight: 3.4 lbs (1.56 kg) *	neutral white (4000K) warm white (3000K) warmer white (2700K)		M-2LED-30-24V-4000K-7 M-2LED-30-24V-3000K-7 M-2LED-30-24V-2700K-7
		LED · 3 ribbon kit · 4.5 m (15') ribbons each LED up to 61 cm (2') apart 3 ribbons for a single softwall or softblock stack spaced at 2' (61 cm) vertical intervals shipping weight: 3.0 lbs (1.36 kg) *	neutral white (4000K) warm white (3000K) warmer white (2700K)	950	M-3LED-15-24V-4000K-2-2 M-3LED-15-24V-3000K-2-2 M-3LED-15-24V-2700K-2-2
		LED · 4 ribbon kit · 4.5 m (15') ribbons each LED up to 91.5 cm (3') apart 4 ribbons for a single softwall or softblock stack spaced at 3' (91.5 cm) vertical intervals shipping weight: 3.5 lbs (1.58 kg) *	neutral white (4000K) warm white (3000K) warmer white (2700K)	1150	M-4LED-15-24V-4000K-3-3-3 M-4LED-15-24V-3000K-3-3-3 M-4LED-15-24V-2700K-3-3-3
		LED · 4 ribbon kit · 4.5 m (15') ribbons each LED up to 61 cm (2') apart 2 LED ribbons for each of two softwall and/or softblock stacks 2 ribbons in each, spaced at 2' (61 cm) vertical intervals shipping weight: 3.5 lbs (1.58 kg) *	neutral white (4000K) warm white (3000K) warmer white (2700K)	1150	M-4LED-15-24V-4000K-2 M-4LED-15-24V-3000K-2 M-4LED-15-24V-2700K-2
		to extend the length of power wire for softwall + softblock LED ribbon (silver coaxial cable) details available upon request		70	M-EEXT-PI-15
electrical extension 4.5 meters (15 feet)					

* weights may vary


*** prices do not include shipping; purchaser is responsible for all import duties + VAT

5 of 21


soft collection

softwall + softblock accessories


softwall + softblock are freestanding, however, molo provides optional accessories that offer additional functionality. Please contact the studio to discuss which accessories may suit your project.




anchor strip
anchor magnetic
end panel of softwall
to any solid surface



felt handle
may attach to softwall
that are opened and
closed frequently



peg + strip
reinforce the connection
between horizontal
layers of softblock



tubes
transform softblock into a rigid beam to span
windows or door openings. Tubes can also
hold softwall + softblock in straight lengths.

product		dimensions	material + colour	pricing EUR ***	product code
anchor strip 1 set per end of softwall, softblock		for softblock 11.75 x 2.4 inches (30 x 6 cm) 1.5 lbs (0.7 kg) *	white powder coated steel without adhesive backing	60	M-STRP-WH-SB-01
		for softwall · 5' (152.5 cm) tall 54 x 6.3 inches (137 x 16 cm) 10.4 lbs (4.7 kg) *	white powder coated steel with adhesive backing	200	M-STRP-WH-SW-05
		for softwall · 6' (183 cm) tall 66 x 6.3 inches (167.5 x 16 cm) 12.4 lbs (5.6 kg) *	white powder coated steel with adhesive backing	225	M-STRP-WH-SW-06
		for softwall · 6' (183 cm) tall FR 66 x 2.4 inches (167.5 x 6 cm) 10.1 lbs (4.6 kg) *	white powder coated steel with adhesive backing	275	M-STRP-WH-FR-05
		for softwall · 8' (244 cm) + 10' (305 cm) tall 90 x 2.4 inches (228.5 x 6 cm) 13.6 lbs (6.2 kg) *	white powder coated steel with adhesive backing	325	M-STRP-WH-SW-08-10
felt handle 1 set per end of softwall		for softwall · 9.25 inches (23.5 cm) deep * 7.5 x 12 inches (19 x 30.5 cm) 0.4 lbs (0.2 kg) * * also used for thinwall	natural grey felted wool black felted wool	80 90	M-HNDL-FLT-GR-09 M-HNDL-FLT-BK-09
		for softwall · 13.3 inches (34 cm) deep * 8.5 x 12 inches (21.6 x 30.5 cm) 0.4 lbs (0.2 kg) * * also used for softwall · 11.5 in (29 cm) + 17.75 in (45 cm) deep	natural grey felted wool black felted wool	80 90	M-HNDL-FLT-GR-13 M-HNDL-FLT-BK-13
hook for softwall to store compressed softwall on a wall		hook for softwall 3.1 x 1 inches (7.8 x 2.5 cm) 0.2 lbs (0.1 kg) *	stainless steel	15	M-HOOK-SS-SW
peg + strip reinforce connection between horizontal layers of softblocks		cork pegs 6 inches long x 1.5 inches Ø (15 x 4 cm) (set of 2)	natural cork pegs with magnets	110	M-2PEG-1STRP
		steel strip 11.75 x 2.4 inches (30 x 6 cm)	white powder coated		
tubes to lock softwall + softblock in straight line, or as a lintel above windows + doorways		custom cut to length for your project, please inquire	clear PETG natural brown paper	\$5.50 /30.5cm (1ft) \$3.50 /30.5cm (1ft)	M-TUBE-PETG M-TUBE-P-BR
clipping system set of 10		small magnets 0.5 x 0.25-inch Ø (13 x 6 mm) 0.2 lbs (0.1 kg) *	steel clips nickel plated magnets	35	M-CLIP-SM
		large magnets 0.12 x 1-inch Ø (3 x 25 mm) 0.2 lbs (0.1 kg) *		60	M-CLIP-LG
glass vase insert into honeycomb cells of softblock for flowers, pens, catering, etc.		7 inches long x 1.5-inch Ø (18 x 4 cm) 1 lbs (0.4 kg) *	clear borosilicate glass	65	M-VASE-GLS
steel disc use as tray / display surface on softblock		13.75-inch Ø (35 cm) 2.2 lbs (1.0 kg) *	white powder coated steel	35	M-DISC-ST-WH-LG

* weights may vary

*** prices do not include shipping; purchaser is responsible for all import duties + VAT


6 of 21





soft collection

wood softwall + softblock

wood softwall + softblock are made from FSC® Certified (FSC® C158591) sustainably sourced, engineered wood. Each piece is flexible in length opening to a maximum of 4.5 meters long (15 feet) when fully expanded, and their modular, magnetic end panels allow them to link in sequence to shape long stretches of wall or immersive environments and displays. Light transmits through the partitions as a delightful, warm glow and reveals playful, enigmatic forms as people or objects cast shadows against them. As natural light changes throughout the day, a range of colours is revealed in the walls, shifting through pale ash, soft cream, and rich yellows.



product	dimensions	material + colour	product weight *	shipping weight *	pricing EUR€ ***	product code
wood softblock 4 feet tall x 7.75 inches deep (122 cm x 19.5 cm)		wood veneer	14.2 kg	18.0 kg	coming soon	M-SB-FSC-WOOD-04-08
wood softwall 8 feet tall x 7.75 inches deep (244 cm x 19.5 cm)		wood veneer	30.0 kg	36.0 kg	coming soon	M-SW-FSC-WOOD-08-08

* weights may vary
*** prices do not include shipping; purchaser is responsible for all import duties + VAT


only products identified with a 'FSC' signifier are FSC® certified (FSC® C158591)



soft collection

suspended softwall + softblock luminaires

Lift white textile softwall + softblock into the air with new LED armatures designed to transform the partitions into suspended luminaires, seemingly weightless structures that hold straight lines or perfect 90-degree turns. suspended softwall + softblock luminaires are available in modules of 2.4 meters (8 feet). Connect them modularly and at different heights throughout a high-ceilinged space to form a hanging, luminous sculpture garden.



product	dimensions	power supply voltage	LED colour	product weight *	pricing EUR€ ***	product code
suspended softblock luminaires 2 feet tall x 8 feet long (61 cm x 244 cm)		plug-in 110 - 240V plug types available: A, C, G, I hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver	neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K)	8.7 kg	2050	M-SSB-02-08-4000K-PI M-SSB-02-08-3000K-PI M-SSB-02-08-2700K-PI M-SSB-02-08-4000K M-SSB-02-08-3000K M-SSB-02-08-2700K
suspended softblock luminaires 3 feet tall x 8 feet long (91.5 cm x 244 cm)		plug-in 110 - 240V plug types available: A, C, G, I hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver	neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K)	10.2 kg	2200	M-SSB-03-08-4000K-PI M-SSB-03-08-3000K-PI M-SSB-03-08-2700K-PI M-SSB-03-08-4000K M-SSB-03-08-3000K M-SSB-03-08-2700K
suspended softblock luminaires 4 feet tall x 8 feet long (122 cm x 244 cm)		plug-in 110 - 240V plug types available: A, C, G, I hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver	neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K)	11.8 kg	2350	M-SSB-04-08-4000K-PI M-SSB-04-08-3000K-PI M-SSB-04-08-2700K-PI M-SSB-04-08-4000K M-SSB-04-08-3000K M-SSB-04-08-2700K
suspended softwall luminaires 5 feet tall x 8 feet long (152.5 cm x 244 cm)		plug-in 110 - 240V plug types available: A, C, G, I hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver	neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K)	13.3 kg	2500	M-SSW-05-08-4000K-PI M-SSW-05-08-3000K-PI M-SSW-05-08-2700K-PI M-SSW-05-08-4000K M-SSW-05-08-3000K M-SSW-05-08-2700K
suspended softwall luminaires 6 feet tall x 8 feet long (183 cm x 244 cm)		plug-in 110 - 240V plug types available: A, C, G, I hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver	neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K)	14.4 kg	2750	M-SSW-06-08-4000K-PI M-SSW-06-08-3000K-PI M-SSW-06-08-2700K-PI M-SSW-06-08-4000K M-SSW-06-08-3000K M-SSW-06-08-2700K
suspended softwall luminaires 8 feet tall x 8 feet long (244 cm x 244 cm)		plug-in 110 - 240V plug types available: A, C, G, I hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver	neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K)	15.5 kg	3000	M-SSW-08-08-4000K-PI M-SSW-08-08-3000K-PI M-SSW-08-08-2700K-PI M-SSW-08-08-4000K M-SSW-08-08-3000K M-SSW-08-08-2700K
suspended softwall luminaires 10 feet tall x 8 feet long (305 cm x 244 cm)		plug-in 110 - 240V plug types available: A, C, G, I hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver	neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K)	16.6 kg	3350	M-SSW-10-08-4000K-PI M-SSW-10-08-3000K-PI M-SSW-10-08-2700K-PI M-SSW-10-08-4000K M-SSW-10-08-3000K M-SSW-10-08-2700K

* weights may vary

** 12 - 18 week lead time may apply

*** prices do not include shipping; purchaser is responsible for all import duties + VAT


8 of 21



soft collection

softseating

softseating is a line of flexible furniture made from paper or textile. Each element uses honeycomb geometry to fan open into a stool, bench, table or lounger, compressing for storage. Magnetic end panels allow two or more elements to connect, forming long winding benches. Blue and brown paper products are made from wood harvested from FSC® Certified (FSC® C158591) responsible sources.



product	dimensions	material + colour	product weight *	shipping weight *	pricing EUR€ ***	product code
fanning stool + table 12 inches tall x 16-inch Ø (30.5 cm x 40.5 cm)		paper · brown paper · black paper · blue textile · white (translucent) textile · aluminum textile · forest green **	1.8 kg 1.9 kg 1.9 kg 1.5 kg 1.7 kg 1.7 kg	2.3 kg 2.4 kg 2.4 kg 2.0 kg 2.2 kg 2.2 kg	160 200 225 415 475 475	M-SS-P-FSC-BR-12-16 M-SS-P-BK-12-16 M-SS-P-FSC-BU-12-16 M-SS-T-WH-12-16 M-SS-T-AL-12-16 M-SS-T-GRN-12-16
fanning stool + table 18 inches tall x 16-inch Ø (45.5 cm x 40.5 cm)		paper · brown paper · black paper · blue textile · white (translucent) textile · aluminum textile · forest green **	2.9 kg 3.0 kg 3.0 kg 2.5 kg 2.7 kg 2.7 kg	3.4 kg 3.5 kg 3.5 kg 2.9 kg 3.1 kg 3.1 kg	195 250 300 560 650 650	M-SS-P-FSC-BR-18-16 M-SS-P-BK-18-16 M-SS-P-FSC-BU-18-16 M-SS-T-WH-18-16 M-SS-T-AL-18-16 M-SS-T-GRN-18-16
fanning stool bench + table stool: 12 inches tall x 24-inch Ø (30.5 cm x 61 cm) bench: 1.8 meters (6 feet)		paper · brown paper · black paper · blue textile · white (translucent) textile · aluminum textile · forest green **	5.1 kg 5.3 kg 5.3 kg 4.6 kg 4.8 kg 4.8 kg	6.0 kg 6.2 kg 6.2 kg 5.5 kg 5.7 kg 5.7 kg	285 375 450 955 1125 1145	M-SS-P-FSC-BR-12-24 M-SS-P-BK-12-24 M-SS-P-FSC-BU-12-24 M-SS-T-WH-12-24 M-SS-T-AL-12-24 M-SS-T-GRN-12-24
fanning stool bench + table stool: 18 inches tall x 24-inch Ø (45.5 cm x 61 cm) bench: 1.8 meters (6 feet)		paper · brown paper · black paper · blue textile · white (translucent) textile · aluminum textile · forest green **	7.9 kg 8.1 kg 8.1 kg 6.8 kg 7.0 kg 7.0 kg	9.0 kg 9.2 kg 9.2 kg 8.0 kg 8.2 kg 8.2 kg	425 550 675 1400 1650 1685	M-SS-P-FSC-BR-18-24 M-SS-P-BK-18-24 M-SS-P-FSC-BU-18-24 M-SS-T-WH-18-24 M-SS-T-AL-18-24 M-SS-T-GRN-18-24
fanning stool bench + table stool: 12 inches tall x 36-inch Ø (30.5 cm x 91.5 cm) bench: 2.5 meters (8 feet)		paper · brown paper · black paper · blue textile · white (translucent) textile · aluminum textile · forest green **	9.3 kg 11.2 kg 11.2 kg 7.6 kg 7.8 kg 7.8 kg	10.4 kg 12.3 kg 12.3 kg 8.7 kg 8.9 kg 8.9 kg	475 650 675 1650 1970 2000	M-SS-P-FSC-BR-12-36 M-SS-P-BK-12-36 M-SS-P-FSC-BU-12-36 M-SS-T-WH-12-36 M-SS-T-AL-12-36 M-SS-T-GRN-12-36
fanning stool bench + table stool: 18 inches tall x 36-inch Ø (45.5 cm x 91.5 cm) bench: 2.5 meters (8 feet)		paper · brown paper · black paper · blue textile · white (translucent) textile · aluminum textile · forest green **	14.3 kg 15.1 kg 15.1 kg 11.9 kg 12.1 kg 12.1 kg	16.6 kg 17.4 kg 17.4 kg 14.2 kg 14.4 kg 14.4 kg	680 935 1000 2450 2900 3000	M-SS-P-FSC-BR-18-36 M-SS-P-BK-18-36 M-SS-P-FSC-BU-18-36 M-SS-T-WH-18-36 M-SS-T-AL-18-36 M-SS-T-GRN-18-36
lounger 16 inches x 60-inch Ø (40.5 cm x 152.5 cm)		paper · black textile · white (translucent) textile · aluminum	30.0 kg 21.6 kg 22.5 kg	42.0 kg 33.6 kg 34.5 kg	4150 8600 11700	M-SS-P-BK-16-60-LNGR M-SS-T-WH-16-60-LNGR M-SS-T-AL-16-60-LNGR
lounger 16 inches x 84-inch Ø (40.5 cm x 215 cm)		paper · brown	69.0 kg	79.5kg	4350	M-SS-P-FSC-BR-16-84-LNGR

* weights may vary

*** prices do not include shipping; purchaser is responsible for all import duties + VAT

only products identified with a 'P-FSC' signifier are FSC® certified (FSC® C158591)

9 of 21

Molo Design, Ltd.

1470 Venables Street, Vancouver, BC, V5L 2G7, Canada

t + 1 604 685 0340

info@molodesign.com


molodesign.com



soft collection

softseating accessories

Available in sizes that correspond to the surface diameter of softseating fanning stool, wool felt pads and PaperStone hard tops make lovely companions to molo softseating, tables and display podiums. wool felt pad can also be used as cushions along a bench or benchwall, placed directly on the floor as small area rugs, or used as a bed for four-legged friends. felt pad is 100% natural, and PaperStone hard tops are made from FSC® Certified (FSC® C158591) sustainably sourced materials.



product	dimensions	material/dimensions + colour	product weight *	shipping weight *	pricing EUR€ ***	product code
wool felt pad (optional) use wool felt pad independently or pair with softseating fanning stools		15 in Ø (38 cm) · natural grey wool 23 in Ø (58.5 cm) · natural grey wool 35 in Ø (89 cm) · natural grey wool	0.8 kg 1.1 kg 2.5 kg	1.1 kg 1.5 kg 3.9 kg	85 150 285	M-PAD-FLT-GR-15 M-PAD-FLT-GR-23 M-PAD-FLT-GR-35
wool felt pad (optional) 14-inch Ø (35.5 cm) use wool felt pad independently or pair with softseating fanning stools		graphite wool	0.3 kg	0.5 kg	105	M-PAD-FLT-DKGR-14
PaperStone top (optional) 14-inch Ø (35.5 cm) use top independently or pair with benchwall, softseating fanning stools and benches		PaperStone · brown PaperStone · black PaperStone · grey **	0.75 kg 0.75 kg 0.75 kg	1.25 kg 1.25 kg 1.25 kg	250 215 225	M-TOP-P-FSC-BR-14 M-TOP-P-FSC-BK-14 M-TOP-P-FSC-GR-14
PaperStone top (optional) 22-inch Ø (56 cm) use top independently or pair with softseating fanning stools		PaperStone · brown PaperStone · black PaperStone · grey **	1.8 kg 1.8 kg 1.8 kg	2.8 kg 2.8 kg 2.8 kg	430 360 400	M-TOP-P-FSC-BR-22 M-TOP-P-FSC-BK-22 M-TOP-P-FSC-GR-22
PaperStone top (optional) 34-inch Ø (86.5 cm) use top independently or pair with softseating fanning stools		PaperStone · brown PaperStone · black PaperStone · grey **	4.5 kg 4.5 kg 4.5 kg	5.5 kg 5.5 kg 5.5 kg	800 650 725	M-TOP-P-FSC-BR-34 M-TOP-P-FSC-BK-34 M-TOP-P-FSC-GR-34
wool felt tote (optional) use wool felt tote to carry 16-inch Ø (40.5 cm) softseating fanning stools in their compressed form		small · natural grey felted wool for 12 x 16-inch Ø fanning stool (30.5 cm tall x 40.5 cm) large · natural grey felted wool for 18 x 16-inch Ø fanning stool (45.5 cm tall x 40.5 cm) shipping dimensions available upon request	0.1 kg 0.1 kg	0.2 kg 0.2 kg	80 90	P-TOTE-FLT-GR-12 P-TOTE-FLT-GR-18

* weights may vary

** PaperStone grey: 12 - 18 week lead time may apply

*** prices do not include shipping; purchaser is responsible for all import duties + VAT

only products identified with a 'P-FSC' signifier are FSC® certified (FSC® C158591)


10 of 21

soft collection

cantilever table bases

cantilever table uses a flexible paper or textile base and is available in two heights. A single base uses honeycomb geometry to fan open and support a round top. Blue and brown paper bases are made from wood harvested from FSC® Certified (FSC® C158591) responsible sources. cantilever table can be purchased either with a centre hole to accommodate molo's pencil holder and sketching circles, or as a solid surface top. The felt pad is an alternative option to the hard round top.

The components of cantilever table are available for individual purchase. molo offers these pieces as an opportunity to continue the design process, encouraging clients to pair the bases with tabletops of their own design, or from a unique material palette. To discuss your idea, please contact the studio.



product	dimensions	material + colour	product weight *	shipping weight *	pricing EUR€ ***	product code
cantilever table base sitting height		paper · brown paper · black paper · blue textile · white (translucent) textile · aluminum textile · forest green ships in box 35 x 18.9 x 5.9 inches (89 x 48 x 15 centimeters)	12.8 kg 13.2 kg 13.2 kg 9.0 kg 9.6 kg -	17.4 kg 17.8 kg 17.8 kg 13.2 kg 13.8 kg -	1050 1150 1250 3425 4325 inquire	M-CT-B-P-FSC-BR-27-37 M-CT-B-P-BK-27-37 M-CT-B-P-FSC-BU-27-37 M-CT-B-T-WH-27-37 M-CT-B-T-AL-27-37 M-CT-B-T-GRN-27-37
cantilever table base standing height		paper · brown paper · black textile · white (translucent) textile · aluminum textile · forest green ships in box 48 x 18.9 x 6.7 inches (122 x 48 x 17 centimeters)	15.8 kg 16.1 kg 12.8 kg 13.8 kg -	21.2 kg 21.5 kg 18.2 kg 19.2 kg -	1300 1525 4150 5200 inquire	M-CT-B-P-FSC-BR-39-37 M-CT-B-P-BK-39-37 M-CT-B-T-WH-39-37 M-CT-B-T-AL-39-37 M-CT-B-T-GRN-39-37

* weights may vary

*** prices do not include shipping; purchaser is responsible for all import duties + VAT

only products identified with a 'P-FSC' signifier are FSC® certified (FSC® C158591)

11 of 21

soft collection

cantilever table tops + accessories

cantilever table uses a flexible paper or textile base and is available in two heights. A single base uses honeycomb geometry to fan open and support a round top. Blue and brown paper bases are made from wood harvested from FSC® Certified (FSC® C158591) responsible sources. cantilever table can be purchased either with a centre hole to accommodate molo's pencil holder and sketching circles, or as a solid surface top. The felt pad is an alternative option to the hard round top.

The components of cantilever table are available for individual purchase. molo offers these pieces as an opportunity to continue the design process, encouraging clients to pair the bases with tabletops of their own design, or from a unique material palette. To discuss your idea, please contact the studio.



product	dimensions	material + colour	product weight *	shipping weight *	pricing EUR€ ***	product code
cantilever table top cantilever table as a solid surface top		PaperStone · brown PaperStone · black PaperStone · grey ** marble · Carrara white ** ships in box 48 x 48 x 5.9 inches (122 x 122 x 15 centimeters)	8.2 kg 8.2 kg 8.2 kg 61.0 kg	10.2 kg 10.2 kg 10.2 kg 64.5 kg	1600 1300 1450 inquire	M-CT-T-P-FSC-BR-47 M-CT-T-P-FSC-BK-47 M-CT-T-P-FSC-GR-47 M-CT-T-MAR-WH-47
cantilever table top with glass pencil holder cantilever table top with a centre hole to accommodate molo's pencil holder and sketching circle		PaperStone · brown · centre hole PaperStone · black · centre hole PaperStone · grey · centre hole marble · Carrara white · centre hole ** ships in box 48 x 48 x 5.9 inches (122 x 122 x 15 centimeters)	8.5 kg 8.5 kg 8.5 kg 61.0 kg	10.5 kg 10.5 kg 10.5 kg 64.5 kg	1650 1350 1500 inquire	M-CT-T-H-P-FSC-BR-47 M-CT-T-H-P-FSC-BK-47 M-CT-T-H-P-FSC-GR-47 M-CT-T-H-MAR-WH-47
paper sketching circles 400 sheets (optional) optional accessory for cantilever table		paper · white ships in box 30 x 30 x 3 inches (69 x 69 x 7.5 centimeters)	11.5 kg	14.8 kg	150	M-CT-SC-P-WH-27
wool felt pad (optional) use wool felt pad as a soft top to cantilever table in round arrangement		natural grey felted wool 35-inch Ø (89 centimeters) shipping dimensions available upon request	2.5 kg	3.9 kg	285	M-PAD-FLT-GR-35

* weights may vary

** Carrara white marble top: 12 - 18 week lead time may apply

*** prices do not include shipping; purchaser is responsible for all import duties + VAT

only products identified with a 'P-FSC' signifier are FSC® certified (FSC® C158591)

12 of 21



soft collection

benchwall + thinwall

benchwall is a flexible, paper or textile bench with a tall backrest that acts as both acoustic space partition and seating. benchwall can stretch into straight, high backed seating or sweep into a circular bench-lined room for intimate meetings. benchwall may magnetically connect to the 45.5 x 91.5-centimeter diameter (18 x 36-inch diameter) size softseating stool + bench to form modular seating arrangements. Blue and brown paper products are made from wood harvested from FSC® Certified (FSC® C158591) responsible sources.

thinwall was designed as an acoustic, sculptural liner for solid walls, columns and ceilings or as a flexible wrap for storage areas, reception desks and other millwork. It measures only 9 centimeters wide (3.5 inches) and reaches 183 centimeters high (6 feet). Adjustable in length, it stretches up to 3.5 meters long.



product	dimensions	material + colour	product weight *	shipping weight *	pricing EUR€ ***	product code
benchwall backrest: 5 feet tall x 4.5 inches deep (152.5 cm x 11.5 cm) seat: 18 inches tall x 18 inches deep (45.5 cm x 45.5 cm)	152.5 cm (5 ft) 45.5 cm (18 in) 57 cm (22.5 in) max length varies by material [†] benchwall elements are flexible in length, but vary by material: — paper benchwall opens to a max 3.5 meters (11.5 feet) long — textile benchwall opens to a max 5 meters (16.5 feet) long	paper · brown paper · black textile · white (translucent) (16.5 feet long) (5 m) textile · aluminum (16.5 feet long) (5 m) textile · forest green (16.5 feet long) (5 m) shipping dimensions available upon request	33.0 kg 32.0 kg 34.8 kg 35.1 kg 35.1 kg	41.5 kg 40.5 kg 43.6 kg 43.9 kg 43.9 kg	1775 2400 10500 13850 13850	M-BW-P-FSC-BR-05-11 M-BW-P-BK-05-11 M-BW-T-WH-05-16 M-BW-T-AL-05-16 M-BW-T-GRN-05-16
thinwall 6 feet tall x 3.5 inches deep (183 cm x 9 cm) thinwall, which is not freestanding, is not designed for use as a room divider but rather as an acoustic wrap	183 cm (6 ft) 9 cm (3.5 in) 3.5 m (11.5 ft) max [†] thinwall is flexible in length, opening to a max 3.5 meters long (11.5 feet).	paper · brown ** paper · black ** textile · white (translucent) ** textile · aluminum textile ** textile · forest green textile ** ships in box 78.75 x 7.5 x 5.2 inches (200 x 19 x 13 centimeters) minimum order quantity may apply	14.3 kg 15.1 kg 11.9 kg - -	16.6 kg 17.4 kg 14.2 kg - -	1000 1350 1700 inquire inquire	M-THW-P-FSC-BR-06-03 M-THW-P-BK-06-03 M-THW-T-WH-06-03 M-THW-T-AL-06-03 M-THW-T-GRN-06-03
thinwall anchor strip 1 unit per end of thinwall		white powder coated steel with adhesive backing 66 x 2.8 inches (167.5 x 7.2 centimeters)	2.3 kg	2.3 kg	160	M-STRP-WH-TW-06

* weights may vary






** thinwall: 12 - 18 week lead time and minimum order quantity may apply

*** prices do not include shipping; purchaser is responsible for all import duties + VAT





only products identified with a 'P-FSC' signifier are FSC® certified (FSC® C158591)

13 of 21

soft collection

cloud softlight pendant 	cloud softlight pendants are individual luminaries that radiate a gentle, ambient light. The honeycomb shades are lit from within by dimmable 90+ CRI LED, in warm white or neutral white colour temperatures. cloud pendant is available in four sizes, and can be hung independently or combined with other pendants and mobiles to create vast sculptural skylscapes. cloud softlight pendant scales to any size interior, from small apartments to multi-storey auditoriums..				
product	dimensions + specs	power supply voltage	LED colour	pricing EUR€ ***	product code
cloud pendant small		plug-in 110 - 240V plug types available: A, C, G, I hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver	neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K)	525	M-CLD-PEN-SM-PI-4000K M-CLD-PEN-SM-PI-3000K M-CLD-PEN-SM-PI-2700K M-CLD-PEN-SM-HW-4000K M-CLD-PEN-SM-HW-3000K M-CLD-PEN-SM-HW-2700K
cloud pendant medium		plug-in 110 - 240V plug types available: A, C, G, I hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver	neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K)	1125	M-CLD-PEN-MD-PI-4000K M-CLD-PEN-MD-PI-3000K M-CLD-PEN-MD-PI-2700K M-CLD-PEN-MD-HW-4000K M-CLD-PEN-MD-HW-3000K M-CLD-PEN-MD-HW-2700K
cloud pendant large		plug-in 110 - 240V plug types available: A, C, G, I hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver	neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K)	1600	M-CLD-PEN-LG-PI-4000K M-CLD-PEN-LG-PI-3000K M-CLD-PEN-LG-PI-2700K M-CLD-PEN-LG-HW-4000K M-CLD-PEN-LG-HW-3000K M-CLD-PEN-LG-HW-2700K
cloud pendant x-large	 small cloud mobiles include 2.8 meters (9 feet) of electrical cable (custom lengths available) medium cloud mobiles include 2.5 meters (8 feet) of electrical cable (custom lengths available) large cloud mobiles include 2.0 meters (6.5 feet) of electrical cable (custom lengths available) hardwire mobiles include a dimmable transformer	plug-in 110 - 240V plug types available: A, C, G, I hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver	neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K)	2300	M-CLD-PEN-XL-PI-4000K M-CLD-PEN-XL-PI-3000K M-CLD-PEN-XL-PI-2700K M-CLD-PEN-XL-HW-4000K M-CLD-PEN-XL-HW-3000K M-CLD-PEN-XL-HW-2700K
gripper ring		optional alternative to canopy plate and bracket bar gripper please inquire			P-CLD-GRIP-RING-364
side exit gripper		optional alternative to canopy plate and bracket bar gripper please inquire			P-CLD-GRIP-SE
custom length power wire + hang cable		up to 10.5 m (34.5 ft) * longer hang lengths available, please inquire for pricing and more details		130	CLD-PWIRE-PEN-10.5

soft collection


cloud softlight mobile  cloud softlight mobile creates a canopy of soft, luminous forms. Inspired by the kinetic sculptures of Alexander Calder, each mobile supports three cloud pendants that move and shift with the air currents. The honeycomb shades are lit from within by dimmable 90+ CRI LED, in neutral white (4000K), warm white (3000K) or warmer white (2700K) colour temperatures, and transmit a gentle glow in all directions.					
product	dimensions + specs	power supply voltage	LED colour	pricing EUR€ ***	product code
cloud mobile small		plug-in 110 - 240V plug types available: A, C, G, I hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver	neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K)	1950	M-CLD-MOB-SM-PI-4000K M-CLD-MOB-SM-PI-3000K M-CLD-MOB-SM-PI-2700K M-CLD-MOB-SM-HW-4000K M-CLD-MOB-SM-HW-3000K M-CLD-MOB-SM-HW-2700K
cloud mobile medium		plug-in 110 - 240V plug types available: B, E/F hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver	neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K)	3200	M-CLD-MOB-MD-PI-4000K M-CLD-MOB-MD-PI-3000K M-CLD-MOB-MD-PI-2700K M-CLD-MOB-MD-HW-4000K M-CLD-MOB-MD-HW-3000K M-CLD-MOB-MD-HW-2700K
cloud mobile large	 small cloud mobiles include 2.8 meters (9 feet) of electrical cable (custom lengths available) medium cloud mobiles include 2.5 meters (8 feet) of electrical cable (custom lengths available) large cloud mobiles include 2.0 meters (6.5 feet) of electrical cable (custom lengths available) hardwire mobiles include a dimmable transformer	plug-in 110 - 240V plug types available: B, E/F hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver	neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K)	5250	M-CLD-MOB-LG-PI-4000K M-CLD-MOB-LG-PI-3000K M-CLD-MOB-LG-PI-2700K M-CLD-MOB-LG-HW-4000K M-CLD-MOB-LG-HW-3000K M-CLD-MOB-LG-HW-2700K
gripper ring		optional alternative to canopy plate and bracket bar gripper please inquire			P-CLD-GRIP-RING-364
side exit gripper		optional alternative to canopy plate and bracket bar gripper please inquire			P-CLD-GRIP-SE
custom length power wire + hang cable **		small mobile · 9 - 28.5 ft (2.8 - 8.8 m) small mobile · 28.5 - 44 ft (8.8 - 13.5 m) medium mobile · 8 - 27.5 ft (2.5 - 8.5 m) large mobile · 6.5 - 21 ft (2.0 - 6.5 m)		250 800 250 200	CLD-PWIRE-MOB-SM-8.5 CLD-PWIRE-MOB-SM-13.5 CLD-PWIRE-MOB-MD-8.5 CLD-PWIRE-MOB-LG-6.5


** custom length power wire + hang cable: 12 - 18 week lead time may apply
 *** prices do not include shipping; purchaser is responsible for all import duties + VAT



soft collection

cloud mast cloud mast is a kinetic luminary that balances elements of earth and air. The mast is crowned by a boom that supports a luminous canopy of clouds and a dangling fishing weight. The boom revolves around the mast, carrying graceful light throughout a space. As a floor supported lamp, cloud mast is ideal for temporary installations or interiors where wiring might disrupt the ceiling.



product	dimensions + specs	power supply voltage	LED colour	pricing EUR€ ***	product code
cloud mast	 *standard height from floor to cloud mobile.	plug-in 110 - 240V plug types available: B, E/F	neutral white (4000K) warm white (3000K) warmer white (2700K)	10700	M-CLD-MAST-LG-4000K M-CLD-MAST-LG-3000K M-CLD-MAST-LG-2700K

soft collection

urchin softlight

With its elastic movement and shifting form, urchin softlight invites playful interaction. By gently manipulating the shade with your hands, the lamp transforms through a range of beautiful shapes. The honeycomb shade is made from a tear- and water-resistant, non-woven polyethylene textile that is anti-static to repel dust. The integrated LED light source is available in neutral white (4000K) or warm white (2700K) colour temperatures with 90+ CRI for natural colour rendition.



product	dimensions + specs	power supply voltage	LED colour	pricing EUR€ ***	product code
urchin softlight small	 white textile shade 15-inch Ø x 9.5 inches tall † (38 centimeters x 24 centimeters) shipping weight: 3 lbs (1.4 kg) * ships in box: 17 x 9 x 4 inches (43 x 23 x 10 centimeters)	plug-in 110 - 240V plug types available: A, C, G, I	neutral white (4000K) warm white (2700K)	300	M-URC-T-WH-SM-NW M-URC-T-WH-SM-WW
urchin softlight medium	 white textile shade 25-inch Ø x 14 inches tall † (63.5 centimeters x 35.5 centimeters) shipping weight: 4.3 lbs (2.0 kg) * ships in box: 17 x 9 x 4 inches (43 x 23 x 10 centimeters)	plug-in 110 - 240V plug types available: A, C, G, I	neutral white (4000K) warm white (2700K)	750	M-URC-T-WH-MD-NW M-URC-T-WH-MD-WW
urchin softlight large	 white textile shade 32-inch Ø x 20.5 inches tall † (81.5 centimeters x 52 centimeters) shipping weight: 6.6 lbs (3.0 kg) * ships in box: 32 x 10.75 x 4.25 inches (58 x 27 x 11 centimeters) † urchin is inherently flexible; dimensions will vary on arrangement. All urchin softlight comes with a 3meter (10-foot) plug-in electrical cable.	plug-in 110 - 240V plug types available: A, C, G, I	neutral white (4000K) warm white (2700K)	1100	M-URC-T-WH-LG-NW M-URC-T-WH-LG-WW

* weights may vary



*** prices do not include shipping; purchaser is responsible for all import duties + VAT




cappello

cappello

cappello is a modest tribute to Achille Castiglioni, his brother Pier Giacomo, and Ingo Maurer—designers who have gifted the studio (and the world) much joy and inspiration. The Carrara marble base is a byproduct of the manufacturing process for Arco, the iconic floor lamp designed by the Castiglioni brothers in 1962. Cappello is lit by LED and shaded with a paper cap, or “cappello” in Italian. A simple magnetic connection allows the cap to slide to any position along the steel wire that springs from the marble base. This allows the cap to tilt, adjusting direction of light and giving the little lamp a gestural, anthropomorphic quality.



product	dimensions + specs	power supply voltage	LED colour	pricing EUR€ ***	product code
cappello	 white marble base white paper shade steel rod 26 inches (66 centimeters) tall product weight 2 lbs (0.9 kg) * shipping weight 3 lbs (1.4 kg) * ships in box 21.5 x 6.75 x 3.75 inches (55 x 17 x 9.5 centimeters) cappello comes with a 3-meter (10-foot) plug-in electrical cable.	plug-in 110 - 240V plug types available: A, C, G, I	neutral white (4000K) warm white (3000K) warmer white (2700K)	325	M-CAP-4000K M-CAP-3000K M-CAP-2700K

* weights may vary
*** prices do not include shipping; purchaser is responsible for all import duties + VAT




accessory

cork peg hook

Available in two lengths, cork peg is a wall hook that uses a magnetic mounting system. cork is renewable, beautiful and naturally antibacterial; lending the simple form to diverse uses from door stop to toilet paper holder.




product		dimensions	material + colour	pricing EUR€ ***	product code
cork peg · short wall hook		cork peg 3 inches long x 1.5-inch Ø (7.5 x 4 centimeters) weight bearing capacity: 7 lbs (3.2 kg) includes magnetic cup mount that screws to wall	natural cork peg nickel plated magnets	50	M-PEG-HOOK-S
cork peg · long wall mounted holder for toilet paper + hand towels		cork peg 6 inches long x 1.5-inch Ø (15 x 4 centimeters) includes magnetic cup mount that screws to wall	natural cork peg nickel plated magnets	55	M-PEG-HOOK-L

glassware

float

float is a line of hand blown, thermally-resistant glassware designed to emphasize the colours and charms of the tea, scotch or juice served within. The suspended bowl insulates liquid from hands, and forms a lens of liquid colour that projects light onto the tabletop. The tea lantern has an insulating double wall, allowing for a simple, cylindrical form that can be held like a wine bottle. With a candle lit below the tea lantern, the ambient light, together with the colour, fragrance and steam of the tea, transcends the pragmatic to create an engaging spatial experience.

float is exclusively available at molodesign.com



product		volume ml (oz)	pricing EUR€ ***	product code	product		volume ml (oz)	pricing EUR€ ***	product code
tea lantern 3 glass parts: teapot, lid, candle holder steel filter		1000 ml (34 fl oz) **	445	M-FLO-TL-C1-34 clear glass M-FLO-TL-F1-34 translucent fritted glass	sugar + cream 3 parts: sugar with lid + cream small sugar + cream spirit measures set of 2		220 ml (7.5 fl oz) * 120 ml (4 fl oz) **	200	M-FLO-SC clear glass M-FLO-SS-SM clear glass
small tea lantern 3 glass parts: teapot, lid, candle holder steel filter		500 ml (17 fl oz) **	350	M-FLO-TS-C1-17 clear glass M-FLO-TS-F1-17 translucent fritted glass	glass infuser optional accessory to tea lantern		available in small or large to match size of tea lantern	50	M-FLO-GLASS-FLTR clear glass
tea / coffee / rocks glasses set of 2		220 ml (7.5 fl oz) * 150 ml (5 fl oz) **	220	M-FLO-TC-CF-RK-7.5 clear glass	matcha / latte bowl 1 bowl		470 ml (16 fl oz) * 180 ml (6 fl oz) **	185	M-FLO-MB-LT-16 clear glass
champagne flutes set of 2		180 ml (6 fl oz) * 120 ml (4 fl oz) **	200	M-FLO-CF-8 clear glass	wine / cappuccino glasses set of 2		400 ml (14 fl oz) * 150 ml (5 fl oz) **	265	M-FLO-WG-CP-14 clear glass
pilsner / cocktail flutes set of 2		325 ml (11 fl oz) * 300 ml (10 fl oz) **	195	M-FLO-PF-11 clear glass	liqueur / espresso / sake glasses set of 2		55 ml (1.9 fl oz) * 45 ml (1.5 fl oz) **	175	M-FLO-ES-LG-1.9 clear glass
martini glasses set of 2		200 ml (7 fl oz) * 90 ml (3 fl oz) **	235	M-FLO-MG-C2-7 clear glass M-FLO-MG-F2-7 translucent fritted glass	glass balls for candlelight set of 3		10 cm Ø (4 in) works with a 4.5 cm Ø (1.75 in) floating candle	75	M-FLO-GB-C3 clear glass M-FLO-GB-F3 translucent fritted glass
large deep bowl 1 bowl		4000 ml (135 fl oz) * 20 Ø x 20 cm (8 Ø x 8 in)	550	M-LG-FLO-DB clear glass	animal soup 1 bowl		530 ml (18 fl oz) * 400 ml (14 fl oz) **	200	M-FLO-AS clear glass
tall vase 1 vase		2500 ml (84 fl oz) * 11 Ø x 33 cm (4.33 Ø x 13 in)	450	M-LG-FLO-TV clear glass	large shallow bowl 1 bowl		3000 ml (100 fl oz) * 30 Ø x 11 cm (11.8 Ø x 4.38 in)	525	M-LG-FLO-SB clear glass

* total volume to rim of glass

** suggested serving volume (ask for diagram)

*** prices do not include shipping; purchaser is responsible for all import duties + VAT

20 of 21



Europe pricing and terms

pricing

For purchases delivered within Europe, molo maintains an international price list in Euros (EUR). Transport costs will be quoted separately on your invoice. The purchaser is responsible for all import duties and VAT — these will be collected directly by the import broker or freight carrier.

payment and shipping

Payment must be received in full before any goods are shipped. We accept payment in EUR by bank wire, credit card (Visa, MasterCard, AMEX), or PayPal. We do not accept cheques. For credit card or PayPal payments over €5,000, a 3% processing fee will be charged. Standard delivery is by FedEx International Priority or freight forwarder.

exchange policy and warranty

ALL SALES ARE FINAL. When packaged molo products are highly compact and rarely damaged in shipping. In the unlikely event of damage, ask the delivery person to sign off on any visible damage to the packaging before leaving and photograph the damaged packaging before opening. The shipping company can only be held accountable for damages noted by the driver at the time of delivery.

Damaged or defective goods can be exchanged provided we are notified by email with photos of the damage within two business days of your receipt of goods. If any damage occurs during installation, contact molo immediately and do not attempt to fix the product, as doing so may limit our ability to assist. This policy does not include goods that are not defective but rather exhibit minor variations typical of handmade products.

While we do not offer an official warranty, we stand behind our products and are available to assist with any issues if they occur.

ordering information

E-mail orders to sales@molodesign.com, or call +1 604 685 0340.

For most orders, goods are normally in stock and ready to ship. For larger orders, projects with fixed deadlines, or orders with custom colour softwall + softblock, please allow for up to 25 weeks lead time. Please ask an account manager about availability based on your timeline and project.

patents and intellectual property

molo products are designed by Stephanie Forsythe and Todd MacAllen, manufactured by Molo Design, Ltd. and protected by patents and/or design registrations viewable at molodesign.com/ip.

Prices and policies are subject to change without notice.

