

# USD International price list

orders delivered outside of the United States and Canada

summer 2025

Molo Design, Ltd.

1470 Venable Street  
Vancouver, BC  
Canada V5L 2G7

t +1 604 586 0340

f +1 604 685 0342

[info@molodesign.com](mailto:info@molodesign.com)


[www.molodesign.com](http://www.molodesign.com)



## soft collection

### softwall + softblock modular system

softwall + softblock is a modular system of freestanding, flexible partition walls and building blocks. The elements are available in a variety of materials and colours to offer a range of properties including translucency or opacity, acoustic absorption, fire rating, UV and water resistance. The paper and textile materials are recyclable. Blue and brown paper products are made from wood harvested from FSC® Certified (FSC® C158591) responsible sources. softwall + softblock is flexible in length, opening to a maximum of 4.5 meters long (15 feet) when fully expanded. When softwall + softblock are compressed for storage, they measure less than 5 centimeters thick (2 inches). Elements may open less than the full length to create shorter partitions, or form longer walls by connecting two or more softwalls via their magnetic end panels. An optional wall hook is available for simple, compact storage.



product	dimensions	material + colour	product weight *	shipping weight *	pricing US\$ ***	product code
<b>softwall</b> 5 feet tall x 9.25 inches deep (152.5cm x 23.5cm)  <sup>§</sup> FR textile softwall is 11.5 inches (29 centimeters)		paper · natural brown paper · black textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	10.5kg 11.3kg 6.5kg 8.8kg 7.1kg 7.1kg 7.1kg varies	15.2kg 16.0kg 11.2kg 12.9kg 11.8kg 11.8kg 11.8kg varies	1025 1225 1875 2475 2300 2300 2300 varies	M-SW-P-FSC-BR-05-09 M-SW-P-BK-05-09 M-SW-T-WH-05-09 M-SW-FR-T-WH-05-12 M-SW-T-AL-05-09 M-SW-T-GRN-05-09 M-SW-T-BK-05-09 M-SW-T-CC-05-09
<b>softwall</b> 6 feet tall x 9.25 inches deep (183cm x 23.5cm)  <sup>§</sup> FR textile softwall is 11.5 inches (29 centimeters)		paper · natural brown paper · black textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	12.6kg 13.6kg 7.8kg 10.5kg 8.5kg 8.5kg 8.5kg varies	17.9kg 18.9kg 13.1kg 15.1kg 13.8kg 13.8kg 13.8kg varies	1200 1400 2150 2825 2600 2600 2600 varies	M-SW-P-FSC-BR-06-09 M-SW-P-BK-06-09 M-SW-T-WH-06-09 M-SW-FR-T-WH-06-12 M-SW-T-AL-06-09 M-SW-T-GRN-06-09 M-SW-T-BK-06-09 M-SW-T-CC-06-09
<b>softwall</b> 8 feet tall x 9.25 inches deep (244cm x 23.5cm)  <sup>§</sup> FR textile softwall is 11.5 inches (29 centimeters)		paper · natural brown paper · black textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	16.3kg 18.1kg 10.3kg 14.4kg 11.3kg 11.3kg 11.3kg varies	20.2kg 22.0kg 14.2kg 20.6kg 15.2kg 15.2kg 15.2kg varies	1500 1775 2925 3825 3750 4050 4050 varies	M-SW-P-FSC-BR-08-09 M-SW-P-BK-08-09 M-SW-T-WH-08-09 M-SW-FR-T-WH-08-12 M-SW-T-AL-08-09 M-SW-T-GRN-08-09 M-SW-T-BK-08-09 M-SW-T-CC-08-09
<b>softwall</b> 8 feet tall x 13.3 inches deep (244cm x 34cm)  <sup>§</sup> FR textile softwall is 17.75 inches (45 centimeters)		textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	14.9kg 18.0kg 16.3kg 16.3kg 16.3kg 16.3kg varies	22.1kg 25.6kg 23.5kg 23.5kg 23.5kg 23.5kg varies	3500 4750 4700 4850 4850 4850 varies	M-SW-T-WH-08-13 M-SW-FR-T-WH-08-18 M-SW-T-AL-08-13 M-SW-T-GRN-08-13 M-SW-T-BK-08-13 M-SW-T-CC-08-13
<b>softwall</b> 10 tall x 13.3 inches deep (305cm x 34cm)  <sup>§</sup> FR textile softwall is 17.75 inches (45 centimeters)		textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	18.6kg 22.5kg 20.4kg 20.4kg 20.4kg 20.4kg varies	31.6kg 36.0kg 33.4kg 33.4kg 33.4kg 33.4kg varies	4500 5700 5550 5750 5750 5750 varies	M-SW-T-WH-10-13 M-SW-FR-T-WH-10-18 M-SW-T-AL-10-13 M-SW-T-GRN-10-13 M-SW-T-BK-10-13 M-SW-T-CC-10-13
<sup>†</sup> softwall + softblock is flexible in length, opening to a max 4.5 meters long (15 feet). When compressed, softwall + softblock is less than 5 centimeters thick (2 inches).						
<b>custom colour **</b>		textile softwall + softblock is available in any Pantone minimum order: varies; please enquire lead time: 21 - 25 weeks * *expedited service available			price varies with colour + size; please request a quote	
<b>custom height fee</b>		softwall + softblock can be trimmed to custom height there are some constraints due to position of magnets in end panels; please enquire			100	SRV-CUT-H-WALL

\* weights may vary

\*\* custom colour softwall + softblock: 21 - 25 week lead time + minimum quantities may apply

\*\*\* prices do not include shipping; purchaser is responsible for all taxes + import duties

only products identified with a 'P-FSC' signifier are FSC® certified (FSC® C158591)


2 of 21



## soft collection

### softwall + softblock modular system paper

paper softwall + softblock is made from a robust, cellulose-based paper that is UV resistant, coated with a non-toxic fire retardant, and recyclable. blue and brown paper products are made from FSC® Certified (FSC® C158591) responsible sources. We do not recommend using this material in environments of extreme humidity, where it may come into contact with moisture. softblock is a system of flexible building blocks that can be stacked and connected to create textured backdrops or displays.



product	dimensions	material + colour	product weight *	shipping weight *	pricing US\$ ***	product code
<b>softblock</b> 1 foot tall x 9.25 inches deep (30.5cm x 23.5cm)		paper · natural brown paper · black paper · indigo blue	2.1kg 2.3kg 2.3kg	3.2kg 3.4kg 3.4kg	250 275 275	M-SB-P-FSC-BR-01-09 M-SB-P-BK-01-09 M-SB-P-FSC-BU-01-09
<b>softblock</b> 2 feet tall x 9.25 inches deep (61cm x 23.5cm)		paper · natural brown paper · black paper · indigo blue	4.2kg 4.5kg 4.5kg	6.2kg 6.5kg 6.5kg	450 500 500	M-SB-P-FSC-BR-02-09 M-SB-P-BK-02-09 M-SB-P-FSC-BU-02-09
<b>softblock</b> 3 feet tall x 9.25 inches deep (91.5cm x 23.5cm)		paper · natural brown paper · black paper · indigo blue	6.3kg 6.8kg 6.8kg	9.3kg 9.8kg 9.8kg	650 750 750	M-SB-P-FSC-BR-03-09 M-SB-P-BK-03-09 M-SB-P-FSC-BU-03-09
<b>softblock</b> 4 feet tall x 9.25 inches deep (122cm x 23.5cm)		paper · natural brown paper · black paper · indigo blue	8.4kg 9.0kg 9.0kg	12.2kg 12.8kg 12.8kg	825 975 950	M-SB-P-FSC-BR-04-09 M-SB-P-BK-04-09 M-SB-P-FSC-BU-04-09
<b>softblock</b> 1 foot tall x 13.3 inches deep (30.5cm x 34cm)		paper · natural brown paper · black paper · indigo blue	3.3kg 3.3kg 3.3kg	4.5kg 4.5kg 4.5kg	300 375 375	M-SB-P-FSC-BR-01-13 M-SB-P-BK-01-13 M-SB-P-FSC-BU-01-13
<b>softblock</b> 2 feet tall x 13.3 inches deep (61cm x 34cm)		paper · natural brown paper · black paper · indigo blue	6.5kg 6.5kg 6.5kg	8.7kg 8.7kg 8.7kg	525 675 675	M-SB-P-FSC-BR-02-13 M-SB-P-BK-02-13 M-SB-P-FSC-BU-02-13
<b>softblock</b> 3 feet tall x 13.3 inches deep (91.5cm x 34cm)		paper · natural brown paper · black paper · indigo blue	9.7kg 9.7kg 9.7kg	13.0kg 13.0kg 13.0kg	750 950 950	M-SB-P-FSC-BR-03-13 M-SB-P-BK-03-13 M-SB-P-FSC-BU-03-13
<b>softblock</b> 4 feet tall x 13.3 inches deep (122cm x 34cm)		paper · natural brown paper · black paper · indigo blue	13.0kg 13.0kg 13.0kg	17.2kg 17.2kg 17.2kg	975 1225 1225	M-SB-P-FSC-BR-04-13 M-SB-P-BK-04-13 M-SB-P-FSC-BU-04-13

\* softblock is flexible in length, opening to a max 4.5 meters long (15 feet). When compressed for storage, softblock is less than 5 centimeters thick (2 inches).

\* weights may vary

\*\*\* prices do not include shipping; purchaser is responsible for all taxes + import duties


only products identified with a 'P-FSC' signifier are FSC® certified (FSC® C158591)

3 of 21

## soft collection

### softwall + softblock modular system textile

textile softwall + softblock is made from non-woven polyethylene. This material is tear and water-resistant, anti-static to repel dust, recyclable and is highly UV-resistant. molo offers a range of standard colours, and the textile material can be printed in any Pantone. softblock is a system of flexible building blocks that can be stacked and connected to create textured backdrops or displays. Please ask about minimum order quantities or limited editions.



product	dimensions	material + colour	product weight *	shipping weight *	pricing US\$ ***	product code
<b>softblock</b> 1 foot tall x 9.25 inches deep (30.5cm x 23.5cm)  <small>§FR textile softblock is 11.5 inches (29 centimeters)</small>		textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	1.3kg 1.8kg 1.4kg 1.4kg 1.4kg varies	2.4kg 2.8kg 2.5kg 2.5kg 2.5kg varies	400 525 475 475 475 varies	M-SB-T-WH-01-09 M-SB-FR-T-WH-01-12 M-SB-T-AL-01-09 M-SB-T-GRN-01-09 M-SB-T-BK-01-09 M-SB-T-CC-01-09
<b>softblock</b> 2 feet tall x 9.25 inches deep (61cm x 23.5cm)  <small>§FR textile softblock is 11.5 inches (29 centimeters)</small>		textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	2.6kg 3.6kg 2.8kg 2.8kg 2.8kg varies	4.6kg 5.4kg 4.8kg 4.8kg 4.8kg varies	750 1000 900 925 925 varies	M-SB-T-WH-02-09 M-SB-FR-T-WH-02-12 M-SB-T-AL-02-09 M-SB-T-GRN-02-09 M-SB-T-BK-02-09 M-SB-T-CC-02-09
<b>softblock</b> 3 feet tall x 9.25 inches deep (91.5cm x 23.5cm)  <small>§FR textile softblock is 11.5 inches (29 centimeters)</small>		textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	3.9kg 5.3kg 4.3kg 4.3kg 4.3kg varies	6.9kg 7.9kg 7.3kg 7.3kg 7.3kg varies	1100 1450 1325 1350 1350 varies	M-SB-T-WH-03-09 M-SB-FR-T-WH-03-12 M-SB-T-AL-03-09 M-SB-T-GRN-03-09 M-SB-T-BK-03-09 M-SB-T-CC-03-09
<b>softblock</b> 4 feet tall x 9.25 inches deep (122cm x 23.5cm)  <small>§FR textile softblock is 11.5 inches (29 centimeters)</small>		textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	5.2kg 7.2kg 5.4kg 5.7kg 5.7kg varies	9.0kg 10.5kg 9.2kg 9.5kg 9.5kg varies	1450 1875 1700 1800 1800 varies	M-SB-T-WH-04-09 M-SB-FR-T-WH-04-12 M-SB-T-AL-04-09 M-SB-T-GRN-04-09 M-SB-T-BK-04-09 M-SB-T-CC-04-09
<b>softblock</b> 1 foot tall x 13.3 inches deep (30.5cm x 34cm)  <small>§FR textile softblock is 11.5 inches (29 centimeters)</small>		textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	1.9kg 2.3kg 2.0kg 2.0kg 2.0kg varies	3.1kg 3.6kg 3.2kg 3.2kg 3.2kg varies	500 725 625 625 625 varies	M-SB-T-WH-01-13 M-SB-FR-T-WH-01-18 M-SB-T-AL-01-13 M-SB-T-GRN-01-13 M-SB-T-BK-01-13 M-SB-T-CC-01-13
<b>softblock</b> 2 feet tall x 13.3 inches deep (61cm x 34cm)  <small>§FR textile softblock is 11.5 inches (29 centimeters)</small>		textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	3.7kg 4.5kg 4.0kg 4.0kg 4.0kg varies	5.9kg 6.7kg 6.2kg 6.2kg 6.2kg varies	925 1350 1150 1150 1150 varies	M-SB-T-WH-02-13 M-SB-FR-T-WH-02-18 M-SB-T-AL-02-13 M-SB-T-GRN-02-13 M-SB-T-BK-02-13 M-SB-T-CC-02-13
<b>softblock</b> 3 feet tall x 13.3 inches deep (91.5cm x 34cm)  <small>§FR textile softblock is 11.5 inches (29 centimeters)</small>		textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	5.6kg 6.8kg 6.2kg 6.2kg 6.2kg varies	8.9kg 10.3kg 9.5kg 9.5kg 9.5kg varies	1350 2175 1700 1700 1700 varies	M-SB-T-WH-03-13 M-SB-FR-T-WH-03-18 M-SB-T-AL-03-13 M-SB-T-GRN-03-13 M-SB-T-BK-03-13 M-SB-T-CC-03-13
<b>softblock</b> 4 feet tall x 13.3 inches deep (122cm x 34cm)  <small>§FR textile softblock is 11.5 inches (29 centimeters)</small>		textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour **	7.4kg 9.0kg 7.6kg 7.6kg 7.6kg varies	11.6kg 13.4kg 11.8kg 11.8kg 11.8kg varies	1800 2625 2200 2200 2200 varies	M-SB-T-WH-04-13 M-SB-FR-T-WH-04-18 M-SB-T-AL-04-13 M-SB-T-GRN-04-13 M-SB-T-BK-04-13 M-SB-T-CC-04-13

† softblock is flexible in length, opening to a max 4.5 meters long (15 feet). When compressed for storage, softblock is less than 5 centimeters thick (2 inches).

\* weights may vary

\*\* custom colour softwall + softblock: 21 - 25 week lead time + minimum quantities may apply


\*\*\* prices do not include shipping; purchaser is responsible for all taxes + import duties



## soft collection

### softwall + softblock LED ribbon for white textile

Flexible LED ribbons integrate with textile softwall + softblock to transform the elements into expressive, luminous space partitions. Light emphasizes the subtle beauty of the translucent material, illuminating the delicate fibres. LEDs are available in warmer white (2700K), warm white (3000K) or neutral white (4000K). Please inquire about the recommended arrangement for your project.



product		dimensions	LED colour	pricing US\$ ***	product code
<b>softwall + softblock LED</b> we recommend 1 LED ribbon per every 2 feet (61 centimeters) in height of softwall or softblock. Please ask for advice specific to your project.		<b>LED · 1 ribbon kit · 4.5m (15') ribbon</b> 1 ribbon in any horizontal tunnel of any size softwall or softblock  shipping weight: 1.7lbs (0.79kg) *	warmer white (2700K) warm white (3000K) neutral white (4000K)	390	M-1LED-15-24V-2700K M-1LED-15-24V-3000K M-1LED-15-24V-4000K
		<b>LED · 1 ribbon kit · 9.0m (30') ribbon</b> 1 ribbon in any horizontal tunnel of any size softwall or softblock  shipping weight: 2.2lbs (0.99kg) *	warmer white (2700K) warm white (3000K) neutral white (4000K)	630	M-1LED-30-24V-2700K M-1LED-30-24V-3000K M-1LED-30-24V-4000K
		<b>LED · 2 ribbon kit · 4.5m (15') ribbons up to 61cm (2') apart</b> 2 ribbons for a single softwall or softblock stack spaced at 2' (61cm) vertical intervals	warmer white (2700K) warm white (3000K) neutral white (4000K)	725	M-2LED-15-24V-2700K-2 M-2LED-15-24V-3000K-2 M-2LED-15-24V-4000K-2
		<b>LED · 2 ribbon kit · 4.5m (15') ribbons up to 152.5cm (5') apart</b> 2 ribbons for a single softwall or softblock stack spaced at 5' (152.5cm) vertical intervals	warmer white (2700K) warm white (3000K) neutral white (4000K)		M-2LED-15-24V-2700K-5 M-2LED-15-24V-3000K-5 M-2LED-15-24V-4000K-5
		<b>LED · 2 ribbon kit · 4.5m (15') ribbons up to 213cm (7') apart</b> 2 ribbons for a single softwall or softblock stack spaced at 7' (213cm) vertical intervals  shipping weight: 2.4lbs (1.07kg) *	warmer white (2700K) warm white (3000K) neutral white (4000K)		M-2LED-15-24V-2700K-7 M-2LED-15-24V-3000K-7 M-2LED-15-24V-4000K-7
		<b>LED · 2 ribbon kit · 9.0m (30') ribbons up to 61cm (2') apart</b> 2 ribbons for single softwall, spaced at 2' (61cm) vertical intervals	warmer white (2700K) warm white (3000K) neutral white (4000K)	1025	M-2LED-30-24V-2700K-2 M-2LED-30-24V-3000K-2 M-2LED-30-24V-4000K-2
		<b>LED · 2 ribbon kit · 9.0m (30') ribbons up to 152.5cm (5') apart</b> 2 ribbons for single softwall, spaced at 5' (152.5cm) vertical intervals	warmer white (2700K) warm white (3000K) neutral white (4000K)		M-2LED-30-24V-2700K-5 M-2LED-30-24V-3000K-5 M-2LED-30-24V-4000K-5
		<b>LED · 2 ribbon kit · 9.0m (30') ribbons up to 213cm (7') apart</b> 2 ribbons for single softwall, spaced at 7' (213cm) vertical intervals  shipping weight: 3.4lbs (1.56kg) *	warmer white (2700K) warm white (3000K) neutral white (4000K)		M-2LED-30-24V-2700K-7 M-2LED-30-24V-3000K-7 M-2LED-30-24V-4000K-7
		<b>LED · 3 ribbon kit · 4.5m (15') ribbons each LED up to 61cm (2') apart</b> 3 ribbons for a single softwall or softblock stack spaced at 2' (61cm) vertical intervals  shipping weight: 3.0lbs (1.36kg) *	warmer white (2700K) warm white (3000K) neutral white (4000K)	950	M-3LED-15-24V-2700K-2-2 M-3LED-15-24V-3000K-2-2 M-3LED-15-24V-4000K-2-2
<b>electrical extension</b> 15 feet (4.5 meter)		<b>LED · 4 ribbon kit · 4.5m (15') ribbons each LED up to 91.5cm (3') apart</b> 4 ribbons for a single softwall or softblock stack spaced at 3' (91.5cm) vertical intervals  shipping weight: 3.5lbs (1.58kg) *	warmer white (2700K) warm white (3000K) neutral white (4000K)	1150	M-4LED-15-24V-2700K-3-3-3 M-4LED-15-24V-3000K-3-3-3 M-4LED-15-24V-4000K-3-3-3
		<b>LED · 4 ribbon kit · 4.5m (15') ribbons each LED up to 61cm (2') apart</b> 2 LED ribbons for each of two softwall and/or softblock stacks 2 ribbons in each, spaced at 2' (61cm) vertical intervals  shipping weight: 3.5lbs (1.58kg) *	warmer white (2700K) warm white (3000K) neutral white (4000K)	1150	M-4LED-15-24V-2700K-2 M-4LED-15-24V-3000K-2 M-4LED-15-24V-4000K-2
		<b>to extend the length of power wire for softwall + softblock LED ribbon (silver coaxial cable)</b> details available upon request		70	M-EEXT-PI-15

\* weights may vary


\*\*\* prices do not include shipping; purchaser is responsible for all taxes + import duties




## soft collection

### softwall + softblock accessories


softwall + softblock are freestanding, however, molo provides optional accessories that offer additional functionality. Please contact the studio to discuss which accessories may suit your project.




**anchor strip**  
anchor magnetic  
end panel of softwall  
to any solid surface



**felt handle**  
may attach to softwall  
that are opened and  
closed frequently



**peg + strip**  
reinforce the connection  
between horizontal  
layers of softblock



**tubes**  
transform softblock into a rigid beam to span  
windows or door openings. Tubes can also  
hold softwall + softblock in straight lengths.

product		dimensions	material + colour	pricing US\$ ***	product code
<b>anchor strip</b> 1 set per end of softwall, softblock		for softblock 11.75 x 2.4 inches (30 x 6cm) 1.5lbs (0.7kg) *  for softwall · 5ft (152.5cm) tall 54 x 6.3 inches (137 x 16cm) 10.4lbs (4.7kg) *  for softwall · 6ft (183cm) tall 66 x 6.3 inches (167.5 x 16cm) 12.4lbs (5.6kg) *  for softwall · 6ft (183cm) tall FR 66 x 2.4 inches (167.5 x 6cm) 10.1lbs (4.6kg) *  for softwall · 8ft (244cm) + 10ft (305cm) tall 90 x 2.4 inches (228.5 x 6cm) 13.6lbs (6.2kg) *	white powder coated steel without adhesive backing  white powder coated steel with adhesive backing  white powder coated steel with adhesive backing  white powder coated steel with adhesive backing  white powder coated steel with adhesive backing	60  200  225  275  325	M-STRP-WH-SB-01  M-STRP-WH-SW-05  M-STRP-WH-SW-06  M-STRP-WH-FR-05  M-STRP-WH-SW-08-10
<b>felt handle</b> 1 set per end of softwall		for softwall · 9.25 inches (23.5cm) deep * 7.5 x 12 inches (19 x 30.5cm) 0.4lbs (0.2kg) * * also used for thinwall  for softwall · 13.3 inches (34cm) deep * 8.5 x 12 inches (21.6 x 30.5cm) 0.4lbs (0.2kg) * * also used for softwall · 11.5in (29cm) + 17.75 in (45cm) deep	natural grey felted wool black felted wool  natural grey felted wool black felted wool	80 90  80 90	M-HNDL-FLT-GR-09 M-HNDL-FLT-BK-09  M-HNDL-FLT-GR-13 M-HNDL-FLT-BK-13
<b>hook for softwall</b> to store compressed softwall on a wall		hook for softwall 3.1 x 1 inches Ø (7.8 x 2.5cm) 0.2lbs (0.1kg) *	stainless steel	15	M-HOOK-SS-SW
<b>peg + strip</b> reinforce connection between horizontal layers of softblocks		cork pegs 6 x 1.5 inches Ø (15 x 4cm) (set of 2)  steel strip 11.75 x 2.4 inches (30 x 6cm)	natural cork pegs with magnets  white powder coated	110	M-2PEG-1STRP
<b>tubes</b> to lock softwall + softblock in straight line, or as a lintel above windows + doorways		custom cut to length for your project, please ask for advice	clear PETG  natural brown paper	\$5.50 /30.5cm (1ft)  \$3.50 /30.5cm (1ft)	M-TUBE-PETG  M-TUBE-P-BR
<b>clipping system</b> set of 10		small magnets 0.5 x 0.25 inches Ø (13 x 6mm) 0.2lbs (0.1kg) *  large magnets 0.12 x 1 inches Ø (3 x 25mm) 0.2lbs (0.1kg) *	steel clips nickel plated magnets	35  60	M-CLIP-SM  M-CLIP-LG
<b>glass vase</b> insert into honeycomb cells of softblock for flowers, pens, catering, etc.		7 x 1.5 inches Ø (18 x 4cm) 1lbs (0.4kg) *	clear borosilicate glass	50	M-VASE-GLS
<b>steel disc</b> use as tray / display surface on softblock		13.75 inches Ø (35cm) 2.2lbs (1.0kg) *	white powder coated steel	35	M-DISC-ST-WH-LG

\* weights may vary

\*\*\* prices do not include shipping; purchaser is responsible for all taxes + import duties


6 of 21





soft collection

wood  
softwall + softblock

wood softwall + softblock are made from FSC® Certified (FSC® C158591) sustainably sourced, engineered wood. Each piece is flexible in length opening to a maximum of 4.5 meters long (15 feet) when fully expanded, and their modular, magnetic end panels allow them to link in sequence to shape long stretches of wall or immersive environments and displays. Light transmits through the partitions as a delightful, warm glow and reveals playful, enigmatic forms as people or objects cast shadows against them. As natural light changes throughout the day, a range of colours is revealed in the walls, shifting through pale ash, soft cream, and rich yellows.



product	dimensions	material + colour	product weight *	shipping weight *	pricing US\$ ***	product code
<b>wood softblock</b> 4 feet tall x 7.75 inches deep (122cm x 19.5cm)		wood veneer	14.2kg	18.0kg	coming soon	M-SB-FSC-WOOD-04-08
<b>wood softwall</b> 8 feet tall x 7.75 inches deep (244cm x 19.5cm)		wood veneer	30.0kg	36.0kg	coming soon	M-SW-FSC-WOOD-08-08

\* weights may vary  
\*\*\* prices do not include shipping; purchaser is responsible for all taxes + import duties


only products identified with a 'FSC' signifier are FSC® certified (FSC® C158591)



## soft collection

### suspended softwall + softblock luminaires

Lift white textile softwall + softblock into the air with new LED armatures designed to transform the partitions into suspended luminaires, seemingly weightless structures that hold straight lines or perfect 90-degree turns. suspended softwall + softblock luminaires are available in modules of 2.4 meters (8 feet). Connect them modularly and at different heights throughout a high-ceilinged space to form a hanging, luminous sculpture garden.



product	dimensions	power supply voltage	LED colour	product weight *	pricing US\$ ***	product code
<b>suspended softblock luminaires</b> 2 feet tall x 8 feet long (61cm x 244cm)		<b>plug-in 110 - 240 V</b> plug types available: A, C, G, I  <b>hardwire</b> 110 - 240 V + 277 V 1-10V or DALI compatible LED driver	warmer white (2700K) warm white (3000K) neutral white (4000K)  warmer white (2700K) warm white (3000K) neutral white (4000K)	8.7kg	2050	M-SSB-02-08-2700K-PI M-SSB-02-08-3000K-PI M-SSB-02-08-4000K-PI  M-SSB-02-08-2700K M-SSB-02-08-3000K M-SSB-02-08-4000K
<b>suspended softblock luminaires</b> 3 feet tall x 8 feet long (91.5cm x 244cm)		<b>plug-in 110 - 240 V</b> plug types available: A, C, G, I  <b>hardwire</b> 110 - 240 V + 277 V 1-10V or DALI compatible LED driver	warmer white (2700K) warm white (3000K) neutral white (4000K)  warmer white (2700K) warm white (3000K) neutral white (4000K)	10.2kg	2200	M-SSB-03-08-2700K-PI M-SSB-03-08-3000K-PI M-SSB-03-08-4000K-PI  M-SSB-03-08-2700K M-SSB-03-08-3000K M-SSB-03-08-4000K
<b>suspended softblock luminaires</b> 4 feet tall x 8 feet long (122cm x 244cm)		<b>plug-in 110 - 240 V</b> plug types available: A, C, G, I  <b>hardwire</b> 110 - 240 V + 277 V 1-10V or DALI compatible LED driver	warmer white (2700K) warm white (3000K) neutral white (4000K)  warmer white (2700K) warm white (3000K) neutral white (4000K)	11.8kg	2350	M-SSB-04-08-2700K-PI M-SSB-04-08-3000K-PI M-SSB-04-08-4000K-PI  M-SSB-04-08-2700K M-SSB-04-08-3000K M-SSB-04-08-4000K
<b>suspended softwall luminaires</b> 5 feet tall x 8 feet long (152.5cm x 244cm)		<b>plug-in 110 - 240 V</b> plug types available: A, C, G, I  <b>hardwire</b> 110 - 240 V + 277 V 1-10V or DALI compatible LED driver	warmer white (2700K) warm white (3000K) neutral white (4000K)  warmer white (2700K) warm white (3000K) neutral white (4000K)	13.3kg	2500	M-SSW-05-08-2700K-PI M-SSW-05-08-3000K-PI M-SSW-05-08-4000K-PI  M-SSW-05-08-2700K M-SSW-05-08-3000K M-SSW-05-08-4000K
<b>suspended softwall luminaires</b> 6 feet tall x 8 feet long (183cm x 244cm)		<b>plug-in 110 - 240 V</b> plug types available: A, C, G, I  <b>hardwire</b> 110 - 240 V + 277 V 1-10V or DALI compatible LED driver	warmer white (2700K) warm white (3000K) neutral white (4000K)  warmer white (2700K) warm white (3000K) neutral white (4000K)	14.4kg	2750	M-SSW-06-08-2700K-PI M-SSW-06-08-3000K-PI M-SSW-06-08-4000K-PI  M-SSW-06-08-2700K M-SSW-06-08-3000K M-SSW-06-08-4000K
<b>suspended softwall luminaires</b> 8 feet tall x 8 feet long (244cm x 244cm)		<b>plug-in 110 - 240 V</b> plug types available: A, C, G, I  <b>hardwire</b> 110 - 240 V + 277 V 1-10V or DALI compatible LED driver	warmer white (2700K) warm white (3000K) neutral white (4000K)  warmer white (2700K) warm white (3000K) neutral white (4000K)	15.5kg	3000	M-SSW-08-08-2700K-PI M-SSW-08-08-3000K-PI M-SSW-08-08-4000K-PI  M-SSW-08-08-2700K M-SSW-08-08-3000K M-SSW-08-08-4000K
<b>suspended softwall luminaires</b> 10 feet tall x 8 feet long (305cm x 244cm)		<b>plug-in 110 - 240 V</b> plug types available: A, C, G, I  <b>hardwire</b> 110 - 240 V + 277 V 1-10V or DALI compatible LED driver	warmer white (2700K) warm white (3000K) neutral white (4000K)  warmer white (2700K) warm white (3000K) neutral white (4000K)	16.6kg	3350	M-SSW-10-08-2700K-PI M-SSW-10-08-3000K-PI M-SSW-10-08-4000K-PI  M-SSW-10-08-2700K M-SSW-10-08-3000K M-SSW-10-08-4000K

\* weights may vary

\*\* 12 - 18 week lead time may apply

\*\*\* prices do not include shipping; purchaser is responsible for all taxes + import duties

8 of 21





## soft collection

<div> <div>softseating</div> <div> <p>softseating is a line of flexible furniture made from paper or textile. Each element uses honeycomb geometry to fan open into a stool, bench, table or lounger, compressing for storage. Magnetic end panels allow two or more elements to connect, forming long winding benches. Blue and brown paper products are made from wood harvested from FSC® Certified (FSC® C158591) responsible sources.</p> </div> </div>						
product	dimensions	material + colour	product weight *	shipping weight *	pricing US\$ ***	product code
<b>fanning stool + table</b> 12 inches tall x 16 inches Ø (30.5cm x 40.5cm)		paper · natural brown paper · black paper · indigo blue textile · white (translucent) textile · aluminum textile · forest green **	1.8kg 1.9kg 1.9kg 1.5kg 1.7kg 1.7kg	2.3kg 2.4kg 2.4kg 2.0kg 2.2kg 2.2kg	160 200 225 415 475 475	M-SS-P-FSC-BR-12-16 M-SS-P-BK-12-16 M-SS-P-FSC-BU-12-16 M-SS-T-WH-12-16 M-SS-T-AL-12-16 M-SS-T-GRN-12-16
<b>fanning stool + table</b> 18 inches tall x 16 inches Ø (45.5cm x 40.5cm)		paper · natural brown paper · black paper · indigo blue textile · white (translucent) textile · aluminum textile · forest green **	2.9kg 3.0kg 3.0kg 2.5kg 2.7kg 2.7kg	3.4kg 3.5kg 3.5kg 2.9kg 3.1kg 3.1kg	195 250 300 560 650 650	M-SS-P-FSC-BR-18-16 M-SS-P-BK-18-16 M-SS-P-FSC-BU-18-16 M-SS-T-WH-18-16 M-SS-T-AL-18-16 M-SS-T-GRN-18-16
<b>fanning stool bench + table</b> stool: 12 inches tall x 24 inches Ø (30.5cm x 61cm)  bench: 1.8 meters (6 feet)		paper · natural brown paper · black paper · indigo blue textile · white (translucent) textile · aluminum textile · forest green **	5.1kg 5.3kg 5.3kg 4.6kg 4.8kg 4.8kg	6.0kg 6.2kg 6.2kg 5.5kg 5.7kg 5.7kg	285 375 450 955 1125 1145	M-SS-P-FSC-BR-12-24 M-SS-P-BK-12-24 M-SS-P-FSC-BU-12-24 M-SS-T-WH-12-24 M-SS-T-AL-12-24 M-SS-T-GRN-12-24
<b>fanning stool bench + table</b> stool: 18 inches tall x 24 inches Ø (45.5cm x 61cm)  bench: 1.8 meters (6 feet)		paper · natural brown paper · black paper · indigo blue textile · white (translucent) textile · aluminum textile · forest green **	7.9kg 8.1kg 8.1kg 6.8kg 7.0kg 7.0kg	9.0kg 9.2kg 9.2kg 8.0kg 8.2kg 8.2kg	425 550 675 1400 1650 1685	M-SS-P-FSC-BR-18-24 M-SS-P-BK-18-24 M-SS-P-FSC-BU-18-24 M-SS-T-WH-18-24 M-SS-T-AL-18-24 M-SS-T-GRN-18-24
<b>fanning stool bench + table</b> stool: 12 inches tall x 36 inches Ø (30.5cm x 91.5cm)  bench: 2.5 meters (8 feet)		paper · natural brown paper · black paper · indigo blue textile · white (translucent) textile · aluminum textile · forest green **	9.3kg 11.2kg 11.2kg 7.6kg 7.8kg 7.8kg	10.4kg 12.3kg 12.3kg 8.7kg 8.9kg 8.9kg	475 650 675 1650 1970 2000	M-SS-P-FSC-BR-12-36 M-SS-P-BK-12-36 M-SS-P-FSC-BU-12-36 M-SS-T-WH-12-36 M-SS-T-AL-12-36 M-SS-T-GRN-12-36
<b>fanning stool bench + table</b> stool: 18 inches tall x 36 inches Ø (45.5cm x 91.5cm)  bench: 2.5 meters (8 feet)		paper · natural brown paper · black paper · indigo blue textile · white (translucent) textile · aluminum textile · forest green **	14.3kg 15.1kg 15.1kg 11.9kg 12.1kg 12.1kg	16.6kg 17.4kg 17.4kg 14.2kg 14.4kg 14.4kg	680 935 1000 2450 2900 3000	M-SS-P-FSC-BR-18-36 M-SS-P-BK-18-36 M-SS-P-FSC-BU-18-36 M-SS-T-WH-18-36 M-SS-T-AL-18-36 M-SS-T-GRN-18-36
<b>lounger</b> 16 inches x 84 inches Ø (40.5cm x 215cm)		paper · natural brown  shipping dimensions available upon request	69.0kg	79.5kg	3350	M-SS-P-FSC-BR-16-84-LNGR
<b>lounger</b> 16 inches x 60 inches Ø (40.5cm x 152.5cm)		paper · black textile · white (translucent) textile · aluminum  shipping dimensions available upon request	30.0kg 21.6kg 22.5kg	42.0kg 33.6kg 34.5kg	3200 6600 9000	M-SS-P-BK-16-60-LNGR M-SS-T-WH-16-60-LNGR M-SS-T-AL-16-60-LNGR

\* weights may vary

\*\*\* prices do not include shipping; purchaser is responsible for all taxes + import duties

only products identified with a 'P-FSC' signifier are FSC® certified (FSC® C158591)

9 of 21

Molo Design, Ltd.

1470 Venables Street, Vancouver, BC, V5L 2G7, Canada

t + 1 604 685 0340

info@molodesign.com


molodesign.com



## soft collection

### softseating accessories

Available in sizes that correspond to the surface diameter of softseating fanning stool, wool felt pads and PaperStone hard tops make lovely companions to molo softseating, tables and display podiums. wool felt pad can also be used as cushions along a bench or benchwall, placed directly on the floor as small area rugs, or used as a bed for four-legged friends. felt pad is 100% natural, and PaperStone hard tops are made from FSC® Certified (FSC® C158591) sustainably sourced materials.



product	dimensions	material/dimensions + colour	product weight *	shipping weight *	pricing US\$ ***	product code
<b>wool felt pad</b> (optional) use wool felt pad independently or pair with softseating fanning stools		15in Ø (38cm) · natural grey wool 23in Ø (58.5cm) · natural grey wool 35in Ø (89cm) · natural grey wool	0.8kg 1.1kg 2.5kg	1.1kg 1.5kg 3.9kg	85 150 285	M-PAD-FLT-GR-15 M-PAD-FLT-GR-23 M-PAD-FLT-GR-35
<b>wool felt pad</b> (optional) 14 inches (35.5cm)  use wool felt pad independently or pair with softseating fanning stools		graphite wool	0.3kg	0.5kg	105	M-PAD-FLT-DKGR-14
<b>PaperStone top</b> (optional) 14 inches Ø (35.5cm)  use top independently or pair with benchwall, softseating fanning stools and benches		PaperStone · brown PaperStone · black PaperStone · grey **	0.75kg 0.75kg 0.75kg	1.25kg 1.25kg 1.25kg	250 215 225	M-TOP-P-FSC-BR-14 M-TOP-P-FSC-BK-14 M-TOP-P-FSC-GR-14
<b>PaperStone top</b> (optional) 22 inches Ø (56cm)  use top independently or pair with softseating fanning stools		PaperStone · brown PaperStone · black PaperStone · grey **	1.8kg 1.8kg 1.8kg	2.8kg 2.8kg 2.8kg	430 360 400	M-TOP-P-FSC-BR-22 M-TOP-P-FSC-BK-22 M-TOP-P-FSC-GR-22
<b>PaperStone top</b> (optional) 34 inches Ø (86.5cm)  use top independently or pair with softseating fanning stools		PaperStone · brown PaperStone · black PaperStone · grey **	4.5kg 4.5kg 4.5kg	5.5kg 5.5kg 5.5kg	800 650 725	M-TOP-P-FSC-BR-34 M-TOP-P-FSC-BK-34 M-TOP-P-FSC-GR-34
<b>wool felt tote</b> (optional) use wool felt tote to carry 16 inch Ø (40.5cm) softseating fanning stools in their compressed form		small · natural grey felted wool for 12 x 16 inch Ø fanning stool (30.5cm tall x 40.5cm)  large · natural grey felted wool for 18 x 16 inch Ø fanning stool (45.5cm tall x 40.5cm)  shipping dimensions available upon request	0.1kg  0.1kg	0.2kg  0.2kg	80  90	P-TOTE-FLT-GR-12  P-TOTE-FLT-GR-18

\* weights may vary

\*\* PaperStone grey: 12 - 18 week lead time may apply

\*\*\* prices do not include shipping; purchaser is responsible for all taxes + import duties

only products identified with a 'P-FSC' signifier are FSC® certified (FSC® C158591)

10 of 21

## soft collection

### cantilever table bases

cantilever table uses a flexible paper or textile base and is available in two heights. A single base uses honeycomb geometry to fan open and support a round top. Blue and brown paper bases are made from wood harvested from FSC® Certified (FSC® C158591) responsible sources. cantilever table can be purchased either with a centre hole to accommodate molo's pencil holder and sketching circles, or as a solid surface top. The felt pad is an alternative option to the hard round top.

The components of cantilever table are available for individual purchase. molo offers these pieces as an opportunity to continue the design process, encouraging clients to pair the bases with tabletops of their own design, or from a unique material palette. To discuss your idea, please contact the studio.



product	dimensions	material + colour	product weight *	shipping weight *	pricing US\$ ***	product code
<b>cantilever table base</b> sitting height		paper · natural brown paper · black paper · indigo blue textile · white (translucent) textile · aluminum textile · forest green  ships in box 35 x 18.9 x 5.9 inches (89 x 48 x 15 centimeters)	12.8kg 13.2kg 13.2kg 9.0kg 9.6kg -	17.4kg 17.8kg 17.8kg 13.2kg 13.8kg -	1050 1250 1250 3425 4325 inquire	M-CT-B-P-FSC-BR-27-37 M-CT-B-P-BK-27-37 M-CT-B-P-FSC-BU-27-37 M-CT-B-T-WH-27-37 M-CT-B-T-AL-27-37 M-CT-B-T-GRN-27-37
<b>cantilever table base</b> standing height		paper · natural brown paper · black textile · white (translucent) textile · aluminum textile · forest green  ships in box 48 x 18.9 x 6.7 inches (122 x 48 x 17 centimeters)	15.8kg 16.1kg 12.8kg 13.8kg -	21.2kg 21.5kg 18.2kg 19.2kg -	1300 1600 4150 5200 inquire	M-CT-B-P-FSC-BR-39-37 M-CT-B-P-BK-39-37 M-CT-B-T-WH-39-37 M-CT-B-T-AL-39-37 M-CT-B-T-GRN-39-37

\* weights may vary

\*\*\* prices do not include shipping; purchaser is responsible for all taxes + import duties

only products identified with a 'P-FSC' signifier are FSC® certified (FSC® C158591)

11 of 21



## soft collection

### cantilever table tops and accessories



cantilever table uses a flexible paper or textile base and is available in two heights. A single base uses honeycomb geometry to fan open and support a round top. Blue and brown paper bases are made from wood harvested from FSC® Certified (FSC® C158591) responsible sources. cantilever table can be purchased either with a centre hole to accommodate molo's pencil holder and sketching circles, or as a solid surface top. The felt pad is an alternative option to the hard round top.

The components of cantilever table are available for individual purchase. molo offers these pieces as an opportunity to continue the design process, encouraging clients to pair the bases with tabletops of their own design, or from a unique material palette. To discuss your idea, please contact the studio.

product	dimensions	material + colour	product weight *	shipping weight *	pricing US\$ ***	product code
<b>cantilever table top</b> cantilever table as a solid surface top		PaperStone · brown PaperStone · black PaperStone · grey ** marble · Carrara white **  ships in box 48 x 48 x 5.9 inches (122 x 122 x 15 centimeters)	8.2kg 8.2kg 8.2kg 61.0kg	10.2kg 10.2kg 10.2kg 64.5kg	1600 1300 1450 inquire	M-CT-T-P-FSC-BR-47 M-CT-T-P-FSC-BK-47 M-CT-T-P-FSC-GR-47 M-CT-T-MAR-WH-47
<b>cantilever table top with glass pencil holder</b> cantilever table top with a centre hole to accommodate molo's pencil holder and sketching circle		PaperStone · brown · centre hole PaperStone · black · centre hole PaperStone · grey · centre hole marble · Carrara white · centre hole **  ships in box 48 x 48 x 5.9 inches (122 x 122 x 15 centimeters)	8.5kg 8.5kg 8.5kg 61.0kg	10.5kg 10.5kg 10.5kg 64.5kg	1650 1350 1500 inquire	M-CT-T-H-P-FSC-BR-47 M-CT-T-H-P-FSC-BK-47 M-CT-T-H-P-FSC-GR-47 M-CT-T-H-MAR-WH-47
<b>paper sketching circles</b> 400 sheets (optional)  optional accessory for cantilever table		paper · white  ships in box 30 x 30 x 3 inches (69 x 69 x 7.5 centimeters)	11.5kg	14.8kg	150	M-CT-SC-P-WH-27
<b>wool felt pad (optional)</b> use wool felt pad as a soft top to cantilever table in round arrangement		natural grey felted wool 35 inches (89 centimeters)  shipping dimensions available upon request	2.5kg	3.9kg	285	M-PAD-FLT-GR-35

\* weights may vary

\*\* Carrara white marble top: 12 - 18 week lead time may apply

\*\*\* prices do not include shipping; purchaser is responsible for all taxes + import duties

only products identified with a 'P-FSC' signifier are FSC® certified (FSC® C158591)

12 of 21



## soft collection

### benchwall + thinwall

benchwall is a flexible, paper or textile bench with a tall backrest that acts as both acoustic space partition and seating. benchwall can stretch into straight, high backed seating or sweep into a circular bench-lined room for intimate meetings. benchwall may magnetically connect to the 45.5 x 91.5 centimeter diameter (18 x 36 inch diameter) size softseating stool + bench to form modular seating arrangements. Blue and brown paper products are made from wood harvested from FSC® Certified (FSC® C158591) responsible sources.

thinwall was designed as an acoustic, sculptural liner for solid walls, columns and ceilings or as a flexible wrap for storage areas, reception desks and other millwork. It measures only 9 centimeters wide (3.5 inches) and reaches 183 centimeters high (6 feet). Adjustable in length, it stretches up to 3.5 meters long.



product	dimensions	material + colour	product weight *	shipping weight *	pricing US\$ ***	product code
<b>benchwall</b> backrest: 5 feet tall x 4.5 inches deep (152.5cm x 11.5cm)  seat: 18 inches tall x 18 inches deep (45.5cm x 45.5cm)	<p>152.5cm (5ft) 45.5cm (18in) 57cm (22.5in) max length varies by material</p> <p><small>* benchwall elements are flexible in length, but vary by material: — paper benchwall opens to a max 3.5 meters (11.5 feet) long — textile benchwall opens to a max 5 meters (16.5 feet) long</small></p>	paper · natural brown paper · black textile · white (translucent) (16.5 feet long) (5m) textile · aluminum (16.5 feet long) (5m) textile · forest green (16.5 feet long) (5m)  shipping dimensions available upon request	33.0kg 32.0kg 34.8kg 35.1kg -	41.5kg 40.5kg 43.6kg 43.9kg -	2100 2800 10500 13850 inquire	M-BW-P-FSC-BR-05-11 M-BW-P-BK-05-11 M-BW-T-WH-05-16 M-BW-T-AL-05-16 M-BW-T-GRN-05-16
<b>thinwall</b> 6 feet tall x 3.5 inches deep x 11.5 feet long (183cm x 9cm x 3.5m)  thinwall, which is not freestanding, is not designed for use as a room divider but rather as an acoustic wrap	<p>183cm (6ft) 9cm (3.5in) 3.5m (11.5ft) max</p> <p><small>* thinwall is flexible in length, opening to a max 3.5 meters long (11.5 feet)</small></p>	paper · natural brown ** paper · black ** textile · white (translucent) ** textile · aluminum textile ** textile · forest green textile **  ships in box 78.75 x 7.5 x 5.2 inches (200 x 19 x 13 centimeters) minimum order quantity may apply	14.3kg 15.1kg 11.9kg - -	16.6kg 17.4kg 14.2kg - -	1000 1350 1700 inquire inquire	M-THW-P-FSC-BR-06-03 M-THW-P-BK-06-03 M-THW-T-WH-06-03 M-THW-T-AL-06-03 M-THW-T-GRN-06-03
<b>thinwall anchor strip</b> 1 unit per end of thinwall		white powder coated steel with adhesive backing  66 x 2.8 inches (167.5cm x 7.2cm)	2.3kg	2.3kg	160	M-STRP-WH-TW-06

\* weights may vary








\*\* thinwall: 12 - 18 week lead time and minimum order quantity may apply

\*\*\* prices do not include shipping; purchaser is responsible for all taxes + import duties







only products identified with a 'P-FSC' signifier are FSC® certified (FSC® C158591)

13 of 21

## soft collection

<b>cloud softlight pendant</b> 	cloud softlight pendants are individual luminaries that radiate a gentle, ambient light. The honeycomb shades are lit from within by dimmable 90+ CRI LED, in warm white or neutral white colour temperatures. cloud pendant is available in four sizes, and can be hung independently or combined with other pendants and mobiles to create vast sculptural skies. cloud softlight pendant scales to any size interior, from small apartments to multi-storey auditoriums..				
product	dimensions + specs	power supply voltage	LED colour	pricing US\$ ***	product code
<b>cloud pendant</b> small		<b>plug-in 110 - 240 V</b> plug types available: A, C, G, I  <b>hardwire</b> 110 - 240 V + 277 V 1-10V or DALI compatible LED driver	warmer white (2700K) warm white (3000K) neutral white (4000K)  warmer white (2700K) warm white (3000K) neutral white (4000K)	525	M-CLD-PEN-SM-PI-2700K M-CLD-PEN-SM-PI-3000K M-CLD-PEN-SM-PI-4000K  M-CLD-PEN-SM-HW-2700K M-CLD-PEN-SM-HW-3000K M-CLD-PEN-SM-HW-4000K
<b>cloud pendant</b> medium		<b>plug-in 110 - 240 V</b> plug types available: A, C, G, I  <b>hardwire</b> 110 - 240 V + 277 V 1-10V or DALI compatible LED driver	warmer white (2700K) warm white (3000K) neutral white (4000K)  warmer white (2700K) warm white (3000K) neutral white (4000K)	1125	M-CLD-PEN-MD-PI-2700K M-CLD-PEN-MD-PI-3000K M-CLD-PEN-MD-PI-4000K  M-CLD-PEN-MD-HW-2700K M-CLD-PEN-MD-HW-3000K M-CLD-PEN-MD-HW-4000K
<b>cloud pendant</b> large		<b>plug-in 110 - 240 V</b> plug types available: A, C, G, I  <b>hardwire</b> 110 - 240 V + 277 V 1-10V or DALI compatible LED driver	warmer white (2700K) warm white (3000K) neutral white (4000K)  warmer white (2700K) warm white (3000K) neutral white (4000K)	1600	M-CLD-PEN-LG-PI-2700K M-CLD-PEN-LG-PI-3000K M-CLD-PEN-LG-PI-4000K  M-CLD-PEN-LG-HW-2700K M-CLD-PEN-LG-HW-3000K M-CLD-PEN-LG-HW-4000K
<b>cloud pendant</b> x-large	 <p>small cloud mobiles include 2.8 meters (9 feet) of electrical cable (custom lengths available) medium cloud mobiles include 2.5 meters (8 feet) of electrical cable (custom lengths available) large cloud mobiles include 2.0 meters (6.5 feet) of electrical cable (custom lengths available) hardwire mobiles include a dimmable transformer</p>	<b>plug-in 110 - 240 V</b> plug types available: A, C, G, I  <b>hardwire</b> 110 - 240 V + 277 V 1-10V or DALI compatible LED driver	warmer white (2700K) warm white (3000K) neutral white (4000K)  warmer white (2700K) warm white (3000K) neutral white (4000K)	2300	M-CLD-PEN-XL-PI-2700K M-CLD-PEN-XL-PI-3000K M-CLD-PEN-XL-PI-4000K  M-CLD-PEN-XL-HW-2700K M-CLD-PEN-XL-HW-3000K M-CLD-PEN-XL-HW-4000K
<b>gripper ring</b>		optional alternative to canopy plate and bracket bar gripper please inquire			P-CLD-GRIP-RING-364
<b>side exit gripper</b>		optional alternative to canopy plate and bracket bar gripper please inquire			P-CLD-GRIP-SE
<b>custom length power wire + hang cable</b>		up to 10.5m (34.5ft) * longer hang lengths available, please inquire for pricing and more details		130	CLD-PWIRE-PEN-10.5

## soft collection


<b>cloud softlight mobile</b> 	cloud softlight mobile creates a canopy of soft, luminous forms. Inspired by the kinetic sculptures of Alexander Calder, each mobile supports three cloud pendants that move and shift with the air currents. The honeycomb shades are lit from within by dimmable 90+ CRI LED, in warmer white (2700K), warm white (3000K) or neutral white (4000K) colour temperatures, and transmit a gentle glow in all directions.				
product	dimensions + specs	power supply voltage	LED colour	pricing US\$ ***	product code
<b>cloud mobile</b> small	 <p>2 small, 1 medium pendant balanced on an aluminum armature</p> <p>90cm (35in)</p> <p>160cm Ø (63in)</p>	<b>plug-in</b> 110 - 240 V plug types available: A, C, G, I  <b>hardwire</b> 110 - 240 V + 277 V 1-10V or DALI compatible LED driver	warmer white (2700K) warm white (3000K) neutral white (4000K)  warmer white (2700K) warm white (3000K) neutral white (4000K)	1950	M-CLD-MOB-SM-PI-2700K M-CLD-MOB-SM-PI-3000K M-CLD-MOB-SM-PI-4000K  M-CLD-MOB-SM-HW-2700K M-CLD-MOB-SM-HW-3000K M-CLD-MOB-SM-HW-4000K
<b>cloud mobile</b> medium	 <p>1 small, 1 medium, 1 large pendant balanced on an aluminum armature</p> <p>112cm (44in)</p> <p>210cm Ø (83in)</p>	<b>plug-in</b> 110 - 240 V plug types available: B, E/F  <b>hardwire</b> 110 - 240 V + 277 V 1-10V or DALI compatible LED driver	warmer white (2700K) warm white (3000K) neutral white (4000K)  warmer white (2700K) warm white (3000K) neutral white (4000K)	3200	M-CLD-MOB-MD-PI-2700K M-CLD-MOB-MD-PI-3000K M-CLD-MOB-MD-PI-4000K  M-CLD-MOB-MD-HW-2700K M-CLD-MOB-MD-HW-3000K M-CLD-MOB-MD-HW-4000K
<b>cloud mobile</b> large	 <p>1 medium, 1 large, 1 x-large pendant balanced on an aluminum armature</p> <p>142.4cm (56in)</p> <p>290cm Ø (114in)</p> <p>small cloud mobiles include 2.8 meters (9 feet) of electrical cable (custom lengths available) medium cloud mobiles include 2.5 meters (8 feet) of electrical cable (custom lengths available) large cloud mobiles include 2.0 meters (6.5 feet) of electrical cable (custom lengths available) hardwire mobiles include a dimmable transformer</p>	<b>plug-in</b> 110 - 240 V plug types available: B, E/F  <b>hardwire</b> 110 - 240 V + 277 V 1-10V or DALI compatible LED driver	warmer white (2700K) warm white (3000K) neutral white (4000K)  warmer white (2700K) warm white (3000K) neutral white (4000K)	5250	M-CLD-MOB-LG-PI-2700K M-CLD-MOB-LG-PI-3000K M-CLD-MOB-LG-PI-4000K  M-CLD-MOB-LG-HW-2700K M-CLD-MOB-LG-HW-3000K M-CLD-MOB-LG-HW-4000K
<b>gripper ring</b> 		optional alternative to canopy plate and bracket bar gripper please inquire			P-CLD-GRIP-RING-364
<b>side exit gripper</b> 		optional alternative to canopy plate and bracket bar gripper please inquire			P-CLD-GRIP-SE
<b>custom length power wire + hang cable **</b>		small mobile · 9 - 28.5ft (2.8 - 8.8m) small mobile · 28.5 - 44ft (8.8 - 13.5m) medium mobile · 8 - 27.5ft (2.5 - 8.5m) large mobile · 6.5 - 21ft (2.0 - 6.5m)		250 800 250 200	CLD-PWIRE-MOB-SM-8.5 CLD-PWIRE-MOB-SM-13.5 CLD-PWIRE-MOB-MD-8.5 CLD-PWIRE-MOB-LG-6.5

\*\* custom length power wire + hang cable: 12 - 18 week lead time may apply  
\*\*\* prices do not include shipping; purchaser is responsible for all taxes + import duties




soft collection

cloud mast



cloud mast is a kinetic luminary that balances elements of earth and air. The mast is crowned by a boom that supports a luminous canopy of clouds and a dangling fishing weight. The boom revolves around the mast, carrying graceful light throughout a space. As a floor supported lamp, cloud mast is ideal for temporary installations or interiors where wiring might disrupt the ceiling.

product	dimensions + specs	power supply voltage	LED colour	pricing US\$ ***	product code
cloud mast	<div><p>*standard height from floor to cloud mobile</p></div>	plug-in 110 - 240 V plug types available: B, E/F	warmer white (2700K) warm white (3000K) neutral white (4000K)	10700	M-CLD-MAST-LG-2700K M-CLD-MAST-LG-3000K M-CLD-MAST-LG-4000K






## soft collection

### urchin softlight

With its elastic movement and shifting form, urchin softlight invites playful interaction. By gently manipulating the shade with your hands, the lamp transforms through a range of beautiful shapes. The honeycomb shade is made from a tear- and water-resistant, non-woven polyethylene textile that is anti-static to repel dust. The integrated LED light source is available in warm white (2700K) or neutral white (4000K) colour temperatures with 90+ CRI for natural colour rendition.



product	dimensions + specs	power supply voltage	LED colour	pricing US\$ ***	product code
<b>urchin softlight</b> small	 <p>white textile shade 15 inches Ø x 9.5 inches tall † (38 centimeters x 24 centimeters)</p> <p>shipping weight: 3lbs (1.4kg) *</p> <p>ships in box: 17 x 9 x 4 inches (43 x 23 x 10 centimeters)</p>	plug-in 110 - 240 V plug types available: A, C, G, I	warm white (2700K) neutral white (4000K)	300	M-URC-T-WH-SM-WW M-URC-T-WH-SM-NW
<b>urchin softlight</b> medium	 <p>white textile shade 25 inches Ø x 14 inches tall † (63.5 centimeters x 35.5 centimeters)</p> <p>shipping weight: 4.3lbs (2.0kg) *</p> <p>ships in box: 17 x 9 x 4 inches (43 x 23 x 10 centimeters)</p>	plug-in 110 - 240 V plug types available: A, C, G, I	warm white (2700K) neutral white (4000K)	750	M-URC-T-WH-MD-WW M-URC-T-WH-MD-NW
<b>urchin softlight</b> large	 <p>white textile shade 32 inches Ø x 20.5 inches tall † (81.5 centimeters x 52 centimeters)</p> <p>shipping weight: 6.6lbs (3.0kg) *</p> <p>ships in box: 32 x 10.75 x 4.25 inches (58 x 27 x 11 centimeters)</p> <p>† urchin is inherently flexible; dimensions will vary on arrangement. All urchin softlight comes with a 3 meter (10 foot) plug-in electrical cable.</p>	plug-in 110 - 240 V plug types available: A, C, G, I	warm white (2700K) neutral white (4000K)	1100	M-URC-T-WH-LG-WW M-URC-T-WH-LG-NW



\* weights may vary


\*\*\* prices do not include shipping; purchaser is responsible for all taxes + import duties

cappello

cappello

cappello is a modest tribute to Achille Castiglioni, his brother Pier Giacomo, and Ingo Maurer—designers who have gifted the studio (and the world) much joy and inspiration. The Carrara marble base is a byproduct of the manufacturing process for Arco, the iconic floor lamp designed by the Castiglioni brothers in 1962. Cappello is lit by LED and shaded with a paper cap, or “cappello” in Italian. A simple magnetic connection allows the cap to slide to any position along the steel wire that springs from the marble base. This allows the cap to tilt, adjusting direction of light and giving the little lamp a gestural, anthropomorphic quality.





product	dimensions + specs	power supply voltage	LED colour	pricing US\$ ***	product code
cappello	<div></div> <div><p>white marble base white paper shade steel rod</p><p>26 inches (66 centimeters) tall</p><p>product weight 2lbs (0.9kg) * shipping weight 3lbs (1.4kg) *</p><p>ships in box 21.5 x 6.75 x 3.75 inches (55 x 17 x 9.5 centimeters)</p></div> <p>cappello comes with a 3 meter (10 foot) plug-in electrical cable.</p>	plug-in 110 - 240 V plug types available: A, C, G, I	warmer white (2700K) warm white (3000K) neutral white (4000K)	325	M-CAP-2700K M-CAP-3000K M-CAP-4000K

**accessory**

**cork peg hook**

Available in two lengths, cork peg is a wall hook that uses a magnetic mounting system. cork is renewable, beautiful and naturally antibacterial; lending the simple form to diverse uses from door stop to toilet paper holder.



product		dimensions	material + colour	pricing US\$ ***	product code
<b>cork peg · short</b> wall hook		<b>cork peg</b> 3 x 1.5 inches Ø (7.5 x 4 centimeters) weight bearing capacity: 7lbs (3.2kg)  includes magnetic cup mount that screws to wall	natural cork peg  nickel plated magnets	50	M-PEG-HOOK-S
<b>cork peg · long</b> wall mounted holder for toilet paper + hand towels		<b>cork peg</b> 6 x 1.5 inches Ø (15 x 4 centimeters)  includes magnetic cup mount that screws to wall	natural cork peg  nickel plated magnets	55	M-PEG-HOOK-L




## glassware

### float

float is a line of hand blown, thermally-resistant glassware designed to emphasize the colours and charms of the tea, scotch or juice served within. The suspended bowl insulates liquid from hands, and forms a lens of liquid colour that projects light onto the tabletop. The tea lantern has an insulating double wall, allowing for a simple, cylindrical form that can be held like a wine bottle. With a candle lit below the tea lantern, the ambient light, together with the colour, fragrance and steam of the tea, transcends the pragmatic to create an engaging spatial experience.

float is exclusively available at molodesign.com



product		volume ml (oz)	pricing US\$ ***	product code	product		volume ml (oz)	pricing US\$ ***	product code
<b>tea lantern</b> 3 glass parts: teapot, lid, candle holder  steel filter		1000ml (34 fl oz) **	295	M-FLO-TL-C1-34 clear glass  M-FLO-TL-F1-34 translucent fritted glass	<b>sugar + cream</b> 3 parts: sugar with lid + cream  <b>small sugar + cream spirit measures</b> set of 2		220ml (7.5 fl oz) * 120ml (4 fl oz) **  50ml (1.7 fl oz) * 30ml (1 fl oz) **	150  115	M-FLO-SC clear glass  M-FLO-SS-SM clear glass
<b>small tea lantern</b> 3 glass parts: teapot, lid, candle holder  steel filter		500ml (17 fl oz) **	245	M-FLO-TS-C1-17 clear glass  M-FLO-TS-F1-17 translucent fritted glass	<b>glass infuser</b> optional accessory to tea lantern		available in small or large to match size of tea lantern	40	M-FLO-GLASS-FLTR clear glass
<b>tea / coffee / rocks glasses</b> set of 2		220ml (7.5 fl oz) * 150ml (5 fl oz) **	130	M-FLO-TC-CF-RK-7.5 clear glass	<b>matcha / latte bowl</b> 1 bowl		470ml (16 fl oz) * 180ml (6 fl oz) **	140	M-FLO-MB-LT-16 clear glass
<b>champagne flutes</b> set of 2		180ml (6 fl oz) * 120ml (4 fl oz) **	115	M-FLO-CF-8 clear glass	<b>wine / cappuccino glasses</b> set of 2		400ml (14 fl oz) * 150ml (5 fl oz) **	160	M-FLO-WG-CP-14 clear glass
<b>pilsner / cocktail flutes</b> set of 2		325ml (11 fl oz) * 300ml (10 fl oz) **	125	M-FLO-PF-11 clear glass	<b>liqueur / espresso / sake glasses</b> set of 2		55ml (1.9 fl oz) * 45ml (1.5 fl oz) **	110	M-FLO-ES-LG-1.9 clear glass
<b>martini glasses</b> set of 2		200ml (7 fl oz) * 90ml (3 fl oz) **	140	M-FLO-MG-C2-7 clear glass  M-FLO-MG-F2-7 translucent fritted glass	<b>glass balls for candlelight</b> set of 3		10cm Ø (4in) works with a 4.5cm Ø (1.75in) floating candle	55	M-FLO-GB-C3 clear glass  M-FLO-GB-F3 translucent fritted glass
<b>large deep bowl</b> 1 bowl		4000ml (135 fl oz) * 20 Ø x 20cm (8 Ø x 8in)	670	M-LG-FLO-DB clear glass	<b>animal soup</b> 1 bowl		530ml (18 fl oz) * 400ml (14 fl oz) **	200	M-FLO-AS clear glass
<b>tall vase</b> 1 vase		2500ml (84 fl oz) * 11 Ø x 33cm (4.33 Ø x 13in)	480	M-LG-FLO-TV clear glass	<b>large shallow bowl</b> 1 bowl		3000ml (100 fl oz) * 30 Ø x 11cm (11.8 Ø x 4.38in)	640	M-LG-FLO-SB clear glass

\* total volume to rim of glass

\*\* suggested serving volume (ask for diagram)

\*\*\* prices do not include shipping; purchaser is responsible for all taxes + import duties

20 of 21



# International pricing and terms

## pricing

For purchases shipped outside of the United States, Europe, and Canada, molo maintains an international price list in US dollars (USD). Transport costs will be quoted separately on your invoice. The purchaser is responsible for any duties or taxes — these will be collected directly by the import broker or freight carrier.

## payment and shipping

Payment must be received in full before any goods are shipped. We accept payment in USD by bank wire, credit card (Visa, MasterCard, AMEX), or PayPal. We do not accept cheques. For credit card or PayPal payments over \$5,000, a 3% processing fee will be charged. Standard delivery is by FedEx International Priority or freight forwarder.

## exchange policy and warranty

ALL SALES ARE FINAL. When packaged molo products are highly compact and rarely damaged in shipping. In the unlikely event of damage, ask the delivery person to sign off on any visible damage to the packaging before leaving and photograph the damaged packaging before opening. The shipping company can only be held accountable for damages noted by the driver at the time of delivery.

Damaged or defective goods can be exchanged provided we are notified by email with photos of the damage within two business days of your receipt of goods. If any damage occurs during installation, contact molo immediately and do not attempt to fix the product, as doing so may limit our ability to assist. This policy does not include goods that are not defective but rather exhibit minor variations typical of handmade products.

While we do not offer an official warranty, we stand behind our products and are available to assist with any issues if they occur.

## ordering information

E-mail orders to [sales@molodesign.com](mailto:sales@molodesign.com), or call +1 604 685 0340.

For most orders, goods are normally in stock and ready to ship. For larger orders, projects with fixed deadlines, or orders with custom colour softwall + softblock, please allow for up to 25 weeks lead time. Please ask an account manager about availability based on your timeline and project.

## patents and intellectual property

molo products are designed by Stephanie Forsythe and Todd MacAllen, manufactured by Molo Design, Ltd. and protected by patents and/or design registrations viewable at [molodesign.com/ip](http://molodesign.com/ip).

Prices and policies are subject to change without notice.

