# EUR price list autumn 2018

molo design, Itd

1470 Venables Street Vancouver, B.C. Canada V5L 2G7

t +1 604 685 0340 f +1 604 685 0342


info@molodesign.com www.molodesign.com



### softwall + softblock modular system

softwall + softblock is a modular system of freestanding, flexible partition walls and building blocks. The elements are available in a variety of materials and colours, to offer a range of properties including translucency or opacity, acoustic absorption, fire rating, UV and water resistance. The paper and textile materials contain recycled content and are recyclable. All softwall + softblock elements are flexible in length, opening to a maximum of 4.5m long (15') when fully expanded. When softwall + softblock are compressed for storage, they measure less than 50mm thick (2"). Elements may open less than the full length to create shorter partitions, or form longer walls by connecting two or more softwalls via their magnetic end panels. Each 1830mm (6') and 2440mm (8') softwall comes with a wall hook for simple, compact storage.







product	dimensions	material + colour ‡	product weight*	shipping weight*	price EUR €***	product code
softwall 1830mm tall x 235mm deep (6' x 9.25")	1830mm (6') 1830mm (9 25')	paper · natural brown paper · black paper · indigo blue** textile · white (translucent) FR textile · white (translucent) fe textile · black textile · custom colour**  shipping box: 2000mm x 265mm x 100mm (78.75 * x 10.5 * x 4*)  § FR textile softwalls are 290mm deep (11.5*) shipping box: 2000mm x 330mm x 90mm (78.75 * x 13 * x 3.5*)	12.6kg 13.6kg 13.6kg 7.8kg 10.5kg 8.5kg varies	17.9kg 18.9kg 18.9kg 13.1kg 15.1kg 13.8kg varies	900 1100 1100 1800 2300 2300 varies	SW-P-BR-06-09 SW-P-BK-06-09 SW-P-BU-06-09** SW-T-WH-06-09 SW-FRT-WH-06-12 SW-T-BK-06-09 SW-T-CC-06-09**
<b>softwall</b> 2440mm tall x 235mm deep (8' x 9.25")	2440mm (8)	paper · natural brown paper · black paper · black paper · indigo blue** textile · white (translucent) FR textile · white (translucent) fe textile · black textile · custom colour**  shipping box: 2600mm x 265mm x 100mm (102.5° x 10.5° x 4°)  § FR textile softwalls are 290mm deep (11.5°) shipping box: 2600mm x 330mm x 90mm (102.5° x 13° x 3.5°)	16.3kg 18.1kg 18.1kg 10.3kg 11.3kg varies	20.2kg 22.0kg 22.0kg 14.2kg 20.6kg 15.2kg varies	1100 1400 1400 2500 3100 3400 varies	SW-P-BR-08-09 SW-P-BK-08-09 SW-P-BU-08-09** SW-T-WH-08-09 SW-FRT-WH-08-12 SW-T-BK-08-09 SW-T-CC-08-09**
softwall 2440mm tall x 340mm deep (8' x 13.3")	or FR textle <sup>§</sup>	textile · white (translucent) FR textile · white (translucent) fent textile · black textile · custom colour**  shipping box: 2600mm x 375mm x 100mm (102.5* x 14.75* x 4*)  FR textile softwalls are 450mm deep (17.75*) shipping box: 2600mm x 490mm x 90mm (102.5* x 19.25* x 3.5*)	14.9kg 18.0kg 16.3kg varies	22.1kg 25.6kg 23.5kg varies	3000 3800 4200 varies	SW-T-WH-08-13 SW-FRT-WH-08-18 SW-T-BK-08-13 SW-T-CC-08-13**
softwall 3050mm tall x 340mm deep (10" x 13.3")	3050mm (10)  3050mm (10)  3050mm (13.37)  or FR textile <sup>5</sup> 340mm (13.37)  or FR textile <sup>5</sup> *softwall + softblock elements are flexible in length, opening to a max 4.5m long (15') when compressed for storage, softwall + softblock are less than 50mm thick (2')	textile · white (translucent) <sup>§</sup> ** textile · white (translucent) <sup>§</sup> ** textile · black textile · custom colour**  shipping box: 3210mm x 375mm x 100mm (126.38" x 14.75" x 4")  § FR textile softwalls are 450 deep (17.75") shipping box: 3210mm x 490mm x 90mm (126.38" x 19.25" x 3.5")	18.6kg 22.5kg 20.4kg varies	31.6kg 36.0kg 33.4kg varies	4000 4600 5000 varies	SW-T-WH-10-13 SW-FRT-WH-10-18** SW-T-BK-10-13 SW-T-CC-10-13**
custom colour**		textile softwall + softblock are available in any Pantone colour lead time: 12 - 14 weeks (expedited service available) minimum order: varies, please inquire for more details			price varies with colour + size; please request a quote	
custom height fee		softwall + softblock elements can be trimmed to custom height (there are some constraints due to position of magnets in end panels; please inquire)			100	SRV-CUT-H-WALL



<sup>\*</sup> weights may vary

<sup>\*\* 12 - 14</sup> week lead time + minimum quantities may apply for indigo blue paper + custom colour textile

 $<sup>^{\</sup>star\star\star}$  prices do not include shipping; purchaser is responsible for all import duties + VAT

acoustic testing documentation + fire-rating certification available upon request

#### softwall + softblock Each softwall + softblock is flexible in length, opening to a maximum of 4.5m long (15'). Elements connect lengthwise via concealed magnets and can be stacked modular system to play with height. product dimensions material + colour 1 product shipping product code EUR €\*\*\* weight\* weight\* 3.2kg SB·P·BR·01·09 180 softblock paper · natural brown 2.1kg paper · black 2.3kg 3.4kg 200 SB-P-BK-01-09 305mm tall x 235mm deep paper · indigo blue\*\* 2.3kg 3.4kg 200 SB-P-BU-01-09\*\* (1' x 9.25") textile · white (translucent) 1.3kg 2.4kg 325 SB-T-WH-01-09 400 SB·FRT·WH·01·12 FR textile · white (translucent)\$ 1.8kg 2.8kg 2.5kg textile · black 1.4kg 400 SB-T-BK-01-09 textile · custom colour\*\* varies varies varies SB-T-CC-01-09\*\* shipping box: 400mm x 265mm x 100mm (15.75" x 10.5" x 4") § FR textile softblocks are 290mm deep (11.5") shipping box: 400mm x 330mm x 90mm (15.75" x 13" x 3.5") SB-P-BR-02-09 softblock paper · natural brown 4.2kg 6.2kg 300 6.5kg paper · black 4.5kg 400 SB-P-BK-02-09 610mm tall x 235mm deep SB-P-BU-02-09\*\* (2' x 9.25") paper · indigo blue\*\* 4.5kg 6.5kg 400 2.6kg 4.6kg SB-T-WH-02-09 textile · white (translucent) 650 FR textile · white (translucent)§ 3.6kg 5.4kg 800 SB·FRT·WH·02·12 textile · black 2.8kg 4.8kg 800 SB-T-BK-02-09 textile · custom colour\*\* SB-T-CC-02-09\*\* varies varies varies 610mm (21) shipping box: 710mm x 265mm x 100mm (28" x 10.5" x 4") 235mm (9.25") or FR textile§ § FR textile softblocks are 290mm deep (11.5") shipping box: 710mm x 330mm x 90mm (28" x 13" x 3.5") paper · natural brown 6.3kg 9.3kg 450 SB-P-BR-03-09 softblock SB-P-BK-03-09 paper · black 6.8kg 9.8kg 550 SB-P-BU-03-09\*\* 550 6.8kg 9.8kg paper · indigo blue\* (3' x 9.25") 3.9kg 6.9kg SB-T-WH-03-09 textile · white (translucent) 900 7.9kg FR textile · white (translucent)§ 5.3kg 1200 SB-FRT-WH-03-12-M1-B1 textile · black 4.3kg 7.3kg 1200 SB-T-BK-03-09 textile · custom colour\*\* SB-T-CC-03-09\*\* varies varies varies shipping box: 1080mm x 265mm x 100mm (42.5" x 10.5" x 4") $\$ FR textile softblocks are 290mm deep (11.5") shipping box: 1080mm x 330mm x 90mm (42.5" x 13" x 3.5") 3.3kg 3.3kg 225 275 SB-P-BB-01-13 softblock paper · natural brown 4.5kg 4.5kg SB-P-BK-01-13 paper · black 305mm tall x 340mm deep 1.9kg 3.1kg SB-T-WH-01-13 textile · white (translucent) 400 (1' x 13.3") FR textile · white (translucent)§ 2.3kg 3.6kg 500 SB-FRT-WH-01-18 2.0kg SB-T-BK-01-13 textile · black 3.2kg 500 SB·T·CC·01·13\*\* textile · custom colour\*\* varies varies varies shipping box: 400mm x 375mm x 100mm (15.75" x 14.75" x 4") 340mm (13.3" § FR textile softblocks are 450mm deep (17.75") shipping box: 400mm x 490mm x 90mm (15.75" x 19.25" x 3.5") softblock paper · natural brown SB·P·BR·02·13 6.5kg 8.7kg 610mm tall x 340mm deep SB-P-BK-02-13 paper · black 6.5kg 8.7kg 500 SB·T·WH·02·13 textile · white (translucent) 800 (2' x 13.3") 3.7kg 5.9kg FR textile · white (translucent)§ 6.7kg 1000 SB·FRT·WH·02·18 4.5ka textile · black 6.2kg 1000 SB-T-BK-02-13 4.0kg SB·T·CC·02·13\*\* textile · custom colour\*\* varies varies varies shipping box: 710mm x 375mm x 100mm (28" x 14.75" x 4") § FR textile softblocks are 450mm deep (17.75") shipping box: 710mm x 490mm x 90mm (28" x 19.25" x 3.5") paper · natural brown 13.0kg SB-P-BR-03-13 softblock 9.7ka paper · black 13.0kg 750 SB-P-BK-03-13 9.7kg 915mm tall x 340mm deep (3' x 13.3") textile · white (translucent) 5.6kg 8.9kg 1200 SB·T·WH·03·13 textile · heavyweight white (translucent)§ 16.8kg 2100 SB-T-WH-03-18-HW 13.0kg FR textile · white (translucent)<sup>§</sup> 10.3kg 1550 SB·FRT·WH·03·18 6.8kg textile · black 6.2kg 9.5kg 1400 SB-T-BK-03-13 textile · custom colour\*\* varies varies varies SB-T-CC-03-13\* shipping box: 1080mm x 375mm x 100mm (42.5" x 14.75" x 4") 340mm (13.3") or FR + heavyweight textile§ § FR + heavyweight textile softblocks are 450mm deep (17.75\*) shipping box: 1080mm x 490mm x 90mm (42.5\* x 19.25\* x 3.5\*) softwall + softblock elements are flexible in length, opening to a max 4.5m long (15')

when compressed for storage, softwall + softblock are less than 50mm thick (2\*



<sup>\*</sup> weights may vary

<sup>\*\* 12 - 14</sup> week lead time + minimum quantities may apply for indigo blue paper + custom colour + heavyweight textile

<sup>\*\*\*</sup> prices do not include shipping; purchaser is responsible for all import duties + VAT

<sup>‡</sup> acoustic testing documentation + fire-rating certification available upon request

# LED ribbon kits for white textile softwall + softblock

Flexible LED ribbons integrate with textile softwall + softblock to transform the elements into expressive, luminous space partitions. Light emphasizes the subtle beauty of the translucent material, illuminating the delicate fibres. LEDs are available in warm white or neutral white. Please inquire about the recommended arrangement for your project.








				7	
product		dimensions + specs	colour of LED	price EUR €***	product code
LED kit for softwall		LED kit for 1830mm (6') tall softwall · 2 ribbon	neutral white warm white	500	SA·LED·RIB·NW·6 SA·LED·RIB·WW·6
		LED kit for 2440-3050mm (8-10') tall softwall · 2 ribbon  warm white: 4600 lumens** neutral white: 5140 lumens**	neutral white warm white	500	M·SA·LED·RIB·NW·8·10 M·SA·LED·RIB·WW·8·10
	×2 1 0 6	neutral white: 5140 lumens** 54W power draw  LED kits include: + two flexible LED ritbons 4.5m long (15') + 2-way coupler + 100. 2-40W 60W plug-in transformer + plug types available: B, E/F shipping weight: 1.6kg (3.5lbs)*			
		LED kit for softwall · 1 ribbon  1 LED ribbon in bottom hole of any size softwall  warm white: 2300 lumens**  rautral white: 2570 lumens**  27W power draw  LED kit includes: - one flexibic LED ribbon 4.5m long (15) + 100 - 2400 400 plugh in transformer + plug types availables. A. C., 6, 1  shipping weight: 0.75kg (1.6lbs)*	neutral white warm white	275	SA·LED·RIB·NW·1 SA·LED·RIB·WW·1
LED kit for softblock we recommend 1 LED ribbon per eveny 61 Tolm (2) in height of softblocks. Please ask for advice specific to your project		LED kit for softblock · 1 ribbon  warm white: 2300 lumens** neutral white: 2570 lumens** 27W power draw  LED kit includes: - one flexible LED ribbon 4.5m long (15) + 100 – 240V 40V plug-in transformer + plug types available: A. C., G., 1  shipping weight: 0.75kg (1.6lbs)*	neutral white warm white	275	SA·LED·RIB·NW·1 SA·LED·RIB·WW·1
	\$\frac{1}{2}\$	LED kit for softblock · 2 ribbon  warm white: 4800 lumens** neutral white: 5140 lumens** 54W power draw  LED kit includes: + 2 very couplier + 2 very couplier + 100: 240V 60W plug-in transformer + plug types available: B, E/F  shipping weight: 1.6kg (3.5lbs)*	neutral white warm white	500	SA·LED·RIB·NW·2 SA·LED·RIB·WW·2
4.5m (15') electrical extension	Ó'	to extend the length of power wire for softwall + softblock LED ribbon (silver coaxial cable) details available upon request		65	SA-EEXT-15



<sup>\*</sup> weights may vary

 $<sup>^{**}\,</sup>$  lumen values refer to LED output; textile material of softwall + softblock will absorb some light

 $<sup>\</sup>ensuremath{^{***}}$  prices do not include shipping; purchaser is responsible for all import duties + VAT





molodesign.com

<sup>\*</sup> weights may vary

#### benchwall + thinwall benchwall is a flexible, paper or textile bench with a tall backrest that acts as both acoustic space partition and seating. benchwall can stretch into straight, high backed seating or sweep into a circular bench-lined room for intimate meetings, benchwall may magnetically connect to the 455 x 915mm ø (18 x 36" Ø) size softseating stool + bench to form modular seating arrangements. thinwall was designed as an acoustic, sculptural liner for solid walls, columns and ceilings or as a flexible wrap for storage areas, reception desks and other millwork. It measures only 90mm wide (3.5") and reaches 1.83m high (6'). Adjustable in length, it stretches up to 3m long (10'). product dimensions material + colour product code product shipping EUR €\*\*\* weight\* weight\* BW·P·BR·05·11 BW·P·BK·05·11 benchwall paper · natural brown 28.3kg 38.2kg 1500 paper · black paper · blue \*\* textile · white (translucent) (2500mm long) (8') \*\* 40.9kg 40.9kg 2000 30.9kg 30.9kg backrest :1500mm tall x 2000 BW-P-BU-05-11\*\* 85mm deep (59" x 3.5") 23.5kg 33.5kg 4550 BW-T-WH-05-8\*\* BW·T·WH·05·16\*\* textile · white (translucent) (5000mm long) (16.5") \*\* 46.9kg 56.9kg 8100 seat: 455mm tall x 455mm deep (18" x 18") shipping dimensions available upon request \*benchwall elements are flexible in length, but vary by material: —paper benchwalls open to a max 3500mm (11.5") long —textile benchwalls open to a max 2500mm (8") or 5000mm (16.5") long paper · natural brown paper · black 14.3kg 15.1kg 15.1kg THW-P-BR-06-3 THW-P-BK-06-3 16.6kg 17.4kg 600 800 thinwall 1830mm tall x 90mm deep x 3000mm long paper · indigo blue\*\* 17.4kg 800 THW-P-BU-06-3\*\* (6' x 3.5" x 10') textile · white (translucent) 11.9kg 14.2kg 1400 THW-T-WH-06-3 ships in box 2000mm x 190mm x 130mm (78.75" x 7.5" x 5.2") 1830mm (6') thinwall elements are flexible in length, opening to a max 3m long (10') when anchored at both ends. SA-STRP-ST-WH-TW thinwall anchor strip white powder coated steel 2.3kg 2.3kg 115 one unit per each end of thinwall 1675mm x 72mm (66" x 2.8")




<sup>\*</sup> weights may vary

<sup>\*\* 12 - 14</sup> week lead time may apply for white textile benchwall + indigo blue paper softseating

 $<sup>^{\</sup>star\star\star}$  prices do not include shipping; purchaser is responsible for all import duties + VAT

# softseating softseating is a line of flexible furniture made from paper or textile. Each element uses honeycomb geometry to fan open into a stool, bench, table or lounger, compressing for storage. Magnetic end panels allow two or more elements to connect, forming long winding benches.



<sup>\*</sup> weights may vary



 $<sup>^{\</sup>star\star}~$  12 - 14 week lead time may apply for indigo blue paper + certain sizes of white textile

<sup>\*\*\*</sup> prices do not include shipping; purchaser is responsible for all import duties + VAT

# cantilever table + hard top

cantilever table uses a flexible paper or textile base and is available in three heights. A single base uses honeycomb geometry to fan open and support a round top. The sketching circles accessory accompanies the round top, providing a collaborative work environment that allows for ideas to grow as they spin around the table. Multiple honeycomb bases may be magnetically connected and paired with modular tops to create a variety of table shapes or lengths.





product	dimensions	material + colour	product weight*	shipping weight*	price EUR €***	product code
cantilever table sitting height with round top	1200mm Ø (47°)	natural paper base + natural MDF top blue paper base + natural MDF top** black paper base + black MDF top white textile base + grey MDF top white textile base + Carrara marble top ships palletized 1220mm x 1220mm x 500mm (48" x 48" x 19.75")	27.3kg 30.1kg 30.1kg 37.1kg 74.7kg	60.5kg 63.4kg 63.4kg 58.7kg 108.0kg	2100 2200 2400 4000 6400	M·CT·P·BR·27·MDF·47 M·CT·P·BU·27·MDF·47 M·CT·P·BK·27·BK·MDF·47 M·CT·T·WH·27·GR·MDF·47 M·CT·T·WH·27·MAR·47
cantilever table standing height with round top	1010mm (38,757)	natural paper base + natural MDF top blue paper base + natural MDF top** black paper base + black MDF top white textile base + grey MDF top white textile base + Carrara marble top ships palletized 1220mm x 1220mm x 500mm (48" x 48" x 19.75")	31.1kg 32.2kg 32.2kg 39.2kg 76.8kg	67.3kg 68.4kg 68.4kg 63.7kg 113.0kg	2300 2500 2650 4600 7100	M-CT-P-BR-39-MDF-47 M-CT-P-BK-39-BK-MDF-47 M-CT-P-BK-39-BK-MDF-47 M-CT-T-WH-39-GR-MDF-47 M-CT-T-WH-39-MAR-47
	round table includes: + fiexible honeycomb base + round 1200mm Ø (47) top + large neoprene gip diec 810mm Ø (31.8") + dass peroll holder/vase + 400 sheets sketching circles					



<sup>\*</sup> weights may vary

<sup>\*\* 12 - 14</sup> week lead time may apply for indigo blue paper + certain sizes of white textile

 $<sup>\</sup>ensuremath{^{***}}$  prices do not include shipping; purchaser is responsible for all import duties + VAT

# cantilever table components

The components of cantilever table are available for individual purchase. molo offers these pieces as an opportunity to continue the design process, encouraging clients to pair the bases with tabletops of their own design, or from a unique material palette. To discuss your idea, please contact the studio.



product	dimensions	material + colour	product weight*	shipping weight*	price EUR €***	product code
cantilever table sitting height honeycomb base	930mm Ø (36 5/8°)	paper - natural brown paper - black paper - indigo blue** textile - white (translucent)  ships in box 890mm x 480mm x 150mm (35' x 18.9' x 5.9')	14.1kg 16.9kg 16.9kg 12.2kg	15.2kg 18.0kg 18.0kg 13.3kg	750 900 900 2500	CT-BASE-P-BR-27-37 CT-BASE-P-BK-27-37 CT-BASE-P-BU-27-37 CT-BASE-HWT-WT-27-37
cantilever table standing height honeycomb base	980mm (39.1)	paper · natural brown paper · black paper · indigo blue** textile · white (translucent)  ships in box 1220 x 480mm x 170mm (48° x 18.9° x 6.7°)	20.8kg 21.9kg 21.9kg 17.3kg	21.9kg 23.0kg 23.0kg 23.0kg 18.4kg	1000 1250 1250 3050	CT-BASE-P-BR-39-37 CT-BASE-P-BK-39-37 CT-BASE-P-BU-39-37 CT-BASE-HWT-WT-39-37
glass vase / spindle accessory for cantilever table in round arrangement	1.5" Ø (40mm) 1.5" Ø (40mm) 4" (100mm)	glass WOOd ships in tube 380mm x 150mm Ø (15° x 6° 0)	0.8kg	1.5kg	90	M-SA-PENCIL-H
paper sketching circles 400 sheets accessory for cantilever table in round arrangement requires glass spindle (above)	685mm Ø (27*)	paper · White ships in box 685mm × 685mm × 75mm (30" × 30" × 3")	11.5kg	14.8kg	90	M-SA-SKETCH-P-WH-27
wool felt pad use wool felt pad as a soft top to cantilever table in round arrangement	990mm Ø (35')	natural grey felted wool - 890mm (35") shipping dimensions available upon request	2.5kg	3.9kg	240	SA-PAD-FLT-GR-35
grip discs neoprene grip discs incresase friction between table top and honeycomb base	•	large · 813mm Ø (32") for cartilever table tanned into round arrangement			16	P-SA-CT-DISC-32



<sup>\*</sup> weights may vary

<sup>\*\* 12 - 14</sup> week lead time may apply for indigo blue paper + certain sizes of white textile

 $<sup>^{***}</sup>$  prices do not include shipping; purchaser is responsible for all import duties + VAT

cloud softlight pendant The pendant beaut

The pendants are individual luminaries that radiate a gentle, ambient light. The honeycomb shades are lit from within by dimmable +90 CRI LED, in warm white or neutral white colour temperatures. Pendants are available in four sizes, and can be hung independently or combined with other pendants and mobiles to create beautiful, vast cloudscapes. cloud softlight pendant scales to any size interior, from small apartments to multi-storey auditoriums.

product	dimensions + specs	power supply voltage	LED colour	price EUR €***	product code
mall cloud pendant	white textile shade  warm white: 777 lumens" neutral white: 864 lumens" 10W power draw  hanging weight: 0.64kg (1.41bs)'  560mm Ø (22')	plug-in 110 - 240 V plug-in 110 - 240 V plug tipse available: A. C. G. I hardwire 110 - 240 V + 277 V 110 - 240 V + 277 V	neutral white warm white neutral white warm white	425	CLD-PEN-SM-PI-NW CLD-PEN-SM-PI-WW CLD-PEN-SM-HW-NW CLD-PEN-SM-HW-WW
nedium cloud pendant	white textile shade  warm white: 2332 lumens** neutral white: 2532 lumens** 30W power draw  hanging weight: 1.16kg (2.6lbs)*  880mm Ø (34*)	plug-in 110 - 240 V plug-in 110 - 240 V plug types available: A. C. G. I hardwire 110 - 240 V + 277 V 110 - 240 V + 277 V	neutral white warm white neutral white warm white	900	CLD-PEN-MD-PI-NW CLD-PEN-MD-PI-WW CLD-PEN-MD-HW-NW CLD-PEN-MD-HW-WW
rge cloud pendant	white textile shade  warm white: 3450 lumens** neutral white: 3834 lumene** 44W power draw hanging weight: 2.0kg (4.4lbs)*	plug-in 110 - 240 V plug-in 110 - 240 V plug tipse available: A. C. G. I hardwire 110 - 240 V + 277 V 110 - 240 V + 277 V	neutral white warm white neutral white warm white	1400	CLD-PEN-LG-PI-NW CLD-PEN-LG-PI-WW CLD-PEN-LG-HW-NW CLD-PEN-LG-HW-WW
large cloud pendant	white textile shade warm white 4228 lumens** neutral white 4898 lumens** 54W power draw hanging weight: 4.31kg (8.5lbs)*	plug-in 110 - 240 V plug-in 110 - 240 V plug types available: A. C. G. I hardwire 110 - 240 V + 277 V 110 - 240 V + 277 V	neutral white warm white neutral white warm white	2000	CLD-PEN-XL-PI-NW CLD-PEN-XL-PI-WW CLD-PEN-XL-HW-NW CLD-PEN-XL-HW-WW
istom length ower wire + ang cable	plug-in cloud pendants include 6m (20') of electrical cable (custom lengths available) hardwire small, medium and large cloud pendants include 3.5m (11.5') of electrical cable (custom length hardwire x-large cloud pendant includes 4.5m (15') of electrical cable (custom lengths available)  any custom length up to 9 meters	s available)		90	CLD-PWIRE-PEN-9



<sup>\*</sup> weights may vary

<sup>\*\*</sup> lumen values refer to LED output; cloud shade will absorb some light

 $<sup>^{\</sup>star\star\star\star}$  prices do not include shipping; purchaser is responsible for all import duties + VAT

# cloud softlight mobile creates a canopy of soft, luminous forms. Inspired by the kinetic sculptures of Alexander Calder, each mobile supports three cloud pendants that move and shift with the air currents. The honeycomb shades are lit from within by dimmable +90 CRI LED, in warm white or neutral white colour temperatures, and transmit a gentle glow in all directions. product dimensions + specs | power supply voltage | LED colour | price | EUR €\*\*\* | EUR €\*\*\* | EUR €\*\*\* |

product	dimensions + specs	power supply voltage	LED colour	price EUR €***	product code
small cloud mobile	3 x white textile shade (2 sm, 1 med pendant) aluminum amature warm white: 9888 lumene** recutral white: 4820 lumens** 50W power draw hanging weight: 4.04kg (8.9lbs)*	plug-in 110 - 240 V plug types available: B, E/F hardwire 110 - 240 V + 277 V	neutral white warm white neutral white warm white	1550	CLD-MOB-SM-PI-NW CLD-MOB-SM-PI-WW CLD-MOB-SM-HW-NW CLD-MOB-SM-HW-WW
medium cloud mobile	3 x white textile shade (1 sm, 1 med, 1 ig pendant) aluminum armature  warm white: 656 il umens** neutral white: 7290 lumines** 65W power draw  hanging weight: 5.6kg (12.3lbs)*  2071mm Ø (81.5*)			2600	CLD-MOB-MD-PI-NW CLD-MOB-MD-PI-WW CLD-MOB-MD-HW-NW CLD-MOB-MD-HW-WW
large cloud mobile	3 x white textile shade (1 med, 1 lg, 1 xig pendant) aluminum armature  warm white: 9777 lumens** neutral white: 10864 lumens** 12864 power draw hanging weight: 10.66kg (23.5lbs)*  2908mm Ø (114.5*)  small cloud mobiles include 2.5m (8) of electrical cable (custom lengths available). large cloud mobiles include 2 m (6.7) of electrical cable (custom lengths available). large cloud mobiles include 2 m (6.7) of electrical cable (custom lengths available). hardwire mobiles include a dimmable transformer.	plug-in 110 - 240 V plug-in 110 - 240 V plug hyps available: B, E/F hardwire 110 - 240 V + 277 V 110 - 240 V + 277 V		4300	CLD-MOB-LG-PI-NW CLD-MOB-LG-PI-WW CLD-MOB-LG-HW-NW CLD-MOB-LG-HW-WW
custom length power wire + hang cable	Note: adding length to mobile power wire can only be performed at the molo workshop 8-12 week lead time may apply (expedited orders may be possible — please request quote and lead time)	small mobile · custom medium mobile · cust large mobile · custom	om length up to 7m	365	CLD-PWIRE-MOB-SM-7.5 CLD-PWIRE-MOB-MD-7.0 CLD-PWIRE-MOB-LG-6.5



<sup>\*</sup> weights may vary

<sup>\*\*</sup> lumen values refer to LED output; cloud shade will absorb some light

 $<sup>^{\</sup>star\star\star\star}$  prices do not include shipping; purchaser is responsible for all import duties + VAT

# cloud softlight mast

cloud mast is a kinetic luminary that balances elements of earth and air. The mast is crowned by a boom that supports a luminous canopy of clouds and a dangling fishing weight. The boom revolves around the mast, carrying graceful light throughout a space. As a floor supported lamp, cloud mast is ideal for temporary installations or interiors where wiring might disrupt the ceiling.



product	dimensions + specs	power supply voltage	LED colour	price EUR €***	product code
small cloud mast	153.5° (3900mm)	plug-in 110 - 240 V plug-in 110 - 240 V plug types available: B, E/F	neutral white warm white	3700	CLD-MAST-SM-NW CLD-MAST-SM-WW
	warm white: 3888 lumens** neutral white: 4320 lumens** 50W power draw				
medium cloud mast	161.5* (4100mm)	plug-in 110 - 240 V plug-in 110 - 240 V plug types available: B, E/F	neutral white warm white	4600	CLD·MAST·MD·NW CLD·MAST·MD·WW
	warm white: 6561 lumens** neutral white: 7290 lumens** 85 power draw				
large cloud mast	173.5" (4400mm)	plug-in 110 - 240 V plug-in 110 - 240 V plug types available: B, E/F	neutral white warm white	6400	CLD·MAST·LG·NW CLD·MAST·LG·WW
	warm white: 9777 lunens** neutral white: 10864 lumens** 128W power draw				
	toverall height + hang height can be reduced 610mm (24") by removing section of vertical support				
custom length eletrical wire + hang height	please inquire for details 12-14 week lead time may apply				



<sup>\*</sup> weights may vary

<sup>\*\*</sup> lumen values refer to LED output; honeycomb shade will absorb some light

<sup>\*\*\*</sup> prices do not include shipping; purchaser is responsible for all import duties + VAT

# urchin softlight With its elastic movement and shifting form, urchin softlight invites playful interaction. By gently manipulating the shade with your hands, the lamp transforms through a range of beautiful shapes. product dimensions + specs power supply LED colour product code EUR €\*\*\* voltage URC·T·WH·SM·NW URC·T·WH·SM·WW small urchin softlight plug-in 110 - 240 V neutral white 275 warm white white textile shade warm white: 270 lumens\*\* neutral white: 300 lumens\*\* 3.3W power draw 320mm Ø x 300mm † (12.5" x 10.5") shipping weight: 1.4kg (3lbs)\* ships in box: 430 x 230 x 100mm (17" x 9" x 4") plug-in 110 - 240 V neutral white plug types available: A, C, G, I warm white medium 600 URC·T·WH·MD·NW urchin softlight URC·T·WH·MD·WW white textile shade warm white: 680 lumens\*\* neutral white: 760 lumens\*\* 8W power draw shipping weight: 2.0kg (4.3lbs)\* ships in box: 430 x 230 x 100mm (17\* x 9\* x 4\*) URC·T·WH·LG·NW URC·T·WH·LG·WW large urchin softlight plug-in 110 - 240 V neutral white 900 white textile shade warm white: 1020 lumens\*\* neutral white: 1140 lumens\*\* 12W power draw warm white 635mm Ø x 570mm † (25" x 22.5") shipping weight: 3.0kg (6.6lbs)\* $^\dagger$ urchin is inherently flexible; dimensions will vary on arrangement all urchin softlights come with a 3m (10°) plug-in electrical cable




<sup>\*</sup> weights may vary

<sup>\*\*</sup> lumen values refer to LED output; honeycomb shade will absorb some light

<sup>\*\*\*</sup> prices do not include shipping; purchaser is responsible for all import duties + VAT

# cappello

cappello is a modest tribute to Achille Castiglioni, his brother Pier Giacomo, and Ingo Maurer—designers who have gifted the studio (and the world) much joy and inspiration. The Carrara marble base is a byproduct of the manufacturing process for Arco, the iconic floor lamp designed by the Castiglioni brothers in 1962. Cappello is lit by LED and shaded with a paper cap, or "cappello" in Italian. A simple magnetic connection allows the cap to slide to any position along the steel wire that springs from the marble base. This allows the cap to tilt, adjusting direction of light and giving the little lamp a gestural, anthropomorphic quality.





product dimensions + specs product code   Deprivation   D						~	$\sim$
white marble base white paper shade steel rod	product	dimensions + specs		power supply voltage	LED colour	price EUR €***	product code
Coppello comeo anti a lim 107/plagen element casa			white paper shade statel rot statel rod 200 kumens** 2.4W power draw 660mm (26") tall product weight 0.9kg (2lbs)* shipping weight 1.4kg (3lbs)*	voltage		EUR €***	



<sup>\*</sup> weights may vary

<sup>\*\*</sup> lumen values refer to LED output; cappello shade will absorb some light

<sup>\*\*\*</sup> prices do not include shipping; purchaser is responsible for all import duties + VAT

cork peg hooks	Available in two lengths, cork peg is a wall hook that use form to diverse uses from door stop to toilet paper hold	ewable, beautiful and r	aturally ant	ibacterial; lending the simple	
product		dimensions	material + colour	price	product code
cork peg · short wall hook	<b>-0</b>	cork peg 75mm x 40mm Ø (3" x 1.5")	natural cork peg	EUR €*** 45	PEG·HOOK·S
		bearing capacity: 3.2kg (7lbs) includes magnetic cup mount that screws to wall	nickel plated magnets		
cork peg · long wall mounted holder for toilet paper + hand towels	-0	cork peg 150mm x 40mm Ø (6" x 1.5") includes magnetic cup mount that screws to wall	natural cork peg nickel plated magnets	50	PEG-HOOK-L



float	suspended wall, allowin fragrance ar	bowl insulates liquid g for a simple, cylind	d from han drical form transcends	ds, and forms a len that can be held like s the pragmatic to c	lesigned to emphasize the associated soft liquid colour that project a wine bottle. With a candle reate an engaging spatial exp	ts light onto the ta e lit below the tea la	bletop. The tea lan	tern has an	insulating double
						© 1			
product		volume ml (oz)	price EUR €***	product code	product		volume ml (oz)	price EUR €***	product code
tea lantern 3 glass parts: tea pot, lid, candle holder clear or fritted glass		1000ml (34 fl oz)**	200	FLO·TL·C1 clear glass FLO·TL·F1	sugar + cream 3 parts: sugar with lid + cream		220ml (7.5 fl oz)* 120ml (4 fl oz)**	90	FLO·SC·C1 clear glass
· stainless steel infuser				translucent fritted glass	small sugar + cream set of 2	88	50ml (1.7 fl oz)* 30ml (1 fl oz)**	85	FLO·SS·C1 clear glass
small tea lantern - 3 glass parts: tea pot, lid, candle holder - dear or fritted glass - stainless steel infuser		500ml (17 fl oz)**	175	FLO-TS-C1 clear glass FLO-TS-F1 translucent fritted glass	glass infuser optional accessory to tea lantern	ŢŢ	available in small or large to match size of tea lantern	30	FLO·GLASS·FLTR clear glass
<b>tea cups</b> set of 2		220ml (7.5 fl oz)* 150ml (5 fl oz)**	80	FLO·TC·C2 clear glass	matcha bowl 1 bowl		470ml (16 fl oz)* 180ml (6 fl oz)**	90	FLO·MB·C1 clear glass
champagne flutes set of 2		180ml (6 fl oz)* 120ml (4 fl oz)**	75	FLO-CF-C2 clear glass	red wine glasses set of 2		400ml (14 fl oz)* 150ml (5 fl oz)**	100	FLO·WG·C2 clear glass
<b>pilsner flutes</b> set of 2		325ml (11 fl oz)* 300ml (10 fl oz)**	80	FLO·PF·C2 clear glass	liqueur glasses set of 2	<b>5</b> 5	55ml (1.9 fl oz)* 45ml (1.5 fl oz)**	70	FLO·LG·C2 clear glass
martini glasses set of 2	AA	200ml (7 fl oz)* 90ml (3 fl oz)**	90	FLO·MG·C2 clear glass FLO·MG·F2 translucent fritted glass					
glass bubbles set of 3	©	100mm Ø (4") works with a 45mm Ø (1.75') floating candle	85	FLO-GB-C3 clear glass FLO-GB-F3 translucent fritted glass	animal soup 1 bowl	<u> </u>	530ml (18 fl oz)* 400ml (14 fl oz)**	110	FLO·AS·C1 clear glass

tall vase



<sup>\*\*</sup> suggested serving volume (ask for diagram)

\*\*\* prices do not include shipping; purchaser is responsible for all import duties + VAT

110mm Ø x 330mm | 320 (4.33" Ø x 13")

FLO·SB·C1

large shallow bowl

M·FLO·TV·C1

260mm Ø x 111mm (8.11" Ø x 4.38")

# Euro (€) Pricing and Terms

# **Pricing**

All pricing is shown in euro. Shipping charges are additional. Purchaser is responsible for all import duties + VAT where applicable.

#### **Payment and Shipping**

We accept payment by bank wire, credit card (Visa, Mastercard, AMEX) or PayPal. Invoices over € 10,000 must be paid by bank wire only.

Payment must be received in full before any goods will be shipped. Shipping charges are additional. Standard delivery is by FedEx International Priority or freight forwarder.

Prices and policies are subject to change without notice.

#### **Exchange Policy**

All sales are final.

Goods which are damaged or defective at the time of receipt can be exchanged for same goods, provided we are notified by e-mail, fax, or phone within two business days of receipt of the goods.

This policy does not include goods which are not defective, but rather exhibit minor variations typical of handmade products.

# **Ordering Information**

E-mail orders to sales@molodesign.com, or fax +1 604 685 0342

For small orders, goods are normally in stock and ready to ship. For larger orders, projects with fixed deadlines, or orders with custom colour softwall + softblock, please allow for up to 14 weeks lead time.



molodesign.com