USD price list autumn 2018

molo design, Itd

1470 Venables Street Vancouver, B.C. Canada V5L 2G7

t +1 604 685 0340 f +1 604 685 0342


info@molodesign.com www.molodesign.com



softwall + softblock modular system

softwall + softblock is a modular system of freestanding, flexible partition walls and building blocks. The elements are available in a variety of materials and colours, to offer a range of properties including translucency or opacity, acoustic absorption, fire rating, UV and water resistance. The paper and textile materials contain recycled content and are recyclable. All softwall + softblock elements are flexible in length, opening to a maximum of 4.5m long (15') when fully expanded. When softwall + softblock are compressed for storage, they measure less than 50mm thick (2"). Elements may open less than the full length to create shorter partitions, or form longer walls by connecting two or more softwalls via their magnetic end panels. Each 1830mm (6') and 2440mm (8') softwall comes with a wall hook for simple, compact storage.







roduct	dimensions	material + colour ‡	product weight*	shipping weight*	pricing US\$***	product code	
oftwall 30mm tall x 235mm deep x 9.25")		paper · natural brown paper · black paper · indigo blue** textile · white (translucent) FR textile · white (translucent) textile · black textile · custom colour**	12.6kg 13.6kg 13.6kg 7.8kg 10.5kg 8.5kg varies	17.9kg 18.9kg 18.9kg 13.1kg 15.1kg 13.8kg varies	1000 1200 1200 2000 2500 2450 varies	SW-P-BR-06-09 SW-P-BK-06-09 SW-P-BU-06-09** SW-T-WH-06-09 SW-FRT-WH-06-12 SW-T-BK-06-09 SW-T-CC-06-09**	
	1830mm (6) 235mm (9.25) or FN textle ⁶	shipping box: 2000mm x 265mm x 100mm (78.75" x 10.5" x 4") § FR textile softwalls are 290mm deep (11.5") shipping box: 2000mm x 300mm x 90mm (78.75" x 13" x 3.5")					
oftwall 40mm tall x 235mm deep x 9.25")	2440mm (87) 235mm (9.257) or FR teatle	paper - natural brown paper - black paper - indigo blue** textile - white (translucent) FR textile - white (translucent) for textile - black textile - custom colour** shipping box: 2600mm x 265mm x 100mm (102.5* x 10.5* x 4*) § FR textile softwalls are 290mm deep (11.5*) shipping box: 2600mm x 330mm x 90mm (102.5* x 13* x 3.5*)	16.3kg 18.1kg 18.1kg 10.3kg 14.4kg 11.3kg varies	20.2kg 22.0kg 22.0kg 14.2kg 20.6kg 15.2kg varies	1200 1500 1500 2700 3400 3700 varies	SW-P-BR-08-09 SW-P-BK-08-09 SW-P-BU-08-09** SW-TWH-08-09 SW-FRT-WH-08-12 SW-T-CC-08-09**	
ftwall 40mm tall x 340mm deep x 13.3")	2440mm (8°)	textile · White (translucent) FR textile · White (translucent) FR textile · black textile · Custom colour** shipping box: 2600mm x 375mm x 100mm (102.5" x 14.75" x 4") FR textile softwalls are 450mm deep (17.75") shipping box: 2600mm x 490mm x 90mm (102.5" x 19.25" x 3.5")	14.9kg 18.0kg 16.3kg varies	22.1kg 25.6kg 23.5kg varies	3300 4200 4600 varies	SW-T-WH-08-13 SW-FRT-WH-08-18 SW-T-BK-08-13 SW-T-CC-08-13**	
ftwall 00mm tall x 340mm deep 'x 13.3")	340mm (13.37) or FR textile ⁵ 3050mm (10) 340mm (13.37) or FR textile ⁵	textile · white (translucent) FR textile · white (translucent) F** textile · black textile · custom colour** shipping box: 3210mm x 375mm x 100mm (126.36* x 14.75* x 47) § FR textile stowalls are 450 deep (17.75*) shipping box: 3210mm x 490mm x 90mm (126.36* x 19.25* x 3.5*)	18.6kg 22.5kg 20.4kg varies	31.6kg 36.0kg 33.4kg varies	4300 5000 5500 varies	SW-T-WH-10-13 SW-FRT-WH-10-18** SW-T-BK-10-13 SW-T-CC-10-13**	
stom colour**	*softwall + softblock elements are flexible in length, opening to a max 4.5m long (15') when compressed for storage, softwall + softblock are less than 50mm thick (2')	textile softwall + softblock are available			price varies		
		in any Pantone colour lead time: 12 - 14 weeks (expedited service available) minimum order: varies, please inquire for more details			with colour + size; please request a quote		
ustom height fee		softwall + softblock elements can be trimmed to custom height (there are some constraints due to position of magnets in end panels; please inquire)			100	SRV-CUT-H-WALL	



^{*} weights may vary

^{** 12 - 14} week lead time + minimum quantities may apply for indigo blue paper + custom colour textile

 $^{^{\}star\star\star}$ prices do not include shipping; purchaser is responsible for all taxes + import duties

acoustic testing documentation + fire-rating certification available upon request

softwall + softblock Each softwall + softblock is flexible in length, opening to a maximum of 4.5m long (15'). Elements connect lengthwise via concealed magnets and can be stacked modular system to play with height. product pricing dimensions material + colour 1 product shipping product code weight* weight* US\$** 3.2kg SB-P-BR-01-09 softblock paper · natural brown 2.1kg paper · black 2.3kg 3.4kg 225 SB-P-BK-01-09 305mm tall x 235mm deep paper · indigo blue** 2.3kg 3.4kg 225 SB-P-BU-01-09** (1' x 9.25") textile · white (translucent) 1.3kg 2.4kg 350 SB-T-WH-01-09 450 SB·FRT·WH·01·12 FR textile · white (translucent)\$ 1.8kg 2.8kg 2.5kg textile · black 1.4kg 450 SB-T-BK-01-09 textile · custom colour** varies varies varies SB-T-CC-01-09** shipping box: 400mm x 265mm x 100mm (15.75" x 10.5" x 4") § FR textile softblocks are 290mm deep (11.5") shipping box: 400mm x 330mm x 90mm (15.75" x 13" x 3.5") SB-P-BR-02-09 softblock paper · natural brown 4.2kg 6.2kg 6.5kg paper · black 4.5kg 425 SB-P-BK-02-09 610mm tall x 235mm deep SB-P-BU-02-09** (2' x 9.25") paper · indigo blue** 4.5kg 6.5kg 425 2.6kg 4.6kg SB-T-WH-02-09 textile · white (translucent) 700 FR textile · white (translucent)§ 3.6kg 5.4kg 850 SB·FRT·WH·02·12 textile · black 2.8kg 4.8kg 850 SB-T-BK-02-09 textile · custom colour** SB-T-CC-02-09** varies varies varies 610mm (21) shipping box: 710mm x 265mm x 100mm (28" x 10.5" x 4") 235mm (9.25") or FR textile§ § FR textile softblocks are 290mm deep (11.5") shipping box: 710mm x 330mm x 90mm (28" x 13" x 3.5") SB-P-BR-03-09 paper · natural brown 6.3kg 9.3kg 500 softblock SB-P-BK-03-09 paper · black 6.8kg 9.8kg 600 915mm tall x 235mm deep SB-P-BU-03-09** 6.8kg 9.8kg paper · indigo blue* 600 (3' x 9.25") 3.9kg 6.9kg SB-T-WH-03-09 textile · white (translucent) 1000 7.9kg FR textile · white (translucent)§ 5.3kg 1250 SB-FRT-WH-03-12-M1-B1 textile · black 4.3kg 7.3kg 1250 SB-T-BK-03-09 textile · custom colour** SB-T-CC-03-09** varies varies varies shipping box: 1080mm x 265mm x 100mm (42.5" x 10.5" x 4") $\$ FR textile softblocks are 290mm deep (11.5") shipping box: 1080mm x 330mm x 90mm (42.5" x 13" x 3.5") 3.3kg 3.3kg SB-P-BB-01-13 softblock paper · natural brown 4.5kg 250 4.5kg 300 SB-P-BK-01-13 paper · black 305mm tall x 340mm deep 1.9kg 3.1kg SB-T-WH-01-13 textile · white (translucent) 450 (1' x 13.3") FR textile · white (translucent)§ 2.3kg 3.6kg 550 SB-FRT-WH-01-18 2.0kg 550 SB-T-BK-01-13 textile · black 3.2kg SB·T·CC·01·13** textile · custom colour** varies varies varies shipping box: 400mm x 375mm x 100mm (15.75" x 14.75" x 4") 340mm (13.3" § FR textile softblocks are 450mm deep (17.75") shipping box: 400mm x 490mm x 90mm (15.75" x 19.25" x 3.5") softblock paper · natural brown SB·P·BR·02·13 6.5kg 8.7kg 400 610mm tall x 340mm deep 550 SB-P-BK-02-13 paper · black 6.5kg 8.7kg SB·T·WH·02·13 textile · white (translucent) 850 (2' x 13.3") 3.7kg 5.9kg FR textile · white (translucent)§ 6.7kg 1100 SB·FRT·WH·02·18 4.5ka textile · black 6.2kg 1050 SB-T-BK-02-13 4.0kg SB·T·CC·02·13** textile · custom colour** varies varies varies shipping box: 710mm x 375mm x 100mm (28" x 14.75" x 4") § FR textile softblocks are 450mm deep (17.75") shipping box: 710mm x 490mm x 90mm (28" x 19.25" x 3.5") paper · natural brown 13.0kg 600 SB-P-BR-03-13 softblock 9.7ka paper · black 13.0kg 800 SB-P-BK-03-13 9.7kg 915mm tall x 340mm deep (3' x 13.3") textile · white (translucent) 5.6kg 8.9kg 1300 SB·T·WH·03·13 textile · heavyweight white (translucent)§ 16.8kg 2300 SB-T-WH-03-18-HW 13.0kg FR textile · white (translucent)[§] 10.3kg 1700 SB-FRT-WH-03-18 6.8kg textile · black 6.2kg 9.5kg 1550 SB-T-BK-03-13 textile · custom colour** varies varies varies SB-T-CC-03-13* shipping box: 1080mm x 375mm x 100mm (42.5" x 14.75" x 4") 340mm (13.3") or FR + heavyweight textile§ § FR + heavyweight textile softblocks are 450mm deep (17.75") shipping box: 1080mm x 490mm x 90mm (42.5" x 19.25" x 3.5") 'softwall + softblock elements are flexible in length, opening to a max 4.5m long (15') when compressed for storage, softwall + softblock are less than 50mm thick (2')



^{*} weights may vary

^{** 12 - 14} week lead time + minimum quantities may apply for indigo blue paper + custom colour + heavyweight textile

^{***} prices do not include shipping; purchaser is responsible for all taxes + import duties

acoustic testing documentation + fire-rating certification available upon request

LED ribbon kits for white textile softwall + softblock

Flexible LED ribbons integrate with textile softwall + softblock to transform the elements into expressive, luminous space partitions. Light emphasizes the subtle beauty of the translucent material, illuminating the delicate fibres. LEDs are available in warm white or neutral white. Please inquire about the recommended arrangement for your project.








oduct		dimensions + specs	colour of LED	pricing	product code
D kit for softwall		LED kit for 1830mm tall (6') softwall · 2 ribbon	neutral white	US\$*** 550	SA·LED·RIB·NW·6
D KIT for Softwall		LED RIC IOT 1830/IIII (a) Softwali · 2 ribbori	warm white	550	SA·LED·RIB·WW·6
		LED kit for 2440-3050mm (8-10') tall softwall · 2 ribbon	neutral white warm white	550	M·SA·LED·RIB·NW·8·10 M·SA·LED·RIB·WW·8·10
		warm white: 4600 lumens** neutral white: 5140 lumens** 54W power draw			
	, XZ	LED lits include: + two flootible LED ribbons 4.5m long (15') + 2-vaey coupler + 100 - 240V 60W plug-in transformer + plug types available: B, EF			
		shipping weight: 1.6kg (3.5lbs)*			
		LED kit for softwall · 1 ribbon 1 LED ribbon in bottom hole of any size softwall	neutral white warm white	300	SA·LED·RIB·NW·1 SA·LED·RIB·WW·1
		warm white: 2300 lumens** neutral white: 2570 lumens** 27W power draw			
		LED kit includes: + one flexible LED ribbon 4.5m long (15') + 100 – 240' 40W plug-in transformer + plug types available: A, C, G, I			
	x1	shipping weight: 0.75kg (1.6lbs)*			
D kit for softblock		LED kit for softblock · 1 ribbon	neutral white warm white	300	SA·LED·RIB·NW·1 SA·LED·RIB·WW·1
every 610mm (2') in height offtblocks. Please ask for ice specific to your project		warm white: 2300 lumens** neutral white: 2570 lumens** 27W power draw LED kit includes: + one flexible LED ribbon 4.5m long (15') + 100 - 240V 40W plug-in transformer + plug types available: A, C, G, I shipping weight: 0.75kg (1.6lbs)*			
		LED kit for softblock · 2 ribbon warm white: 4600 lumers** neutral white: 5140 lumers** 54W power draw	neutral white warm white	550	SA·LED·RIB·WW·2 SA·LED·RIB·WW·2
	10 - 7 6	LED kit includes: + two flexible LED ribbon 4.5m long (15') + 2-way coupler + 100 - 240V 60W plug-in transformer			
	\$\int_{\text{x2}}	+ plug types available: B, E/F shipping weight: 1.6kg (3.5lbs)*			
im (15') electrical		to extend the length of power wire for softwall +		70	SA-EEXT-15
tension	6	softblock LED ribbon (silver coaxial cable) details available upon request			



^{*} weights may vary

 $^{^{**}\,}$ lumen values refer to LED output; textile material of softwall + softblock will absorb some light

 $[\]stackrel{***}{}$ prices do not include shipping; purchaser is responsible for all taxes + import duties





^{*} weights may vary

benchwall + thinwall benchwall is a flexible, paper or textile bench with a tall backrest that acts as both acoustic space partition and seating. benchwall can stretch into straight, high backed seating or sweep into a circular bench-lined room for intimate meetings, benchwall may magnetically connect to the 455 x 915mm ø (18 x 36" Ø) size softseating stool + bench to form modular seating arrangements. thinwall was designed as an acoustic, sculptural liner for solid walls, columns and ceilings or as a flexible wrap for storage areas, reception desks and other millwork. It measures only 90mm wide (3.5") and reaches 1.83m high (6'). Adjustable in length, it stretches up to 3m long (10'). product dimensions material + colour product code product shipping US\$** weight* weight* BW-P-BR-05-11 BW-P-BK-05-11 benchwall paper · natural brown 28.3kg 38.2kg 1600 30.9kg 30.9kg 40.9kg 40.9kg paper · black 2100 backrest :1500mm tall x paper · blue ** 2100 BW-P-BU-05-11** 85mm deep (59" x 3.5") textile · white (translucent) (2500mm long) (8') ** 23.5kg 33.5kg 5000 BW-T-WH-05-8** textile · white (translucent) (5000mm long) (16.5") ** BW·T·WH·05·16** 46.9kg 56.9kg 9000 seat: 455mm tall x 455mm deep (18" x 18") shipping dimensions available upon request *benchwall elements are flexible in length, but vary by material: —paper benchwalls open to a max 3500mm (11.5") long —textile benchwalls open to a max 2500mm (8") or 5000mm (16.5") long paper · natural brown paper · black 14.3kg 15.1kg 15.1kg THW-P-BR-06-3 THW-P-BK-06-3 16.6kg 17.4kg 650 850 thinwall 1830mm tall x 90mm deep x 3000mm long paper · indigo blue** 17.4kg 850 THW-P-BU-06-3** (6' x 3.5" x 10') textile · white (translucent) 11.9kg 14.2kg 1550 THW-T-WH-06-3 ships in box 2000mm x 190mm x 130mm (78.75" x 7.5" x 5.2") 1830mm (6') tthinwall elements are flexible in length, opening to a max 3m long (10') when anchored at both ends. SA-STRP-ST-WH-TW thinwall anchor strip white powder coated steel 2.3kg 2.3kg 125 one unit per each end of thinwall 1675mm x 72mm (66" x 2.8")



^{*} weights may vary

^{** 12 - 14} week lead time may apply for white textile benchwall + indigo blue paper softseating

^{***} prices do not include shipping; purchaser is responsible for all taxes + import duties

softseating

softseating is a line of flexible furniture made from paper or textile. Each element uses honeycomb geometry to fan open into a stool, bench, table or lounger, compressing for storage. Magnetic end panels allow two or more elements to connect, forming long winding benches.













product	dimensions	material + colour	product weight*	shipping weight*	pricing US\$***	product code
fanning stool 305mm tall x 405mm ∅ (12" x 16")	405mm Ø (16°)	paper · natural brown paper · black paper · indigo blue** textile · white (translucent)** ships in box 400mm x 230mm x 90mm (15.75" x 9" x 3.5")	1.8kg 1.9kg 1.9kg 1.5kg	2.3kg 2.4kg 2.4kg 2.0kg	140 175 175 300	SS-P-BR-12-16 SS-P-BK-12-16 SS-P-BU-12-16** SS-T-WH-12-16
fanning stool 455mm tall x 405mm ∅ (18" x 16")	455mm (18°)	paper - natural brown paper - black paper - indigo blue** textile - white (translucent) ships in box 550mm x 230mm x 100mm (21.5" x 9" x 4")	2.9kg 3.0kg 3.0kg 2.5kg	3.4kg 3.5kg 3.5kg 2.9kg	170 230 230 400	SS-P-BR-18-16 SS-P-BK-18-16 SS-P-BU-18-16** SS-T-WH-18-16
fanning stool · bench stool: 305mm tall x 610mm Ø (12" x 24") bench: 2500mm long x 305mm deep x 305mm tall (6" x 12" x 12")	305mm (127) 305mm (127)	paper · natural brown paper · black paper · indigo blue** textile · white translucent** ships in box 400mm x 330mm x 150mm (15.75* x 13* x 6*)	5.1kg 5.3kg 5.3kg 4.6kg	6.0kg 6.2kg 6.2kg 5.5kg	275 375 375 775	SS-P-BR-12-24 SS-P-BK-12-24 SS-P-BU-12-24** SS-T-WH-12-24
fanning stool · bench stool: 455mm tall x 610mm O (18" x 24") bench: 2500mm long x 305mm deep x 455mm tall (6" x 12" x 18")	455mm (18°) 305mm (12°)	paper · natural brown paper · black paper · indigo blue** textile · white (translucent)** ships in box 550mm x 330mm x 150mm (21.5* x 13* x 6*)	7.9kg 8.1kg 8.1kg 6.8kg	9.0kg 9.2kg 9.2kg 8.0kg	400 550 550 1200	SS-P-BR-18-24 SS-P-BK-18-24 SS-P-BU-18-24** SS-T-WH-18-24
fanning stool · bench stool: 305mm tall x 915mm Ø (12" x 36") bench: 2500mm long x 455mm deep x 305mm tall (8" x 18" x 12")	1softseating benches are flexible in length, opening to a max 2.5m (8°) long 915mm 0 (36°) 305mm (12°)	paper · natural brown paper · black paper · indigo blue** textile · white (translucent)** ships in box 550mm x 330mm x 160mm (21.5" x 13.25" x 6")	9.3kg 11.2kg 11.2kg 7.6kg	10.4kg 12.3kg 12.3kg 12.3kg 8.7kg	400 550 550 1200	SS-P-BR-12-36 SS-P-BK-12-36 SS-P-BU-12-36** SS-T-WH-12-36
fanning stool · bench stool: 455mm tall x 915mm Ø (18" x 36") bench: 2500mm long x 455mm deep x 455mm tall (8' x 18" x 18")	915mm O (361) 455mm (181) 455mm (181) 455mm (181) 455mm (181)	paper - natural brown paper - black paper - indigo blue** textile - white (transucent) ships in box 550mm x 500mm x 170mm (21.5* x 19.75* x 6.75*)	14.3kg 15.1kg 15.1kg 11.9kg	16.6kg 17.4kg 17.4kg 14.2kg	650 850 850 1800	SS-P-BR-18-36 SS-P-BK-18-36 SS-P-BU-18-36** SS-T-WH-18-36
paper lounger 405mm tall x 2150mm Ø (16" x 84")	*softseating benches are flexible in length, opening to a max 2.5m (8") long 2150mm Ø (84") 405mm (16")	paper · natural brown paper · black paper · indigo blue** ships in 3 bowss 1155mm x 430mm x 130mm (45.75* x 17* x 5*)	56.4kg 63.6kg 63.6kg	63.0kg 70.2kg 70.2kg	2500 3500 3500	SS-P-BR-16-84-LNGR SS-P-BK-16-84-LNGR SS-P-BU-16-84-LNGR**
textile lounger 405mm tall x 1900mm Ø (16" x 74")	1900mm Ø (74°) 405mm (16°)	textile · white (translucent)*** ships in 3 boxes 1155mm x 430mm x 130mm (45.75* x 17* x 5*)	38.4kg	45.0kg	7000	SS-T-WH-16-74-LNGR
wool felt pad (optional) use wool felt pad independently or pair with softseating fanning stools	380mm Ø (15°) 585mm Ø (23°) 890mm Ø (35°)	380mm (15") - natural grey felted wool 585mm (23") - natural grey felted wool 890mm (35") - natural grey felted wool shipping dimensions available upon request	0.8kg 1.1kg 2.5kg	1.1kg 1.5kg 3.9kg	80 140 260	SA-PAD-FLT-GR-15 SA-PAD-FLT-GR-23 SA-PAD-FLT-GR-35
wool felt tote (optional) use wool felt tote to carry 405mm Ø (16") softseating fanning stools in their compressed form		singiping dimensions available upon request small - natural grey felted wool for 305mm tail x 405mm 0 (12" x 16") fanning stool large - natural grey felted wool for 455mm tail x 405mm 0 (18" x 16") fanning stool shipping dimensions available upon request	0.1kg 0.1kg	0.2kg 0.2kg	75 90	P-TOTE-FLT-GR-12 P-TOTE-FLT-GR-18



^{*} weights may vary

^{** 12 - 14} week lead time may apply for indigo blue paper + certain sizes of white textile

^{***} prices do not include shipping; purchaser is responsible for all taxes + import duties

cantilever table + hard top

cantilever table uses a flexible paper or textile base and is available in three heights. A single base uses honeycomb geometry to fan open and support a round top. The sketching circles accessory accompanies the round top, providing a collaborative work environment that allows for ideas to grow as they spin around the table. Multiple honeycomb bases may be magnetically connected and paired with modular tops to create a variety of table shapes or lengths.





product	dimensions	material + colour	product weight*	shipping weight*	pricing US\$***	product code
cantilever table sitting height with round top	1200mm Ø (47°)	natural paper base + natural MDF top blue paper base + halback MDF top** black paper base + black MDF top white textile base + grey MDF top white textile base + Carrara marble top ships palletized 1220mm x 1220mm x 500mm (48° x 48° x 19.75°)	27.3kg 30.1kg 30.1kg 37.1kg 74.7kg	63.4kg 58.7kg	2300 2500 2700 4600 7000	M·CT·P·BR·27·MDF·47 M·CT·P·BU·27·MDF·47 M·CT·P·Bk·27·Bk·MDF·47 M·CT·T·WH·27·GR·MDF·47 M·CT·T·WH·27·MAR·47
cantilever table standing height with round top		natural paper base + natural MDF top blue paper base + natural MDF top** black paper base + black MDF top white textile base + grey MDF top	31.1kg 32.2kg 32.2kg 39.2kg	68.4kg 63.7kg	2600 2800 3000 5200	M-CT-P-BR-39-MDF-47 M-CT-P-BU-39-MDF-47 M-CT-P-BK-39-BK-MDF-47 M-CT-T-WH-39-GR-MDF-47
	1010mm(98/75°)	white textile base + Carrara marble top ships palletzed 1220mm x 1220mm x 500mm (48" x 48" x 19.75")	76.8kg	113.0kg	7800	M-CT-T-WH-39-MAR-47




^{*} weights may vary

^{** 12 - 14} week lead time may apply for indigo blue paper + certain sizes of white textile

 $^{^{***}}$ prices do not include shipping; purchaser is responsible for all taxes + import duties

cantilever table components

The components of cantilever table are available for individual purchase. molo offers these pieces as an opportunity to continue the design process, encouraging clients to pair the bases with tabletops of their own design, or from a unique material palette. To discuss your idea, please contact the studio.



product	dimensions	material + colour	product weight*	shipping weight*	pricing US\$***	product code		
cantilever table sitting height honeycomb base	930mm Ø (36 5/8°) 450mm (17-7-37)	paper · natural brown paper · black paper · indigo blue** textile · white (translucent) ships in box 890mm x 480mm x 150mm (35° x 18.9° x 5.9°)	14.1kg 16.9kg 16.9kg 12.2kg	15.2kg 18.0kg 18.0kg 13.3kg	800 1000 1000 2750	CT-BASE-P-BR-27-37 CT-BASE-P-BK-27-37 CT-BASE-P-BU-27-37 CT-BASE-HWT-WT-27-37		
cantilever table standing height honeycomb base	99 (sg.mm (sg.)	paper · natural brown paper · black paper · indigo blue** textile · white (translucent) ships in box 1220 x 480mm x 170mm (48° x 18.9° x 6.7°)	20.8kg 21.9kg 21.9kg 17.3kg	21.9kg 23.0kg 23.0kg 23.0kg 18.4kg	1100 1350 1350 3350	CT-BASE-P-BR-39-37 CT-BASE-P-BK-39-37 CT-BASE-P-BU-39-37 CT-BASE-HWT-WT-39-37		
glass vase / spindle accessory for cantilever table in round arrangement	1.5° Ø (40mm) 1.6° Ø (40mm) 4° (100mm) 8° (200mm)	glass wood ships in tube 380mm x 150mm Ø (15" x 6" Ø)	0.8kg	1.5kg	100	M·SA·PENCIL·H		
paper sketching circles 400 sheets accessory for cantilever table in round arrangement requires glass spindle (above)	685mm Ø (27") 46mm Ø hole (1.75")	paper · white ships in box 685mm x 685mm x 75mm (30° x 30° x 3°)	11.5kg	14.8kg	100	M·SA·SKETCH·P·WH·27		
wool felt pad use wool felt pad as a soft top to cantilever table in round arrangement	990mm Ø (35')	natural grey felted wool • 890mm (35") shipping dimensions available upon request	2.5kg	3.9kg	260	SA-PAD-FLT-GR-35		
grip discs neoprene grip discs incresase friction between table top and honeycomb base	•	large · 813mm Ø (32") for cantilever table fanned into round arrangement			18	P-SA-CT-DISC-32		



^{*} weights may vary

^{** 12 - 14} week lead time may apply for indigo blue paper + certain sizes of white textile

 $^{^{***}}$ prices do not include shipping; purchaser is responsible for all taxes + import duties

cloud softlight The p neutral beaut

The pendants are individual luminaries that radiate a gentle, ambient light. The honeycomb shades are lit from within by dimmable +90 CRI LED, in warm white or neutral white colour temperatures. Pendants are available in four sizes, and can be hung independently or combined with other pendants and mobiles to create beautiful, vast cloudscapes. cloud softlight pendant scales to any size interior, from small apartments to multi-storey auditoriums.

product	dimensions + specs		power supply	LED colour	pricing	product code	
	3		voltage		US\$***	p.oddot oodb	
small cloud pendant	(.a) I autographic (.a) L J 560mm Ø (22')	white textile shade warm white: 777 lumens** neutral white: 864 lumens** 10W power draw hanging weight: 0.64kg (1.41bs)*	plug-in 110 - 240 V plug-in 110 - 240 V plug types available: A, C, G, I hardwire 110 - 240 V + 277 V 110 - 240 V + 277 V	neutral white warm white neutral white warm white	475	CLD-PEN-SM-PI-NW CLD-PEN-SM-PI-WW CLD-PEN-SM-HW-NW CLD-PEN-SM-HW-WW	
medium cloud pendant	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	white textile shade warm white: 2332 lumens** neutral white: 2592 lumens** 30W power draw hanging weight: 1.16kg (2.6lbs)*	plug-in 110 - 240 V plug-in 110 - 240 V plug types available: A. C. G. I hardwire 110 - 240 V + 277 V 110 - 240 V + 277 V	neutral white warm white neutral white warm white	1000	CLD-PEN-MD-PI-NW CLD-PEN-MD-PI-WW CLD-PEN-MD-HW-NW CLD-PEN-MD-HW-WW	
arge cloud pendant	1200mm Ø (47°)	white textile shade warm white: 3450 lumens** neutral white: 3834 lumens** 44W power draw hanging weight: 2.0kg (4.4lbs)*	plug-in 110 - 240 V plug-in 110 - 240 V plug spes avaliable: A. C. G. I hardwire 110 - 240 V + 277 V 110 - 240 V + 277 V	neutral white warm white neutral white warm white	1500	CLD-PEN-LG-PI-NW CLD-PEN-LG-PI-WW CLD-PEN-LG-HW-NW CLD-PEN-LG-HW-WW	
t-large cloud pendant	1620mm Ø (63.75°)	white textile shade warm white: 4228 lumens** neutral white: 4698 lumens** 54W power draw hanging weight: 4.31kg (9.5lbs)*	plug-in 110 - 240 V plug-in 110 - 240 V plug types available: B, E/F hardwire 110 - 240 V + 277 V 110 - 240 V + 277 V	neutral white warm white neutral white warm white	2200	CLD-PEN-XL-PI-NW CLD-PEN-XL-PI-WW CLD-PEN-XL-HW-NW CLD-PEN-XL-HW-WW	
custom length power wire + nang cable	plug-in cloud pendants include 6m (20") of electrical cable. hardwire small, medium and large cloud pendants include hardwire x-large cloud pendant includes 4.5m (15") of elect any custom length up to 9 meters	3.5m (11.5') of electrical cable (custom lengths available)			100	CLD-PWIRE-PEN-9	



^{*} weights may vary

^{**} lumen values refer to LED output; cloud shade will absorb some light

 $^{^{***}}$ prices do not include shipping; purchaser is responsible for all taxes + import duties

cloud softlight mobile creates a canopy of soft, luminous forms. Inspired by the kinetic sculptures of Alexander Calder, each mobile supports three cloud pendants that move and shift with the air currents. The honeycomb shades are lit from within by dimmable +90 CRI LED, in warm white or neutral white colour temperatures, and transmit a gentle glow in all directions. product dimensions + specs power supply LED colour pricing product code Listers.

				LEDI		
product	dimensions + specs		oower supply oltage	LED colour	pricing US\$***	product code
small cloud mobile	3 x white textile saluminum armatu warm whites warm whites 43 50W power draw hangling weight:	p pls 8 lumens** 20 lumens** h: 4.04kg (8.9lbs)*	lug-in 110 - 240 V ug types available: B, E/F ardwire 10 - 240 V + 277 V	neutral white warm white neutral white warm white	1700	CLD-MOB-SM-PI-NW CLD-MOB-SM-PI-WW CLD-MOB-SM-HW-NW CLD-MOB-MD-HW-WW
medium cloud mobile	3 x white textile: aluminum armat warm white: 656 neutral white: 75 85W power draw hanging weight:	p ph st lumens** ph s	lug-in 110 - 240 V ug types available: B, E/F ardwire 10 - 240 V + 277 V	neutral white warm white neutral white warm white	2900	CLD-MOB-MD-PI-NW CLD-MOB-MD-PI-WW CLD-MOB-MD-HW-NW CLD-MOB-MD-HW-WW
large cloud mobile	alumium armat warm white: 97 neutral white: 01 128W power dra	ure p p r7 lumens** p864 lumens** aw h 10.66kg (23.5lbs)* 1 1 dable), valiable),	olug-in 110 - 240 V lug types available: B, E/F hardwire 10 - 240 V + 277 V	neutral white warm white neutral white warm white	4700	CLD-MOB-LG-PI-NW CLD-MOB-LG-PI-WW CLD-MOB-LG-HW-NW CLD-MOB-LG-HW-WW
custom length power wire + hang cable	Note: adding length to mobile power wire can only be performed at the molo workshop 8-12 week lead time may apply (expedited orders may be possible — please request q	uote and lead time)	mall mobile · custom nedium mobile · cust arge mobile · custom	om length up to 7m	600	CLD-PWIRE-MOB-SM-7.5 CLD-PWIRE-MOB-MD-7.0 CLD-PWIRE-MOB-LG-6.5



^{*} weights may vary

^{**} lumen values refer to LED output; cloud shade will absorb some light

 $[\]ensuremath{^{***}}$ prices do not include shipping; purchaser is responsible for all taxes + import duties

cloud softlight mast

cloud mast is a kinetic luminary that balances elements of earth and air. The mast is crowned by a boom that supports a luminous canopy of clouds and a dangling fishing weight. The boom revolves around the mast, carrying graceful light throughout a space. As a floor supported lamp, cloud mast is ideal for temporary installations or interiors where wiring might disrupt the ceiling.



product	dimensions + specs	power supply voltage	LED colour	pricing US\$***	product code
small cloud mast	153.5" (3900mm) Warm white: 3888 lumens"* neutral white: 4220 lumens" SOW power draw	plug-in 110 - 240 V plug-in 110 - 240 V plug types available: B, E/F	neutral white warm white	4000	CLD-MAST-SM-NW CLD-MAST-SM-WW
medium cloud mast	161.5" (4100mm) Warm white: 6561 lumens** neutral white: 7290 lumens** 85 power draw	plug-in 110 - 240 V plug-in 110 - 240 V plug types available: B, E/F	neutral white warm white	5000	CLD-MAST-MD-NW CLD-MAST-MD-WW
large cloud mast	173.5" (4400mm) warm white: 9777 lumens" neutral white: 10864 lumens" 128W power draw *toverall height + hang height can be reduced 610mm (24") by removing section of vertical support	plug-in 110 - 240 V plug-in 110 - 240 V plug types available: B, E/F	neutral white warm white	7000	CLD-MAST-LG-NW CLD-MAST-LG-WW
custom length eletrical	please inquire for details				
wire + hang height	12-14 week lead time may apply		1		1



molodesign.com

^{*} weights may vary

^{**} lumen values refer to LED output; cloud shade will absorb some light

 $^{^{***}}$ prices do not include shipping; purchaser is responsible for all taxes + import duties

urchin softlight With its elastic movement and shifting form, urchin softlight invites playful interaction. By gently manipulating the shade with your hands, the lamp transforms through a range of beautiful shapes. product dimensions + specs power supply LED colour pricing US\$*** product code voltage URC·T·WH·SM·NW URC·T·WH·SM·WW small urchin softlight plug-in 110 - 240 V neutral white 300 warm white white textile shade warm white: 270 lumens** neutral white: 300 lumens** 3.3W power draw 320mm Ø x 300mm † (12.5" x 10.5") shipping weight: 1.4kg (3lbs)* ships in box: 430 x 230 x 100mm (17" x 9" x 4") plug-in 110 - 240 V neutral white plug types available: A, C, G, I warm white medium 700 URC·T·WH·MD·NW urchin softlight URC·T·WH·MD·WW white textile shade warm white: 680 lumens** neutral white: 760 lumens** 8W power draw shipping weight: 2.0kg (4.3lbs)* ships in box: 430 x 230 x 100mm (17* x 9* x 4*) URC·T·WH·LG·NW URC·T·WH·LG·WW large urchin softlight plug-in 110 - 240 V neutral white 1000 white textile shade warm white: 1020 lumens** neutral white: 1140 lumens** 12W power draw warm white 635mm Ø x 570mm † (25" x 22.5") shipping weight: 3.0kg (6.6lbs)* † urchin is inherently flexible; dimensions will vary on arrangement all urchin softlights come with a 3m (10°) plug-in electrical cable




^{*} weights may vary

^{**} lumen values refer to LED output; honeycomb shade will absorb some light

^{***} prices do not include shipping; purchaser is responsible for all taxes + import duties

cappello

cappello is a modest tribute to Achille Castiglioni, his brother Pier Giacomo, and Ingo Maurer—designers who have gifted the studio (and the world) much joy and inspiration. The Carrara marble base is a byproduct of the manufacturing process for Arco, the iconic floor lamp designed by the Castiglioni brothers in 1962. Cappello is lit by LED and shaded with a paper cap, or "cappello" in Italian. A simple magnetic connection allows the cap to slide to any position along the steel wire that springs from the marble base. This allows the cap to tilt, adjusting direction of light and giving the little lamp a gestural, anthropomorphic quality.





			~	\bigcirc
product dimensions + specs	power supply voltage	LED colour	pricing US\$***	product code
cappello light with matter bose state roal and Junear 2.40 power daw 600 mpt 14b product weight 0.45g (7ter) recept weight 1.45g (7ter) recept with 1.45g (7ter) recept	power supply voltage plug-in 110 - 240 V plug types available: A, C, G, I	warm white	pricing US\$*** 260	CAP-WW



^{*} weights may vary

^{**} lumen values refer to LED output; cappello shade will absorb some light

^{***} prices do not include shipping; purchaser is responsible for all taxes + import duties

cork peg hooks	Available in two lengths, cork peg is a wall hook that uses a magnetic mounting system. cork is renewable, beautiful and naturally antibacterial; lending the simple form to diverse uses from door stop to toilet paper holder.									
product		dimensions	material + colour	pricing US\$***	product code					
cork peg · short		cork peg	natural cork peg	US\$*** 50	PEG·HOOK·S					
wall hook	-0	75mm x 40mm Ø (3" x 1.5") bearing capacity: 3.2kg (7lbs)								
		includes magnetic cup mount that screws to wall	nickel plated magnets							
cork peg · long wall mounted holder for toilet	-0	cork peg 150mm x 40mm Ø (6" x 1.5")	natural cork peg	55	PEG·HOOK·L					
paper + hand towels		includes magnetic cup mount that screws to wall	nickel plated magnets							

float	suspended wall, allowing	bowl insulates liquid g for a simple, cylind	d from han drical form	ds, and forms a len that can be held like	lesigned to emphasize the os of liquid colour that project a wine bottle. With a candle reate an engaging spatial exp	ts light onto the ta e lit below the tea la	bletop. The tea lant	ern has an	insulating double
	float is exclu	ısively available at m	olodesign.	com					
product		volume ml (oz)	pricing US\$***	product code	product		volume ml (oz)	pricing US\$***	product code
tea lantern · 3 glass parts: tea pot, lid, candle holder · clear or fritted glass · stainless steel infuser		1000ml (34 fl oz)**	230	FLO·TL·C1 clear glass FLO·TL·F1 translucent fritted	sugar + cream 3 parts: sugar with lid + cream		220ml (7.5 fl oz)* 120ml (4 fl oz)**	100	FLO·SC·C1 clear glass
				glass	small sugar + cream set of 2	99	50ml (1.7 fl oz)* 30ml (1 fl oz)**	90	FLO·SS·C1 clear glass
small tea lantern · 3 glass parts: tea pot, lid, candle holder · dear or fritted glass · stainless steel infuser		500ml (17 fl oz)**	190	FLO·TS·C1 clear glass FLO·TS·F1 translucent fritted glass	glass infuser optional accessory to tea lantern	ŢŢ	available in small or large to match size of tea lantern	30	FLO-GLASS-FLTR clear glass
tea cups set of 2		220ml (7.5 fl oz)* 150ml (5 fl oz)**	90	FLO·TC·C2 clear glass	matcha bowl 1 bowl		470ml (16 fl oz)* 180ml (6 fl oz)**	100	FLO·MB·C1 clear glass
champagne flutes		180ml (6 fl oz)*	80	FLO-CF-C2	red wine glasses		400ml (14 fl oz)*	110	FLO·WG·C2
set of 2		120ml (4 fl oz)**		clear glass	set of 2		150ml (5 fl oz)**		clear glass
pilsner flutes set of 2		325ml (11 fl oz)* 300ml (10 fl oz)**	90	FLO-PF-C2 clear glass	liqueur glasses set of 2	5 5	55ml (1.9 fl oz)* 45ml (1.5 fl oz)**	75	FLO·LG·C2 clear glass
martini glasses set of 2	YY	200ml (7 fl oz)* 90ml (3 fl oz)**	100	FLO·MG·C2 clear glass FLO·MG·F2 translucent fritted glass					
glass bubbles		100mm Ø (4")	95	FLO-GB-C3	animal soup		530ml (18 fl oz)*	120	FLO-AS-C1
set of 3	© (<u>)</u> (<u>)</u>	works with a 45mm Ø (1.75*) floating candle		clear glass FLO·GB·F3 translucent fritted	1 bowl		400ml (14 fl oz)**		clear glass



tall vase

110mm Ø x 330mm | 350 | (4.33" Ø x 13")



FLO·SB·C1

large shallow bowl

M·FLO·TV·C1

260mm Ø x 111mm | 500 (8.11" Ø x 4.38")

^{**} suggested serving volume (ask for diagram)

*** prices do not include shipping; purchaser is responsible for all taxes + import duties

International Pricing and Terms

Pricing

All pricing is shown in US\$. Shipping charges are additional. Purchaser is responsible for all taxes and import duties where applicable.

Payment and Shipping

We accept payment by bank wire, credit card (Visa, Mastercard, AMEX) or PayPal. Invoices over US\$ 10,000 must be paid by bank wire only.

Payment must be received in full before any goods will be shipped. Shipping charges are additional. Standard delivery is by FedEx International Priority or freight forwarder.

Prices and policies are subject to change without notice.

Exchange Policy

All sales are final.

Goods which are damaged or defective at the time of receipt can be exchanged for same goods, provided we are notified by e-mail, fax, or phone within two business days of receipt of the goods.

This policy does not include goods which are not defective, but rather exhibit minor variations typical of handmade products.

Ordering Information

E-mail orders to sales@molodesign.com, or fax +1 604 685 0342

For small orders, goods are normally in stock and ready to ship. For larger orders, projects with fixed deadlines, or orders with custom colour softwall + softblock, please allow for up to 14 weeks lead time.



molodesign.com

v. 181115 17