



中国国家强制性产品认证证书

证书编号: 2014011002726978

委托人名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬企业股份有限公司
台湾新北市五股区五权三路28号

生产企业名称、地址

明纬(广州)电子有限公司花都分公司
广州市花都区花东镇金谷南路11号

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置,独立式,恒压/恒流模式,安全特低电压, $t_a: 60^{\circ}\text{C}$, $t_c: 80^{\circ}\text{C}$, I类, IP67, 适宜直接安装在普通可燃材料表面, 定温热保护: 110°C)

见附件: 100-240V~ 50/60Hz.

产品标准和技术要求

GB17625.1-2012; GB/T17743-2017; GB19510.1-2009; GB19510.14-2009

上述产品符合强制性产品认证实施规则 CNCA-C10-01:2014 的要求, 特发此证。

发证日期: 2019年09月29日 有效期至: 2024年09月29日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2014年10月13日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任:

陆梅



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2014011002726978

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.
2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District, Guangzhou, China

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL Enterprises Co., Ltd.
No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan

NAME AND ADDRESS OF THE FACTORY

MEAN WELL (Guangzhou) Electronics Co., Ltd Huadu Branch
No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Voltage/Constant Current Mode, SELV, ta:60°C, tc:80°C, IP67, Class I, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected:110°C)

See Appendix: 100-240V~ 50/60Hz.

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB17625.1-2012;GB/T17743-2017;GB19510.1-2009;GB19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C10-01:2014).

Valid from: Sep.29,2019

Valid until: Sep.29,2024

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Oct.13,2014

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

变更结论 Modification Approval

证书编号 Certificate No. : 2014011002726978

申请编号 Application No. : A2019CCC1002-3254245

申请人(委托人) Applicant: 明纬(广州)电子有限公司 / MEAN WELL (Guangzhou) Electronics Co., Ltd.

证书编号 Certificate No.(变更前 Original): 2014011002726978

变更产品名称: LED 模块用交流电子控制装置(LED 控制装置, 独立式, 恒压/恒流模式, 安全特低电压, ta:60℃, tc:80℃, I 类, IP67, 适宜直接安装在普通可燃材料表面, 定温热保护:110℃)

Name of Product Modified: A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Voltage/Constant Current Mode, SELV, ta:60℃, tc:80℃, IP67, Class I, Suitable For Direct Mounting On

Normally Flammable Material, Temperature Declared Thermally Protected:110℃)

变更情况 Situation of Modification (见下表 See table below) :

序号	项目 Item	变更前 Original	变更后 Present
1	标准换版	GB/T17743-2007	GB/T17743-2017
2	关键件变更	见原报告关键件	见本次变更报告关键件
3	到期换证	见原证书	见变更后证书

现批准以上变更。

Above Modification is approved. The present will replace the original.

批准日期(Date): 2019 年 09 月 29 日

第 1 页 / 共 1 页



主任:

陆梅



中国质量认证中心



中国国家强制性产品认证证书

附录:

证书编号: 2014011002726978

第 1 页 共 1 页

纸号: 2437884

型号	恒压输出		恒流输出	
	输出电压 (V)	输出电流 (A)	最大输出电压 (V)	输出电流 (A)
HLG-80H-12	12Vdc	5A	12Vdc	5A
HLG-80H-15	15Vdc	5A	15Vdc	5A
HLG-80H-20	20Vdc	4A	20Vdc	4A
HLG-80H-24	24Vdc	3.4A	24Vdc	3.4A
HLG-80H-30	30Vdc	2.7A	30Vdc	2.7A
HLG-80H-36	36Vdc	2.3A	36Vdc	2.3A
HLG-80H-42	42Vdc	1.95A	42Vdc	1.95A
HLG-80H-48	48Vdc	1.7A	48Vdc	1.7A
HLG-80H-54	54Vdc	1.5A	54Vdc	1.5A

输入: 100-240VAC 50/60Hz

注: 此附录与证书同时使用时有效。



主任:

陆梅



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2014011002727001

委托人名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬企业股份有限公司
台湾新北市五股区五权三路28号

生产企业名称、地址

明纬(广州)电子有限公司花都分公司
广州市花都区花东镇金谷南路11号

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置,独立式,恒压/恒流模式,安全特低电压, $t_a: 60^{\circ}\text{C}$, $t_c: 80^{\circ}\text{C}$, I类, IP65, 适宜直接安装在普通可燃材料表面, 定温热保护: 110°C)

见附件: 100-240V~ 50/60Hz.

产品标准和技术要求

GB17625.1-2012; GB/T17743-2017; GB19510.1-2009; GB19510.14-2009

上述产品符合强制性产品认证实施规则 CNCA-C10-01:2014 的要求, 特发此证。

发证日期: 2019年09月29日 有效期至: 2024年09月29日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2014年10月13日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任:

陆梅



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2014011002727001

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.

2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District, Guangzhou, China

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL Enterprises Co., Ltd.

No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan

NAME AND ADDRESS OF THE FACTORY

MEAN WELL (Guangzhou) Electronics Co., Ltd Huadu Branch

No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Voltage/Constant Current Mode, SELV, ta:60°C, tc:80°C, IP65, Class I, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected: 110°C)

See Appendix: 100-240V~ 50/60Hz.

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB17625.1-2012;GB/T17743-2017;GB19510.1-2009;GB19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C10-01:2014).

Valid from: Sep.29,2019

Valid until: Sep.29,2024

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Oct.13,2014

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

变更结论 Modification Approval

证书编号 Certificate No. : 2014011002727001

申请编号 Application No. : A2019CCC1002-3254246

申请人(委托人) Applicant: 明纬(广州)电子有限公司 / MEAN WELL (Guangzhou) Electronics Co., Ltd.

证书编号 Certificate No.(变更前 Original): 2014011002727001

变更产品名称: LED 模块用交流电子控制装置(LED 控制装置, 独立式, 恒压/恒流模式, 安全特低电压, ta:60℃, tc:80℃, I 类, IP65, 适宜直接安装在普通可燃材料表面, 定温热保护:110℃)

Name of Product Modified: A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Voltage/Constant Current Mode, SELV, ta:60℃, tc:80℃, IP65, Class I, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected: 110℃)

变更情况 Situation of Modification (见下表 See table below) :

序号	项目 Item	变更前 Original	变更后 Present
1	到期换证	见原证书	见变更后证书
2	勘误原证书附件电压信息	见原证书附件	见变更后证书附件
3	标准换版	GB/T17743-2007	GB/T17743-2017
4	关键件变更	见原报告关键件	见本次变更报告关键件

现批准以上变更。

Above Modification is approved. The present will replace the original.

批准日期(Date): 2019 年 09 月 29 日

第 1 页 / 共 1 页



主任:

陆梅



中国质量认证中心



中国国家强制性产品认证证书

附 录

第 1 页 共 1 页

证书编号: 2014011002727001

纸 号: 2437885

型号	输入规格	恒压输出		恒流输出	
		输出电压 (V)	输出电流 (A)	最大输出电压 (V)	输出电流 (A)
HLG-80H-12A	100-240V~ 0.85A 50/60Hz	12Vdc	5A	12Vdc	5A
HLG-80H-15A		15Vdc	5A	15Vdc	5A
HLG-80H-20A		20Vdc	4A	20Vdc	4A
HLG-80H-24A		24Vdc	3.4A	24Vdc	3.4A
HLG-80H-30A		30Vdc	2.7A	30Vdc	2.7A
HLG-80H-36A		36Vdc	2.3A	36Vdc	2.3A
HLG-80H-42A		42Vdc	1.95A	42Vdc	1.95A
HLG-80H-48A		48Vdc	1.7A	48Vdc	1.7A
HLG-80H-54A		54Vdc	1.5A	54Vdc	1.5A

注: 此附录与证书同时使用时有效。



主 任:

陆 楠



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2014011002727036

委托人名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬企业股份有限公司
台湾新北市五股区五权三路28号

生产企业名称、地址

明纬(广州)电子有限公司花都分公司
广州市花都区花东镇金谷南路11号

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置,独立式,恒流模式,
安全特低电压,ta:60°C,tc:80°C,I类,IP67,适宜直接安装在普
通可燃材料表面,定温热保护:110°C,非控制端口调光)

见附件。100-240V~ 50/60Hz

产品标准和技术要求

GB17625.1-2012;GB/T17743-2017;GB19510.1-2009;GB19510.14-2009

上述产品符合强制性产品认证实施规则 CNCA-C10-01:2014 的要求,
特发此证。

发证日期: 2019年09月29日 有效期至: 2024年09月29日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书,证书首次颁发日期: 2014年10月13日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任:

陆楠



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2014011002727036

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.

2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District, Guangzhou, China

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL Enterprises Co., Ltd.

No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan

NAME AND ADDRESS OF THE FACTORY

MEAN WELL (Guangzhou) Electronics Co., Ltd Huadu Branch

No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Current Mode, SELV, ta:60°C, tc:80°C, IP67, Class I, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected: 110°C, Non-Controlled Port Dimming)

See Appendix. 100-240V~ 50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB17625.1-2012;GB/T17743-2017;GB19510.1-2009;GB19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C10-01:2014).

Valid from: Sep.29,2019

Valid until: Sep.29,2024

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Oct.13,2014

The certificate information is available through CNCA's website: www.cnca.gov.cn



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

变更结论 Modification Approval

证书编号 Certificate No. : 2014011002727036

申请编号 Application No. : A2019CCC1002-3287326

申请人(委托人) Applicant: 明纬(广州)电子有限公司 / MEAN WELL (Guangzhou) Electronics Co., Ltd.

证书编号 Certificate No.(变更前 Original): 2014011002727036

变更产品名称: LED 模块用交流电子控制装置(LED 控制装置, 独立式, 恒流模式, 安全特低电压, $t_a: 60^{\circ}\text{C}$, $t_c: 80^{\circ}\text{C}$, I 类, IP67, 适宜直接安装在普通可燃材料表面, 定温热保护: 110°C , 非控制端口调光)

Name of Product Modified: A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Current Mode, SELV, $t_a: 60^{\circ}\text{C}$, $t_c: 80^{\circ}\text{C}$, IP67, Class I, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected: 110°C , Non-Controlled Port Dimming)

变更情况 Situation of Modification (见下表 See table below) :

序号	项目 Item	变更前 Original	变更后 Present
1	标准换版	GB/T17743-2007	GB/T17743-2017
2	关键件变更	见原报告关键件	见本次变更报告关键件
3	调光方式变更	见原报告调光方式	见本次变更报告调光方式
4	到期换证	见原证书	见变更后证书

现批准以上变更。

Above Modification is approved. The present will replace the original.

批准日期(Date): 2019 年 09 月 29 日

第 1 页 / 共 1 页



主任:

陆梅



中国质量认证中心



中国国家强制性产品认证证书

附 录

证书编号: 2014011002727036

第 1 页 共 1 页

纸 号: 2437887

HLG-80H-12B 输出: 12Vdc, 5A (恒流);
HLG-80H-15B 输出: 15Vdc, 5A (恒流);
HLG-80H-20B 输出: 20Vdc, 4A (恒流);
HLG-80H-24B 输出: 24Vdc, 3.4A (恒流);
HLG-80H-30B 输出: 30Vdc, 2.7A (恒流);
HLG-80H-36B 输出: 36Vdc, 2.3A (恒流);
HLG-80H-42B 输出: 42Vdc, 1.95A (恒流);
HLG-80H-48B 输出: 48Vdc, 1.7A (恒流);
HLG-80H-54B 输出: 54Vdc, 1.5A (恒流);
输入: 100-240V~, 0.85A, 50/60Hz。
本系统产品调光方式: 外接电阻调光。

注: 此附录与证书同时使用时有效。



主 任:

陆梅



中国质量认证中心



中国国家强制性产品认证证书

证书编号: 2018011002115662

委托人名称、地址

明纬(广州)电子有限公司
广州市天河区东圃镇黄村粤安工业园A栋2楼

生产者(制造商)名称、地址

明纬企业股份有限公司
新北市五股区五权三路28号

生产企业名称、地址

明纬(广州)电子有限公司花都分公司
广州市花都区花东镇金谷南路11号

产品名称和系列、规格、型号

LED模块用交流电子控制装置(LED控制装置,独立式,非控制端口
调光(需要配外接电阻),恒流模式,安全特低电压,ta:60°C,
tc:80°C, I类, IP65, 适宜直接安装在普通可燃材料表面, 定温热
保护:110°C)

见附件。100-240V~ 50/60Hz

产品标准和技术要求

GB 17625.1-2012;GB/T 17743-2017;GB 19510.1-2009;GB
19510.14-2009

上述产品符合强制性产品认证实施规则 CNCA-C10-01:2014 的要求,
特发此证。

发证日期: 2020年09月29日有效期至: 2023年09月19日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2018年09月19日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询

经中国合格评定国家认可委员会 CNAS C001-PR

主任: 陆书



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2018011002115662

NAME AND ADDRESS OF THE APPLICANT

MEAN WELL (Guangzhou) Electronics Co., Ltd.

2/F, A Building, Yuean Ind. Park, Huangcun, Dongpu Town, Tianhe District, Guangzhou, China

NAME AND ADDRESS OF THE MANUFACTURER

MEAN WELL Enterprises Co., Ltd.

No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan

NAME AND ADDRESS OF THE FACTORY

MEAN WELL (Guangzhou) Electronics Co., Ltd Huadu Branch

No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Non-Controlled Port Dimming, Constant Current Mode, SELV, ta:60°C, tc:80°C, IP65, Class I, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected: 110°C)

See Appendix. 100-240V~ 50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2012;GB/T 17743-2017;GB 19510.1-2009;GB 19510.14-2009

This is to certify that the above mentioned product(s) complies with therequirements of implementation rules for compulsory certification(REFNO.CNCA-C10-01:2014).

Valid from: Sep.29,2020Valid until:Sep.19,2023

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Sep.19,2018

The certificate information is available through CNCA's website: www.cnca.gov.cn

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

附 录

第 1 页 共 1 页

证书编号: 2018011002115662

纸 号: 2696999

HLG-80H-12AB 输出: Max.12Vdc 恒流 5A;
HLG-80H-15AB 输出: Max.15Vdc 恒流 5A;
HLG-80H-20AB 输出: Max.20Vdc 恒流 4A;
HLG-80H-24AB 输出: Max.24Vdc 恒流 3.4A;
HLG-80H-30AB 输出: Max.30Vdc 恒流 2.7A;
HLG-80H-36AB 输出: Max.36Vdc 恒流 2.3A;
HLG-80H-42AB 输出: Max.42Vdc 恒流 1.95A;
HLG-80H-48AB 输出: Max.48Vdc 恒流 1.7A;
HLG-80H-54AB 输出: Max.54Vdc 恒流 1.5A;
输入: 100-240V~ 50/60Hz
调光方式: 外接电阻。

注: 此附录与证书同时使用时有效。



主 任:

陆梅



中国质量认证中心