## softwall + softblock modular system



molo design, Itd. 1470 venables street vancouver, bc canada V5L 2G7

t + 1 604 685 0340 info@molodesign.com

instagram·studio\_molo

www.molodesign.com



## softwall + softblock modular system

softwall + softblock are freestanding flexible walls and building blocks that quickly unfurl in straight lines or sinuous curves to shape and transform the atmosphere, privacy, and acoustics of interior spaces. These folding walls shrink to the thickness of a book for efficient storage and shipping. From their condensed state, each softwall + softblock expands one hundred times its compressed dimension to an impressive 15 feet (4.5 meters) long, or any length between. Enabling a building to suit diverse use over time, throughout the day or its lifespan, is an inherently sustainable practice. Whether for the temporal division of space in a live/work environment or in shaping space for the unpredictable growth of a new business, molo's soft collection of folding walls, furniture, and lighting empowers people to freely change and adapt their spaces.

Made from two different recyclable materials, paper and textile, softwall + softblock come in a variety of modular heights and colours. paper softwall + softblock is treated with a non-toxic fire retardant and made from Forest Stewardship Council FSC® Certified responsible sources (FSC® C158591). textile softwall + softblock is made from nonwoven 100% polyethylene and is UV stable, anti-static to repel dust, tear-resistant, and easily cleaned with soap and water.


Flexible LED ribbons integrate with the white textile version of softwall + softblock to transform the elements into expressive, luminous space partitions. Light emphasizes the subtle beauty of the textile material, illuminating the fine fibres and shifting a room's atmosphere. The translucent volumes of softwall + softblock capture and transmit sunlight in a magical way that allows the light to physically inhabit a room.

softwall + softblock can be connected by their magnetic end panels; making it possible to create endless lengths of walls, or stack and link blocks to shape immersive sculptural environments. The magnetic end panels also provide a simple way to connect with the fixed architecture of a space. The partitions require no tools or additional supports to create freestanding structures and are easily folded away for storage.

Recognized for elegant design and innovation, softwall is held in the MoMA permanent collection.

Design by Stephanie Forsythe + Todd MacAllen


## softwall + softblock modular system









the final layer of softwall + softblock is a magnetic panel that folds on itself for stability, connects multiple walls and blocks to one another, or anchors the elements to ferrous surfaces.







black textile softwall has an opaque sheen reminiscent of charred wood.









white textile comes to life when light shines through its delicate pattern of translucent fibres.



the internal honeycomb and pleated fins break up reflected sound to provide acoustic absorption and enhance clarity of speech.



flexible building blocks, each softblock can be stretched to 4.5m (15') long and stacked to create tall, richly textured walls.






softwalls flat pack for portability and storage, and can expand to over a hundred times their compressed form.



for ease of handling, felt handles can be attached to the ends of softwalls that are opened and closed frequently.



custom cuts can act as both practical display and sculptural form, revealing the airy structure of the internal honeycomb.



softwall + softblock comes to life when illuminated from within by LED, emphasizing the visually delicate fibres and airy structure.




white textile softblock with optional integrated LED.




the white textile material is used for other luminaries in the soft collection, allowing immersive environments to be created.





the brown and blue paper furniture is made from wood harvested from FSC® Certified (FSC® C158591) responsible sources and coated with a non-toxic fire retardant.



		Larra		Lac.	
product	dimensions	material + colour :	product weight*	shipping weight*	product code
softwall 152.5cm tall x 23.5cm deep (5 feet x 9.25 inches)		paper - natural brown paper - black paper - indigo blue textle - white persuases textle - aluminum textle - black textle - custom colour**	10.5kg 11.3kg 11.3kg 6.5kg 7.1kg varies	15.2kg 16.0kg 16.0kg 11.2kg 11.8kg 11.8kg varies	M-SW-P-ISC-BR-05-09 M-SW-P-ISC-BU-05-09 M-SW-P-ISC-BU-05-09 M-SW-T-U-05-09 M-SW-T-U-05-09 M-SW-T-CC-05-09
	152.5cm (28)	9FR textile softwalls are 29 centimeters deep (11.5 inches)			
softwall 183cm tall x 23.5cm deep (6 feet x 9.25 inches)	23.5mg (g Bar) or FF bendag	paper - hatural brown paper - black paper - indigo blue taxtile - white punsuant Ft textile - white punsuant taxtile - black taxtile - sustom colour**	12.6kg 13.6kg 13.6kg 7.8kg 10.5kg 8.5kg 8.5kg varies	17.9kg 18.9kg 18.9kg 13.1kg 15.1kg 13.8kg 13.8kg varies	M-SW-P-BC-06-09 M-SW-P-BC-06-09 M-SW-P-BC-08-0-09 M-SW-T-WH-06-09 M-SW-TRT-WH-06-12 M-SW-T-RL-06-09 M-SW-T-C-06-09
	183cm (PR)	9FR textile softwalls are 29 centimeters deep (11.5 inches)			
softwall 244cm tall x 23.5cm deep (8 feet x 9.25 inches)	23 form (8 200) or PT bedding	paper - natural brown paper - black paper - indigo blue taxtile - white prenduced ft textile - white prenduced taxtile - white prenduced taxtile - white prenduced taxtile - black taxtile - custom colour*	16.3kg 18.1kg 18.1kg 10.3kg 14.4kg 11.3kg 11.3kg varies	20.2kg 22.0kg 22.0kg 14.2kg 20.6kg 15.2kg 15.2kg varies	M-SW-P-FSC-BR-08-09 M-SW-P-BK-08-09 M-SW-P-SC-BU-08-09 M-SW-T-WH-08-09 M-SW-T-BK-08-09 M-SW-T-BK-08-09 M-SW-T-C-08-09
	244 cm pm	SFR teddle softwalls are 20 continuates deep [11.5 inches]		value of the state	M-SW-1-CC-00-09
softwall 244cm tall x 34cm deep (8 feet x 13.3 inches)	Palam Rizer of the Palam Rizer o	Isotile vwhite research FR Itotile vwhite research totile - sharmirum totile - black totile - custom colour**	14.9kg 18.0kg 16.3kg 16.3kg varies	22.1kg 25.6kg 23.5kg 23.5kg varies	M-SW-T-WH-08-13 M-SW-FRT-WH-08-18 M-SW-T-AL-08-13 M-SW-T-EK-08-13 M-SW-T-CC-08-13
	244cm (88)	GFR textile softwalls are 45 centimeters deep (17.75 inches)			
softwall 305cm tall x 34cm deep (10 feet x 13.3 inches)	Share to the same of the latest and the lates	Textile - white pursicons of "" FR textile - white pursicons set to textile - utilities within pursicons set to textile - utilities during textile - black textile - custom colour"	18.6kg 22.5kg 20.4kg 20.4kg varies	31.6kg 36.0kg 33.4kg 33.4kg varies	M-SW-T-WH-10-13 M-SW-FRT-WH-10-18 M-SW-T-AL-10-13 M-SW-T-BK-10-13 M-SW-T-CC-10-13
	SOCION (COM) Sept.				
	†softwall + softblock elements are flexible in langth, opening to a max 4.5 maters long (15 feat). When compressed for storage, softwall + softblock are less than 5 centimeters trick (2 inches).	9FR textile softwalls are 45 centimeters deep (17.75 inches)			
custom colour**		textile softwall + softblock are available in any Pantone colour lead fime: 12 - 18 weeks (expedited service available) minimum order varies, please inquire for more details		price varies with colour + size; please request a quote	
custom height		softwall + softblock elements can be trimmed to custom height (these are some constraints due to position of magnets in end panels; please inquire)			SRV-CUT-H-WALL

<sup>\*</sup> weights may vary

\*\* 12 - 18 lead time + minimum quantities may apply for custom colour textile softwall

‡ accustic testing documentation + fire-rating certification available upon request

product	dimensions	material + colour :	product	shipping	product code
product	Sales tout nations au		weight*	weight*	
softblock		paper · natural brown	2.1kg	3.2kg	M-SB-P-FSC-BR-01-09
30.5cm tall x 23.5cm deep		paper · black	2.3kg	3.4kg	M-SB-P-BK-01-09
(1 foot x 9.25 inches)	7.	paper · indigo blue	2.3kg	3.4kg	M-SB-P-FSC-BU-01-09
		textile · white (translucent)	1.3kg	2.4kg	M-SB-T-WH-01-09
		FR textile · white (translucent) <sup>5</sup>	1.8kg	2.8kg 2.5kg	M-SB-FRT-WH-01-12
	an mark	textile - aluminum textile - black	1.4kg	2.5kg	M-SB-T-AL-01-09 M-SB-T-BK-01-09
	A STATE OF THE STA	textile · black textile · custom colour**	1.4kg	2.5kg	M-SB-T-BK-01-09 M-SB-T-CC-01-09
	30.5cm (18)	textile - custom colour	varies	varies	M-SB-1-CC-01-09
	23.5cm (8.25in) or FR tacility	SFR textile softblocks are 29 centimeters deep (11.5 inches)			
softblock		paper · natural brown	4.2kg	6.2kg	M-SB-P-FSC-BR-02-09
61cm tall x 23.5cm deep		paper · black	4.5kg	6.5kg	M-SB-P-BK-02-09
(2 feet x 9.25 inches)	<b>⊿</b> ₩	paper · indigo blue	4.5kg	6.5kg	M-SB-P-FSC-BU-02-09
(		textile · white (translucent)	2.6kg	4.6kg	M-SB-T-WH-02-09
		FR textile · white (ranslucert) <sup>5</sup>	3.6kg	5.4kg	M-SB-FRT-WH-02-12
		textile - aluminum	2.8kg	4.8kg	M-SB-T-AL-02-09
		textile - black	2.8kg	4.8kg	M-SB-T-BK-02-09
		textile - custom colour**	varies	varies	M-SB-T-CC-02-09
	61 cm 204		1	1	
				1	
	23.5cm (9.25in) or FR tectles	<sup>5</sup> FR textile softblocks are 29 centimeters deep (11.5 inches)			
softblock		paper · natural brown	6.3kg	9.3kg	M-SB-P-FSC-BR-03-09
91.5cm tall x 23.5cm deep		paper · black	6.8kg	9.8kg	M-SB-P-BK-03-09
(3 feet x 9.25 inches)	T T	paper · indigo blue	6.8kg	9.8kg	M-SB-P-FSC-BU-03-09
	W W	textile · white (ranslucent)	3.9kg	6.9kg	M-SB-T-WH-03-09
		FR textile · white (translucent) <sup>5</sup>	5.3kg	7.9kg	SB-FRT-WH-03-12-M1-B1
		textile - aluminum	4.3kg	7.3kg	M-SB-T-AL-03-09
		textile · black	4.3kg	7.3kg	M-SB-T-BK-03-09
	The state of the s	textile - custom colour**	varies	varies	M-SB-T-CC-03-09
	91.5cm (3th				
				1	
	23.5cm (0.25in)	SFR textile softblocks are 29 centimeters deep (11.5 inches)			
softblock	A	paper · natural brown	3.3kg	4.5kg	M-SB-P-FSC-BR-01-13
30 5cm tall x 34cm deep		paper · hack	3.3kg	4.5kg	M-SB-P-BK-01-13
(1 foot x 13.3 inches)	and the second s	paper · indigo blue	3.3kg	4.5kg	M-SB-P-FSC-BU-01-13
(1 loot x 13.3 likiles)		textile - white transport	1.9kg	3.1kg	M-SB-T-WH-01-13
		FR textile · white transports	2.3kg	3.6kg	M-SB-FRT-WH-01-18
		textile · aluminum**	2.0kg	3.2kg	M-SB-T-AL-01-13
	30.5cm (1ft)	textile · black	2.0kg	3.2kg	M-SB-T-BK-01-13
	30.5cm (H) 3.5cm (H)	textile - custom colour**	varies	varies	M-SB-T-CC-01-13
	34cm (13.3in)				
	or FR teeding	§ FR textile softblocks are 45 centimeters deep (17.75 inches)			
softblock	<b>.</b>	paper · natural brown	6.5kg	8.7kg	M-SB-P-FSC-BR-02-13
61cm tall x 34cm deep	_ \	paper · black	6.5kg	8.7kg	M-SB-P-BK-02-13
(2 feet x 13.3 inches)		paper · indigo blue	6.5kg	8.7kg	M-SB-P-FSC-BU-02-13
	)(	textile · white (translucant)	3.7kg	5.9kg	M-SB-T-WH-02-13
		FR textile · white (translucers) <sup>5</sup> textile · aluminum**	4.5kg	6.7kg	M-SB-FRT-WH-02-18
		textile - aluminum** textile - black	4.0kg	6.2kg	M-SB-T-AL-02-13 M-SB-T-BK-02-13
		textile · black textile · custom colour**	4.0kg	6.2kg	M-SB-T-BK-02-13 M-SB-T-CC-02-13
	i grand to the control of the contro	textile - custom colour-	varies	varies	W-00-1-UU-U2-13
	Grow Da			1	
	34cm (13.3in)	<sup>5</sup> FR textile softblocks are 45 centimeters deep (17.75 inches)		1	
softblock	or FR taothe <sup>6</sup>	paper · natural brown	9.7kg	13.0kg	M-SB-P-BB-03-13
91.5cm tall x 34cm deep	π	paper · black	9.7kg	13.0kg	M-SB-P-BK-03-13
(3 feet x 13.3 inches)	11 II II	paper · indigo blue	9.7kg	9.7kg	M-SB-P-FSC-BU-03-13
, A TOO FRIENDY	· · · · · · · · · · · · · · · · · · ·	textile · white (translucent)	5.6kg	8.9kg	M-SB-T-WH-03-13
		textile - heavyweight white (translucent) <sup>5</sup>	13.0kg	16.8kg	M-SB-T-WH-03-18-HW
		FR textile · white transports <sup>5</sup>	6.8kg	10.3kg	M-SB-FRT-WH-03-18
	- A - C - C - C - C - C - C - C - C - C	textile - aluminum**	6.2kg	9.5kg	M-SB-T-AL-03-13
	91 5mm (9th	textile · black	6.2kg	9.5kg	M-SB-T-BK-03-13
				varies	M-SB-T-CC-03-13
		textile - custom colour**	varies		
	34cm (13.3ir)	textile · custom colour**	varies	varies	IW-35-1-00-03-13
	FR + heavyweight teotile?		varies	Varies	W-35-1-00-03-13
	34cm (13.3r); FR + havyweigh toolks 9 related to strongs, copining to a max 4.5 maters loog (15.5kd), When compressed for strongs, coheral + actitized; are lated to strongs, coheral + actitized; are lated to strongs, coheral + actitized; are lated than 5 continuities	textille - custom colour**  FR+ haayweight tedile softblode are 45 centimaters deep 17.75 inches	varies	Valles	W-GB-1-CO-CG-13

weights may vary
 12 - 18 lead time + minimum quantities may apply for indigo blue paper + custom colour + heavyweight textile + aluminum textile softblock + acoustic testing documentation + fire-rating certification available upon request

only products identified with a 'P-FSC' signifier are FSO<sup>o</sup> certified (FSC<sup>o</sup> C158591)

product		dimensions + specs	colour of LED	product code
LED for softwall		LED for 183cm tall (6 foot) softwall · 2 ribbon	neutral white (4000K) warm white (2700K)	M-SA-LED-RIB-NW-6 M-SA-LED-RIB-WW-6
		LED for 244-305cm (8-10 foot) tall softwall · 2 ribbon	neutral white (4000k) warm white (2700k)	M-SA-LED-RIB-NW-8-10 M-SA-LED-RIB-WW-8-10
	(O 7 6 7	seam white 42% Lancer" SAME and white 6600 Lancer" SAME process dies LED Pickhole ** hot finalist LED ribbons 4.5 maters long (15 Sud) ** hot finalist LED ribbons 4.5 maters long (15 Sud) ** hot finalist LED ribbons 4.5 maters long (15 Sud) ** 100 - 2400 VBW play in transformer ** 100 - 2400 VBW play in transformer ** 100 - 1400 VBW p		
		shipping weight: 1.6kg (3.5bs);		
	( 6 t	LED for ooftwall - 1 ribbon LID ribbon to day size softwall seam sides _257 rivese*  seam sides _257 rivese*  270 years down  170 ribbon to day  1	neutral white (2004) warm white (2004)	M-SA-LED-RIB-WW-1 M-SA-LED-RIB-WW-1
LED for softblock we recommend 1 LED ribbon per eyery 61 centimeters (2 feet) in height of softblocks. Please ask for advice specific to your project	\$ 6 °	LED for softblock - 1 ribbon war side 25 funger 2007 years day US not day US	peutral white woos warm white group	M-SA-LED-RIB-NW-1 M-SA-LED-RIB-WW-1
	(D7 6 B	LED for softblock + 2 ribbon  som under dat 52 km/ser* noder date die Gilb Enger*  LED schauer der die Gilb Enger*  LED schauer der der der der der der der der der d	neutral white yoos warm white yoos	MSALEDRIB NW2 MSALEDRIB WW2
4.5 meter (15 foot) electrical extension	Ó	to extend the length of power wire for softwall + softblock LED ribbon (silver coaxial cable) details available upon request		SA-EEXT-15

<sup>\*</sup> weights may vary
\*\*\* lumen values refer to LED output; textile material of softwall + softblock will absorb some light

product		dimensions		material + colour	product code
anchor strip - 1 set per end of softwall		small (see of two) 30 x 6cm (11.75 x 2.4 inches)	0.7kg (1.5lbs)*	White powder coated steel without adhesive backing	M-SA-STRP-SB-01
		for 152.5cm (5ft) tall softwall 137 x 16cm (54 x 6.3 inches)	4.7kg (10.4bs)*	white powder coated steel with adhesive backing	M-SA-STRP-SW-05
		for 183cm (6ft) tall softwall 167.5 x 16cm (66 x 6.3 inches)	5.6kg (12.4lbs)*	white powder coated steel with adhesive backing	M-SA-STRP-SW-06
		for 183cm (6ft) tall FR softwall	4.6kg (10.1lbs)*	white powder coated steel	M-SA-STRP-FR-SW-06
		167.5 x 7.2cm (66 x 2.8 inches) for 244cm (8ft) + 305cm (10ft) tall softwall	6.2kg (13.6lbs)*		M-SA-STRP-SW-WH-08-10
		228.5 x 6cm (90 x 2.4 inches)		With school backing	
felt handles - 1 set per end of softwall - 1 set for two ends of thinwall	(I)	21.6 x 30.5cm (8.5 x 12 inches)	0.2kg (0.4lbs)*	natural grey felted wool 23.5cm deep softwall (9.25 inches) 34cm deep softwall (13.3 inches)	M-SA-HNDL-FLT-GR-12 M-SA-HNDL-FLT-GR-18
	10			black felted wool 23.5cm deep softwall (9.25 inches) 34cm deep softwall (13.3 inches)	M·SA·HNDL·FLT·BK·12 M·SA·HNDL·FLT·BK·18
peg + strip reinforce connection between horizontal layers of softblocks		cork pegs 15 x 4cm Ø (6 x 1.5 inches) (set of 2)		natural cork pegs with magnets	M-SA-2PEG-1STRP
nonzontal layers of sontolocks	%	steel strip 30 x 6cm (11.75 x 2.4 inches)	0.5kg (1.1lbs)*	white powder coated	
tubes to lock softwall + softblock in straight line, or as a lintel above		CUSTOM cust to length for your project, please ask for advice		clear PETG	M-SA-TUBE-PETG-300
windows + doorways				natural brown paper	M-SA-TUBE-P-BR-300
clipping system		small magnets		steel clips	M-SA-CLIP-SM
set of 10	<b>≥≥</b> €	13 x 6mm Ø (0.5 x 0.25 inches) large magnets	0.1kg (0.2lbs)*	nickel plated magnets	M-SA-CLIP-LG
		3 x 25mm Ø (0.12 x 1 inch)	0.1kg (0.2lbs)*		
glass vase insert into honeycomb	~~	18 x 4cm Ø (7 x 1.5 inches)	0.4kg (1lbs)*	clear borosilicate glass	M·SA·VASE·GLS·CL
cells of softblock for flowers, pens, catering, etc.					
	Additive				
disc use as tray / display surface on softblocks		large 35cm Ø (13.75 inches)	1.0kg (2.2bs)*	white powder coated steel	M-SA-DISC-ST-WH-LG

<sup>\*</sup> weights may vary

230227 28