

## thinwall



molo design, ltd.  
1470 venables street  
vancouver, bc  
canada V5L 2G7


t + 1 604 685 0340  
info@molodesign.com

instagram-studio\_molo

www.molodesign.com

molo

## thinwall



thinwall is a flexible wall measuring only 90mm (3.5") wide and reaching 1.83 meters (6') high. Unlike its sibling product, softwall, thinwall is not intended to be freestanding. It was designed as an acoustic, sculptural liner for solid walls, columns and ceilings or as a flexible wrap for storage areas, reception desks and other millwork.

Design by Stephanie Forsythe + Todd MacAllen

elements are flexible in length.



the internal honeycomb structure and pleated surface break up reflected sound and provide acoustic absorption to enhance clarity of speech.



a complement to softwall rather than an alternative, thinwall is not freestanding—instead it integrates additional furniture or structures into an aesthetically cohesive environment when used as a wrap for shelving or other structures.



thinwall with felt handles used to create a closet by wrapping a simple wooden shelf.



thinwall closet in open position.



the white textile is a non-woven polyethylene. Durable to handle and easy to maintain; it is antistatic to repel dust, washable with soap and water, UV-stable and tear resistant.





paper thinwall, available in natural brown or black, is made from a robust blend of new and recycled paper fibres. Both paper and textile versions of thinwall are 100% recyclable.





the white textile version can be backlit with a flexible LED ribbon to transform the space liner into a sculptural light fixture.

| product  | dimensions   | material + colour   | product weight*                      | shipping weight*                     | product code   |
|--|--|---|--------------------------------------|--------------------------------------|--|
| <b>thinwall</b><br>1830mm tall x 90mm deep x<br>3200mm long<br>(6' x 3.5' x 11.5') |  <p>1830mm (6')</p> <p>90mm (3.5')</p> <p>3200mm (11.5') max</p> <p>*Thinwall elements are flexible in length, opening to a max 11.5' (3.5m) long and magnetically connect to benchwall</p> | paper - natural brown<br>paper - black<br>paper - indigo blue**<br>textile - white (pavacore) | 14.3kg<br>15.1kg<br>15.1kg<br>11.9kg | 16.6kg<br>17.4kg<br>17.4kg<br>14.2kg | M-THW-P-BR-06-03<br>M-THW-P-BK-06-03<br>M-THW-P-IB-06-03<br>M-THW-T-WH-06-03 |
| <b>thinwall anchor strip</b><br>- one unit per end of thinwall                     |   | white powder coated steel<br>with adhesive<br>1675mm x 70mm (66" x 2.8")                      | 2.3kg                                | 2.3kg                                | SA-STRP-ST-WH-TW   |

\*weights may vary

\*\*12 - 16 weeks lead time may apply for indigo blue paper thinwall