molo design, Itd

1470 Venables Street Vancouver, B.C. Canada V5L 2G7


t +1 604 685 0340 f +1 604 685 0342


info@molodesign.com www.molodesign.com



softwall + softblock modular system

softwall + softblock is a modular system of freestanding, flexible partition walls and building blocks. The elements are available in a variety of materials and colours, to offer a range of properties including translucency or opacity, acoustic absorption, fire rating, UV and water resistance. The paper and textile materials contain recycled content and are recyclable. Blue and brown paper products are made from wood harvested from FSC® Certified (FSC® C158591) responsible sources. All softwall + softblock elements are flexible in length, opening to a maximum of 4.5 meters long (15 feet) when fully expanded. When softwall + softblock are compressed for storage, they measure less than 5 centimeters thick (2 inches). Elements may open less than the full length to create shorter partitions, or form longer walls by connecting two or more softwalls via their magnetic end panels. An optional wall hook is available for simple, compact storage.





^{*} weights may vary



^{** 12 - 18} week lead time + minimum quantities may apply for custom colour textile softwall

^{***} prices do not include shipping; purchaser is responsible for all taxes + import duties

[‡] acoustic testing documentation + fire-rating certification available upon request

softwall + softblock modular system Each softwall + softblock is flexible in length, opening to a maximum of 4.5 meters long (15 feet). Elements connect lengthwise via concealed magnets and can be stacked to play with height.

product	dimensions	material + colour [‡]	product weight*	shipping weight*	pricing CAD\$***	product code
softblock		paper · natural brown	2.1kg	3.2kg	300	M·SB·P·FSC·BR·01·09
30.5cm tall x 23.5cm deep		paper · black	2.3kg	3.4kg	360	M·SB·P·BK·01·09
(1 foot x 9.25 inches)		paper · indigo blue**	2.3kg	3.4kg	360	M·SB·P·FSC·BU·01·09
(1 100t x 9.20 inches)		textile · white (translucent)	1.3kg	2.4kg	515	M·SB·T·WH·01·09
S-0		FR textile · white (translucent)§	1.8kg	2.8kg	675	M·SB·FR·T·WH·01·12
FR textile softblocks are 29 centimeters deep (11.5 inches)	A Service Manager	textile · aluminum**	1.4kg	2.5kg	625	M·SB·T·AL·01·09
Committee deep (11.0 money)	4500					
	30.5cm (1ft)	textile · black	1.4kg	2.5kg	625	M·SB·T·BK·01·09
	23.5cm (9.25in)	textile · custom colour**	varies	varies	varies	M·SB·T·CC·01·09
softblock	or FR textile ⁹	paper · natural brown paper · black	4.2kg	6.2kg 6.5kg	575 660	M·SB·P·FSC·BR·02·09 M·SB·P·BK·02·09
61cm tall x 23.5cm deep			4.5kg			
(2 feet x 9.25 inches)		paper · indigo blue**	4.5kg	6.5kg	660	M·SB·P·FSC·BU·02·09
	450 (15th most	textile · white (translucent)	2.6kg	4.6kg	975	M·SB·T·WH·02·09
§FR textile softblocks are 29	(15t)///	FR textile · white (translucent)§	3.6kg	5.4kg	1275	M·SB·FR·T·WH·02·12
centimeters deep (11.5 inches)	4.500	textile · aluminum**	2.8kg	4.8kg	1150	M·SB·T·AL·02·09
	61cm (2ft)	textile · black	2.8kg	4.8kg	1200	M·SB·T·BK·02·09
	23.5cm (9.25in) <	textile · custom colour**	varies	varies	varies	M·SB·T·CC·02·09
softblock	or FR textile ⁹	paper · natural brown	6.3kg	9.3kg	825	M·SB·P·FSC·BR·03·09
91.5cm tall x 23.5cm deep	U V	paper · black	6.8kg	9.8kg	975	M·SB·P·BK·03·09
(3 feet x 9.25 inches)	."	paper · indigo blue**	6.8kg	9.8kg	975	M·SB·P·FSC·BU·03·09
(o leet x 9.20 il ICHes)		textile · white (translucent)	3.9kg	6.9kg	1450	M·SB·T·WH·03·09
8	4 5 cm cath					
⁹ FR textile softblocks are 29 centimeters deep (11.5 inches)	1,1581,11	FR textile · white (translucent)§	5.3kg	7.9kg	1850	M·SB·FR·T·WH·03·12
Committee deep (11:0 IIICIRS)	91.5cm (3ft) 4.5m	textile · aluminum**	4.3kg	7.3kg	1725	M·SB·T·AL·03·09
	J. 22.2.1. (2.3)	textile · black	4.3kg	7.3kg	1750	M·SB·T·BK·03·09
	23.5cm (9.25in)	textile · custom colour**	varies	varies	varies	M·SB·T·CC·03·09
softblock	or FR textile§	paper · natural brown	8.4kg	12.2kg	1050	M·SB·P·FSC·BR·04·09
122cm tall x 23.5cm deep	77	paper · black	9.0kg	12.8kg	1250	M·SB·P·BK·04·09
(4 feet x 9.25 inches)	J	paper · indigo blue**	9.0kg	12.8kg	1250	M·SB·P·FSC·BU·04·09
		textile · white (translucent)	5.2kg	9.0kg	1875	M·SB·T·WH·04·09
§FR textile softblocks are 29		FR textile · white (translucent)§	7.2kg	10.5kg	2450	M·SB·FR·T·WH·04·12
centimeters deep (11.5 inches)	122cm (4ft)	textile · aluminum**	5.4kg	9.2kg	2300	M·SB·T·AL·04·09
	771/589	textile · black	5.7kg	9.5kg	2300	M·SB·T·BK·04·09
	122cm (4ft)	textile · custom colour**	varies	varies	varies	M·SB·T·CC·04·09
softblock	23.5cm (9.25in)	paper · natural brown	3.3kg	4.5kg	400	M·SB·P·FSC·BR·01·13
30.5cm tall x 34cm deep	or FR textile [§]	paper · black	3.3kg	4.5kg	480	M·SB·P·BK·01·13
(1 foot x 13.3 inches)	73	paper · indigo blue**	3.3kg	4.5kg	480	M·SB·P·FSC·BU·01·13
(1 loot x 10.0 inches)		textile · white (translucent)	1.9kg	3.1kg	650	M·SB·T·WH·01·13
\$50 A-147 4511 45		FR textile · white (translucent)§	2.3kg	3.6kg	925	M·SB·FR·T·WH·01·18
⁹ FR textile softblocks are 45 centimeters deep (17.75 inches)	(15ft) II	textile · aluminum**	2.0kg	3.2kg	800	M·SB·T·AL·01·13
, , , , , , , , , , , , , , , , , , , ,	30.5cm (1ft) 4.5m				800	
		textile · black	2.0kg	3.2kg		M·SB·T·BK·01·13
	34cm (13.3in) or FR textile§	textile · custom colour**	varies	varies	varies	M·SB·T·CC·01·13
softblock		paper · natural brown	6.5kg	8.7kg	700	M·SB·P·FSC·BR·02·13
61cm tall x 34cm deep		paper · black	6.5kg	8.7kg	860	M·SB·P·BK·02·13
(2 feet x 13.3 inches)	i i	paper · indigo blue**	6.5kg	8.7kg	860	M·SB·P·FSC·BU·02·13
		textile · white (translucent)	3.7kg	5.9kg	1200	M·SB·T·WH·02·13
§FR textile softblocks are 45	Tilde .	FR textile · white (translucent)§	4.5kg	6.7kg	1750	M·SB·FR·T·WH·02·18
centimeters deep (17.75 inches)	cm/15th)	textile · aluminum**	4.0kg	6.2kg	1500	M·SB·T·AL·02·13
	61cm (2ft) 4.5%	textile · black	4.0kg	6.2kg	1500	M·SB·T·BK·02·13
		textile · custom colour**	varies	varies	varies	M·SB·T·CC·02·13
	34cm (13.3in) or FR textile§	Sacon Goldin	varios	Valido	1.00	35 . 33 32 10
softblock		paper · natural brown	9.7kg	13.0kg	975	M·SB·P·FSC·BR·03·13
91.5cm tall x 34cm deep	W International Control of the Contr	paper · black	9.7kg	13.0kg	1250	M·SB·P·BK·03·13
(3 feet x 13.3 inches)		paper · indigo blue**	9.7kg	13.0kg	1250	M·SB·P·FSC·BU·03·13
, and the second second		textile · white (translucent)	5.6kg	8.9kg	1750	M·SB·T·WH·03·13
§FR textile softblocks are 45		FR textile · white (translucent)§	6.8kg	10.3kg	3650	M·SB·FR·T·WH·03·18
centimeters deep (17.75 inches)	ou max	textile · aluminum**	6.2kg	9.5kg	2800	M·SB·T·AL·03·13
	91.5cm (3ft)	textile · black	6.2kg	9.5kg	2200	M·SB·T·BK·03·13
	3.55.75.75.75	textile · custom colour*	varies	varies	2200	M·SB·T·CC·03·13
	34cm (13.3in)		. 3.100		varies	
softblock	or FR textile§	paper · natural brown	13.0kg	17.2kg	2300	M·SB·P·FSC·BR·04·13
122cm tall x 34cm deep		paper · black	13.0kg	17.2kg	1600	M·SB·P·BK·04·13
(4 feet x 13.3 inches)		paper · indigo blue**	13.0kg	17.2kg	1600	M·SB·P·FSC·BU·04·13
		textile · white (translucent)	7.4kg	11.6kg	2300	M·SB·T·WH·04·13
§FR textile softblocks are 45		FR textile · white (translucent)§	9.0kg	13.4kg	3425	M·SB·FR·T·WH·04·18
centimeters deep (17.75 inches)	The state of the s	textile · aluminum**	7.6kg	11.8kg	2850	M·SB·T·AL·04·13
	122cm (4ft)	textile · black	7.6kg	11.8kg	2850	M·SB·T·BK·04·13
	4.5%	textile · custom colour*	varies	varies	varies	M·SB·T·CC·04·13
	34cm (13.3in)					
	or FR textile [§]	15 feet) When				
	†softwall + softblock are flexible in length, opening to a max 4.5 meters long (1 compressed for storage, softwall + softblock are less than 5 centilmeters thick	c (2 inches).				
		·				

^{*} weights may vary



^{** 12 - 18} week lead time + minimum quantities may apply for indigo blue paper + custom colour + heavyweight textile + aluminum textile softblock

^{***} prices do not include shipping; purchaser is responsible for all taxes + import duties

acoustic testing documentation + fire-rating certification available upon request

LED ribbon for white textile softwall + softblock

Flexible LED ribbons integrate with textile softwall + softblock to transform the elements into expressive, luminous space partitions. Light emphasizes the subtle beauty of the translucent material, illuminating the delicate fibres. LEDs are available in warm white or neutral white. Please inquire about the recommended arrangement for your project.








		DI, VIII			
product		dimensions + specs	colour of LED	pricing CAD\$***	product code
LED for softwall + softblock we recommend 1 LED ribbon per every 61 centimeters (2 feet) in height of softblocks. Please ask for advice specific to your project		LED · 1 ribbon kit 1 LED ribbon in bottom hole of any size softwall warm white: 2300 lumens** neutral white: 2570 lumens** 27W power draw kit includes: - one flexible LED ribbon 4.5 meters long (1.5 feet) - one power wire 3.5 meters long (1.1.5 feet) + 100 – 240V 40W plug-in transformer + plug types available: A, C, G, I shipping weight: 0.75kg (1.6lbs)*	neutral white (4000K) warm white (2700K)	400	M-LED-RIB-NW-1 M-LED-RIB-WW-1
		LED up to 61cm (2') apart · 2 ribbon kit LED up to 152.5cm (5') apart · 2 ribbon kit	neutral white (4000K) warm white (2700K) neutral white (4000K)	700	M-LED-RIB-NW-2 M-LED-RIB-WW-2 M-LED-RIB-NW-5
		LED up to 213cm (7') apart · 2 ribbon kit	warm white (2700K) neutral white (4000K) warm white (2700K)	700	M·LED·RIB·NW·7 M·LED·RIB·WW·7
	760	54W power draw kit include: + two flexible LED ribbons 4.5 meters long (15 feet) + one power wire 3.5 meters long (11.5 feet) + one power wire 3.5 meters long (11.5 feet) + 2-way ouglier + 100 240V 60W plug-in transformer + plug types available: A, C, G, I shipping weight: 1.6kg (3.5lbs)*			
4.5 meter (15 foot) electrical extension		to extend the length of power wire for softwall + softblock LED ribbon (silver coaxial cable)		90	SA-EEXT-15
	6,				



weights may vary
 lumen values refer to LED output; textile material of softwall + softblock will absorb some light

^{***} prices do not include shipping; purchaser is responsible for all taxes + import duties




5



wood softwall + softblock

wood softwall + softblock are made from FSC® Certified (FSC® C158591) sustainably sourced, engineered wood. Each piece is flexible in length opening to a maximum of 4.5 meters long (15 feet) when fully expanded, and their modular, magnetic end panels allow them to link in sequence to shape long stretches of wall or immersive environments and displays. Light transmits through the partitions as a delightful, warm glow and reveals playful, enigmatic forms as people or objects cast shadows against them. As natural light changes throughout the day, a range of colours is revealed in the walls, shifting through pale ash, soft cream, and rich yellows.







					**	
product	dimensions	material + colour ‡	product weight*	shipping weight*	pricing CAD\$**	product code
wood softblock 122cm tall x 19.5cm deep (4 feet x 7.75 inches)	122cm (4ft) 19.5cm (7.75in)	wood veneer**	14.2	18.0	4800	M-SB-FSC-WOOD-04-08
wood softwall 244cm tall x 19.5cm deep (8 feet x 7.75 inches)	244cm (8ft) 19.5cm (7.75in)	wood veneer**	30.0	36.0	8200	M-SW-FSC-WOOD-08-08



^{*} weights may vary

^{** 12 - 18} week lead time + minimum quantities may apply

^{***} prices do not include shipping; purchaser is responsible for all taxes + import duties

suspended softwall + Lift white textile softwall + softblock into the air with new LED armatures designed to transform the partitions into suspended luminaires, seemingly softblock luminaires weightless structures that hold straight lines or perfect 90-degree turns. Available in standard 5.05m (16.5ft) lengths or half-length modules of 2.6m (8' 6 3/4"). Connect them modularly and at different heights throughout a high-ceilinged space to form a hanging, luminous sculpture garden. pricing product dimensions power supply voltage material + colour ‡ product product code weight* CAD\$* 4850 M·SSB·02·16·4000 softblock luminaires hardwire neutral white (4000K) 61 tall x 488cm long 110 - 240 V + 277 V M·SSB·02·16·2700 warm white (2700K) (2 feet x 16 feet) 61 tall x 244cm long neutral white (4000K) 2700 M·SSB·02·08·4000 8.7 (2 feet x 8 feet) warm white (2700K) M·SSB·02·08·2700 M-SSB-03-16-4000 softblock luminaires hardwire neutral white (4000K) 5250 91.5 tall x 488cm long 110 - 240 V + 277 V warm white (2700K) M·SSB·03·16·2700 (3 feet x 16 feet) 91.5 tall x 244cm long neutral white (4000K) 10.2 2950 M·SSB·03·08·4000 (3 feet x 8 feet) warm white (2700K) M·SSB·03·08·2700 M·SSB·04·16·4000 neutral white (4000K) 19.4 hardwire softblock luminaires 110 - 240 V + 277 V warm white (2700K) M·SSB·02·16·2700 122 tall x 488cm long (4 feet x 16 feet) 122 tall x 244cm long neutral white (4000K) M-SSB-04-08-4000 (4 feet x 8 feet) 11.8 3325 warm white (2700K) M·SSB·04·08·2700 softwall luminaires hardwire 110 - 240 V + 277 V neutral white (4000K) 21.5 6150 M·SSB·05·16·4000 warm white 12700KI M-SSB-05-16-2700 (5 feet x 16 feet) 152.5 tall x 244cm long neutral white (4000K) 13.3 3500 M-SSB-05-08-4000 (5 feet x 8 feet) warm white (2700K) M·SSB·05·08·2700 softwall luminaires hardwire neutral white (4000K) 23.4 6500 M·SSB·06·16·4000 110 - 240 V + 277 V warm white (2700K M·SSB·06·16·2700 (6 feet x 16 feet) 163 tall x 244cm long neutral white (4000K) M-SSB-06-08-4000 3800 (6 feet x 8 feet) 144 warm white (2700K) M·SSB·06·08·2700 hardwire neutral white (4000K) 24.5 7400 M·SSB·08·16·4000 softwall luminaires 110 - 240 V + 277 V warm white (2700K) 244 tall x 488cm long (8 feet x 16 feet) 244 tall x 244cm long neutral white (4000K) 15.5 4425 M-SSB-08-08-4000 (8 feet x 8 feet) warm white (2700K) M-SSB-08-08-2700

23.5cm (9.25in)



^{*} weights may vary

^{** 12 - 18} week lead time may apply

^{***} prices do not include shipping; purchaser is responsible for all taxes + import duties

softseating

softseating is a line of flexible furniture made from paper or textile. Each element uses honeycomb geometry to fan open into a stool, bench, table or lounger, compressing for storage. Magnetic end panels allow two or more elements to connect, forming long winding benches. Blue and brown paper products are made from wood harvested from FSC® Certified (FSC® C158591) responsible sources.













	-)			
product	dimensions	material + colour	product weight*	shipping weight*	pricing CAD\$***	product code
fanning stool 30.5cm tall x 40.5cm Ø (12 x 16 inches)	40.5cm Ø (16in) 30.5cm (12in)	paper · natural brown paper · black paper · indigo blue** textile · white translucenty** textile · aluminum**	1.8kg 1.9kg 1.9kg 1.5kg 1.7kg	2.3kg 2.4kg 2.4kg 2.0kg 2.2kg	225 300 300 475 575	SS-P-FSC-BR-12-16 SS-P-BK-12-16 SS-P-FSC-BU-12-16 SS-T-WH-12-16 SS-T-AL-12-16
fanning stool 45.5cm tall x 40.5cm Ø (18 x 16 inches)	45.5cm (18in)	paper · natural brown paper · black paper · indigo blue** textile · white (translucent) textile · aluminum**	2.9kg 3.0kg 3.0kg 2.5kg 2.7kg	3.4kg 3.5kg 3.5kg 2.9kg 3.1kg	300 400 400 625 775	SS:P-FSC-BR-18-16 SS:P-BK-18-16 SS:P-FSC-BU-18-16 SS:T-WH-18-16 SS:T-AL-18-16
fanning stool · bench stool: 30.5cm tall x 61cm Ø (12 x 24 inches)	30.5cm (12in) 30.5cm (12in) 61cm Ø (24in)	paper - natural brown paper - black paper - indigo blue** textile - white (translucent)** textile - aluminum** ships in box 40 x 33 x 15 centimeters (15.75 x 13 x 6 inches)	5.1kg 5.3kg 5.3kg 4.6kg 4.8kg	6.0kg 6.2kg 6.2kg 5.5kg 5.7kg	425 560 560 1000 1050	SS-P-FSC-BR-12-24 SS-P-BK-12-24 SS-P-FSC-BU-12-24 SS-T-WH-12-24 SS-T-AL-12-24
fanning stool • bench stool: 45.5cm tall x 61cm Ø (18 x 24 inches)	45.5cm (18in) 30.5cm (12in) 45.5cm (18in) 30.5cm (12in) 45.5cm (18in) 45	paper · natural brown paper · black paper · indigo blue** textile · white transucent** textile · aluminum** ships in box 55 x 33 x 15 centimeters (21.5 x 13 x 6 inches)	7.9kg 8.1kg 8.1kg 6.8kg 7.0kg	9.0kg 9.2kg 9.2kg 9.2kg 8.0kg 8.2kg	650 875 875 1600 2075	SS:P-FSC-BR-18-24 SS:P-BK-18-24 SS:P-FSC-BU-18-24 SS:T-WH-18-24 SS:T-AL-18-24
fanning stool · bench stool: 30.5cm tall x 91.5cm Ø (12 x 36 inches)	1.8 meters (6 feet) for textile 91.5cm (2 (36in) 30.5cm (12in) 45.5cm (18in)	paper · natural brown paper · black paper · indigo blue** textile · white (translucent)** textile · aluminum** ships in box 55 x 33 x 16 centimeters (21.5 x 13.25 x 6 inches)	9.3kg 11.2kg 11.2kg 7.6kg 7.8kg	10.4kg 12.3kg 12.3kg 12.3kg 8.7kg 8.9kg	675 875 875 1600 1950	SS-P-FSC-BR-12-36 SS-P-BK-12-36 SS-P-FSC-BU-12-36 SS-T-WH-12-36 SS-T-AL-12-36
fanning stool · bench stool: 45.5cm tall x 91.5cm Ø (18 x 36 inches)	91.5cm Ø (38in) 45.5cm (18in) 45.5cm (18in) 45.5cm (18in) 45.5cm (18in) 45.5cm (18in) 45.5cm (18in)	paper · natural brown paper · black paper · indigo blue** textile · white (translucent) textile · aluminum** ships in box 55 x 50 x 17 centimeters (21.5 x 19.75 x 6.75 inches)	14.3kg 15.1kg 15.1kg 11.9kg 12.1kg	16.6kg 17.4kg 17.4kg 14.2kg 14.2kg 14.4kg	950 1300 1300 2350 2925	SS.P.FSC.BR:18:36 SS.P.BK:18:36 SS.P.FSC.BU:18:36 SS.T.WH:18:36 SS.T.AL:18:36
lounger 16 x 84 inches (40.5cm tall x 215cm Ø)	1.8 meters (6 feet) for textile	paper · natural brown shipping dimensions available upon request	69.0kg	79.5kg	4350	M-SS-P-FSC-BR-16-84-LNGR
lounger	152.5 - 215cm O (60 - 84in)	paper · black textile · white (translucent)** textile · aluminum** shipping dimensions available upon request	30.0kg 21.6kg 22.5kg	42.0kg 33.6kg 34.5kg	4150 9100 11700	M-SS-P-BK-16-60-LNGR M-SS-T-WH-16-60-LNGR M-SS-T-AL-16-60-LNGR
lounger 16 x 74 inches (40.5cm tall x 190cm Ø)	40.5cm (16in)	paper · indigo blue** shipping dimensions available upon request	58.5kg	73.8kg	4425	M-SS-P-FSC-BU-16-74-LNGR

^{*} weights may vary



^{** 12 - 18} week lead time may apply for indigo blue paper + white textile + aluminum textile softseating

 $^{^{\}star\star\star}$ prices do not include shipping; purchaser is responsible for all taxes + import duties

softseating accessories

Available in sizes that correspond to softseating fanning stool's surface diameter, wool felt pads and PaperStone hard tops make lovely companions to molo softseating, tables and display podiums. Wool felt pads can also be used as cushions along a bench or benchwall, placed directly on the floor as small area rugs, or used as a bed for four-legged friends. Felt pads are 100% natural, and PaperStone hard tops are made from FSC® Certified (FSC® C158591) sustainably sourced materials.







product	dimensions	material + colour	product weight*	shipping weight*	pricing CAD\$***	product code	
wool felt pad (optional) use wool felt pad independently or pair with softseating fanning stools	38cm Ø (15in) 58.5cm Ø (23in) 80cm Ø (35in)	38cm (15in) · natural grey felted wool 58.5cm (23in) · natural grey felted wool 89cm (35in) · natural grey felted wool shipping dimensions available upon request	0.8kg 1.1kg 2.5kg	1.1kg 1.5kg 3.9kg	110 200 370	M-PAD-FLT-GR-15 M-PAD-FLT-GR-23 M-PAD-FLT-GR-35	
PaperStone top (optional) 35.5cm Ø (14 inches) use top independently or pair with benchwall, softseating fanning stools and benches	35.5cm Ø (14in)	PaperStone · brown** PaperStone · black** PaperStone · grey**	0.75kg 0.75kg 0.75kg	1.25kg 1.25kg 1.25kg	350 280 300	M·TOP·P·FSC·BR·14 M·TOP·P·FSC·BK·14 M·TOP·P·FSC·GR·14	
PaperStone top (optional) 56cm Ø (22 inches) use top independently or pair with softseating fanning stools	56cm Ø (22in)	PaperStone · brown** PaperStone · black** PaperStone · grey**	1.8kg 1.8kg 1.8kg	2.8kg 2.8kg 2.8kg	560 470 520	M·TOP·P·FSC·BR·22 M·TOP·P·FSC·BK·22 M·TOP·P·FSC·GR·22	
PaperStone top (optional) 86.5cm Ø (34 inches) use top independently or pair with softseating fanning stools	86.5cm Ø (34in)	PaperStone · brown** PaperStone · black** PaperStone · grey**	4.5kg 4.5kg 4.5kg	5.5kg 5.5kg 5.5kg 5.5kg	1050 845 945	M-TOP-P-FSC-BR-34 M-TOP-P-FSC-BK-34 M-TOP-P-FSC-GR-34	
wool felt tote (optional) use wool felt tote to carry 40.5cm Ø (16 inch) softseating fanning stools in their compressed form		small - natural grey felted wool for 30.5cm tall x 40.5cm of (12 x 16 inches) fanning stool large - natural grey felted wool for 45.5cm tall x 40.5cm of (18 x 16 inches) fanning stool shipping dimensions available upon request	0.1kg 0.1kg	0.2kg 0.2kg	100	P-TOTE-FLT-GR-12 P-TOTE-FLT-GR-18	



weights may vary
 12 - 18 week lead time may apply for PaperStone tops

 $[\]ensuremath{^{***}}$ prices do not include shipping; purchaser is responsible for all taxes + import duties

cantilever table components

cantilever table uses a flexible paper or textile base and is available in two heights. A single base uses honeycomb geometry to fan open and support a round top. Blue and brown paper bases are made from wood harvested from FSC® Certified (FSC® C158591) responsible sources. cantilever table can be purchased either with a centre hole to accommodate molo's pencil holder and sketching circles, or as a solid surface top. The felt pad is an alterative option to the hard round top.

The components of cantilever table are available for individual purchase. molo offers these pieces as an opportunity to continue the design process, encouraging clients to pair the bases with tabletops of their own design, or from a unique material palette. To discuss your idea, please contact the studio.



product	dimensions	material + colour	product	shipping		product code
cantilever table base sitting height	90cm O (35 1/2m) 90cm O (35 1/2m) 90cm O (35 1/2m)	paper · natural brown paper · black paper · indigo blue** textile · white translucent)** textile · aluminum** ships in box 89 x 48 x 15 centimeters (35 x 18.9 x 5.9 inches)	weight* 12.8kg 13.2kg 13.2kg 9.0kg 9.6kg	weight* 17.4kg 17.8kg 17.8kg 13.2kg 13.2kg	CAD\$*** 1350 1600 1600 4250 5350	M-CT-B-P-FSC-BR:27:37 M-CT-B-P-BK-27:37 M-CT-B-P-FSC-BU:27:37 M-CT-B-T-WH-27:37 M-CT-B-T-AL:27:37
cantilever table base standing height	90cm Ø (35 1/2in) 48cm (17: 7/6in) 0 0 0	paper · natural brown paper · black paper · indigo blue** textile · white (translucent)** textile · aluminum** ships in box 122 x 48 x 17 centimeters (48 x 18.9 x 6.7 inches)	15.8kg 16.1kg 16.1kg 12.8kg 13.8kg	21.2kg 21.5kg 21.5kg 18.2kg 19.2kg	1675 2050 2050 5150 6400	M-CT-B-P-FSC-BR-39-37 M-CT-B-P-BK-39-37 M-CT-B-P-FSC-BU-39-37 M-CT-B-T-WH-39-37 M-CT-B-T-AL-39-37
cantilever table top with grip disc cantilever table top can be purchased either with a centre hole to accomodate molo's pencil holder and sketching circle, or as a solid surface top	120cm Ø (47in)	PaperStone · brown PaperStone · black PaperStone · grey** marble · Carrara white** marble · Tlupana grey** ships in box 122 x 122 x 15 centimeters (48 x 48 x 5.9 inches)	8.2kg 8.2kg 8.2kg 61.0kg 61.0kg	10.2kg 10.2kg 10.2kg 64.5kg 64.5kg	2075 1690 1900 request request	M-CT-T-P-FSC-BR-47 M-CT-T-P-FSC-BK-47 M-CT-T-P-FSC-GR-47 M-CT-T-MAR-WH-47 M-CT-T-MAR-GR-47
wool felt pad (optional) use wool felt pad as a soft top to cantilever table in round arrangement	89cm Ø (35in)	natural grey felted wool 89 centimeters (35 inches) shipping dimensions available upon request	2.5kg	3.9kg	370	M-PAD-FLT-GR-35

^{*} weights may vary



^{** 12 - 18} week lead time may apply for indigo blue paper + white textile + aluminum textile cantilever table

 $^{^{***}}$ prices do not include shipping; purchaser is responsible for all taxes + import duties

cantilever table components with hole in top for accessories cantilever table uses a flexible paper or textile base and is available in two heights. A single base uses honeycomb geometry to fan open and support a round top. Blue and brown paper bases are made from wood harvested from FSC® Certified (FSC® C158591) responsible sources, cantilever table can be purchased either with a centre hole to accommodate molo's pencil holder and sketching circles, or as a solid surface top. The optional glass centrepiece doubles as a pencil holder and spindle for a stack of sketching circles, providing a collaborative work environment that allows for ideas to grow as they spin around the table.

The components of cantilever table are available for individual purchase. molo offers these pieces as an opportunity to continue the design process, encouraging clients to pair the bases with tabletops of their own design, or from a unique material palette. To discuss your idea, please contact the studio.





product	dimensions	material + colour	product weight*	shipping weight*	price CAD\$****	product code
cantilever table base sitting height	90cm Ø (35 1/2in)	paper - natural brown paper - black paper - indigo blue** textile - white (manslucent)** textile - aluminum** ships in box 89 x 48 x 15 centimeters (35 x 18.9 x 5.9 inches)	12.8kg 13.2kg 13.2kg 9.0kg 9.6kg	17.4kg 17.8kg 17.8kg 13.2kg 13.2kg 13.8kg	1350 1600 1600 4250 5350	M-CT-B-P-FSC-BR-27-37 M-CT-B-P-BK-27-37 M-CT-B-P-FSC-BU-27-37 M-CT-B-T-WH-27-37 M-CT-B-T-WH-27-37
cantilever table base standing height	90cm O (35 1/2in) 90cm O (35 1/2in) 90cm O (35 1/2in) 0 0 0	paper · natural brown paper · black paper · indigo blue** textile · white (translucent)** textile · aluminum** ships in box 122 x 48 x 17 centimeters (48 x 18.9 x 6.7 inches)	15.8kg 16.1kg 16.1kg 12.8kg 13.8kg	21.2kg 21.5kg 21.5kg 21.5kg 18.2kg 19.2kg	1675 2050 2050 5150 6400	M-CT-B-P-FSC-BR-39-37 M-CT-B-P-BK-39-37 M-CT-B-P-FSC-BU-39-37 M-CT-B-T-WH-39-37 M-CT-B-T-AL-39-37
cantilever table top with glass pencil holder cantilever table top can be purchased either with a centre hole to accomodate molo's pencil holder and sketching circle, or as a solid surface top	120cm Ø (47lin) 44.5mm Ø (1 3/4ln)	PaperStone · black · centre hole PaperStone · black · centre hole* MDF · black · centre hole* MDF · black · centre hole marble · Carrara white · centre hole** marble · Tlupana grey · centre hole** marble · Tlupana grey · centre hole** ships in box 122 x 122 x 15 centimeters (48 x 48 x 5.9 inches)	8.5kg 8.5kg 8.5kg 11.7kg 61.0kg 61.0kg	10.5kg 10.5kg 10.5kg 15.2kg 64.5kg 64.5kg	2150 1750 1950 2150 request request	M·CT·T·H·P·FSC·BR·47 M·CT·T·H·P·FSC·BK·47 M·CT·T·H·P·FSC·GR·47 M·CT·T·H·MDF·BK·47 M·CT·T·H·MAR·WH·47 M·CT·T·H·MAR·GR·47
paper sketching circles 400 sheets (optional) optional accessory for cantilever table	68.5cm (27in) O 45.5mm Ø (1 4/5in)	paper · white ships in box 69 x 69 x 7.5 centimeters (30 x 30 x 3 inches)	11.5kg	14.8kg	225	M·CT·SC·P·WH·27



^{*} weights may vary

^{** 12 - 18} week lead time may apply for indigo blue paper + white textile + aluminum textile cantilever table

 $^{^{***}}$ prices do not include shipping; purchaser is responsible for all taxes + import duties

benchwall + thinwall benchwall is a flexible, paper or textile bench with a tall backrest that acts as both acoustic space partition and seating. benchwall can stretch into straight, high backed seating or sweep into a circular bench-lined room for intimate meetings, benchwall may magnetically connect to the 45.5 x 91.5 centimeter diameter (18 x 36 inch diameter) size softseating stool + bench to form modular seating arrangements. Blue and brown paper products are made from wood harvested from FSC® Certified (FSC® C158591) responsible sources. thinwall was designed as an acoustic, sculptural liner for solid walls, columns and ceilings or as a flexible wrap for storage areas, reception desks and other millwork. It measures only 9 centimeters wide (3.5 inches) and reaches 183 centimeters high (6 feet). Adjustable in length, it stretches up to 3.5 meters long. product dimensions material + colour product shipping product code weight* weight* CAD\$* M·BW·P·FSC·BR·05·11 M·BW·P·BK·05·11 benchwall paper · natural brown 33.0kg 41.5kg 2700 32.0kg 32.0kg 3650 paper · black 40.5kg 152.5cm tall x 11.5cm deep paper · blue** 40.5kg 3650 M·BW·P·FSC·BU·05·11 (5 feet x 4.5 inches) textile · white (translucent) (5m long) (16.5ft) ** 34.8kg 43.6kg 13800 M·BW·T·WH·05·16 textile · aluminum (5m long) (16.5ft) ** 35.1kg 43.9kg 18000 M-BW-T-AL-05-45.5cm tall x 45.5cm deep (18 x 18 inches) shipping dimensions available upon request *benchwall elements are flexible in length, but vary by material: —paper benchwalls open to a max 3.5 meters (11.5 feet) long —textile benchwalls open to a max 5 meters (16.5 feet) long M·THW·P·FSC·BR·06·03 M·THW·P·BK·06·03 thinwall paper · natural brown** 14.3kg 16.6kg 1300 paper · black** 183cm tall x 9cm deep x 15.1kg 17.4kg 1750 paper · indigo blue** 15.1kg 17.4kg 1750 M·THW·P·FSC·BU·06·03 3.5m long textile · white (translucent)** 14.2kg (6 feet x 3.5 inches x 11.5 feet) 11.9kg 2200 M·THW·T·WH·06·03 ships in box 200 x 19 x 13 centimeters (78.75 x 7.5 x 5.2 inches) minimum order quantity may apply 9cm (3.5in) thinwall elements are flexible in length, opening to a max 3.5 meters long (11.5 feet) when anchored at both ends. thinwall anchor strip M-STRP-WH-TW-06 white powder coated steel 2.3kg 2.3kg 210 1 unit per end of thinw 167.5cm x 7.2cm (66 x 2.8 inches)



^{*} weights may vary

^{** 12 - 18} week lead time and minimum order quantitiy may apply for thinwall and indigo blue paper + white textile + aluminum textile benchwall

^{***} prices do not include shipping; purchaser is responsible for all taxes + import duties

cloud softlight pendant

cloud softlight pendants are individual luminaries that radiate a gentle, ambient light. The honeycomb shades are lit from within by dimmable 90+CRI LED, in warm white or neutral white colour temperatures. Pendants are available in four sizes, and can be hung independently or combined with other pendants and mobiles to create beautiful, vast cloudscapes. cloud softlight pendant scales to any size interior, from small apartments to multi-storey auditoriums.



product	dimensions + specs		power supply voltage	LED colour	pricing CAD\$***	product code
small cloud pendant	ldon John	white textile shade warm white: 777 lumens** neutral white: 854 lumens** 10W power draw hanging weight: 0.64kg (1.41bs)*	plug-in 110 - 240 V plug types available: A, C, G, I hardwire 110 - 240 V + 277 V	neutral white (4000K) warm white (2700K) neutral white (4000K) warm white (2700K)	675	M·CLD·PEN·SM·PI·NW M·CLD·PEN·SM·PI·WW M·CLD·PEN·SM·HW·NW M·CLD·PEN·SM·HW·WW
medium cloud pendant		white textile shade warm white: 2332 lumens** neutral white: 2558 Lumens** 30W power draw hanging weight: 1.16kg (2.6iba)*	plug-in 110 - 240 V plug types available: A. C. G. I hardwire 110 - 240 V + 277 V	neutral white (4000K) warm white (2700K) neutral white (4000K) warm white (2700K)	1450	M-CLD-PEN-MD-PI-NW M-CLD-PEN-MD-PI-WW M-CLD-PEN-MD-HW-NW M-CLD-PEN-MD-HW-WW
large cloud pendant	(a) (a) (b) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	white textile shade warm white: 3450 lumens** neutral white: 3834 lumens** 4449 power draw hanging weight: 2.0kg (4.4lbs)*	plug-in 110 - 240 V plug types available: A, C, G, I hardwire 110 - 240 V + 277 V	neutral white (4000K) warm white (2700K) neutral white (4000K) warm white (2700K)	2050	M-CLD-PEN-LG-PI-NW M-CLD-PEN-LG-PI-WW M-CLD-PEN-LG-HW-NW M-CLD-PEN-LG-HW-WW
t-large cloud pendant	120cm Q (47rn)	white textile shade warm white: 4228 lumens** neutral white: 4808 lumens** 54W power draw hanging weight: 4.31kg (9.5lbs)*	plug-in 110 - 240 V plug types available: A, C, G, I hardwire 110 - 240 V + 277 V	neutral white (4000K) warm white (2700K) neutral white (4000K) warm white (2700K)	2950	M-CLD-PEN-XL-PI-NW M-CLD-PEN-XL-PI-WW M-CLD-PEN-XL-HW-NW M-CLD-PEN-XL-HW-WW
gripper ring	plug-in cloud pendants include 6.0 meters (19.5 feet) of hardwire small, medium 8 large cloud pendants include hardwire x-large cloud pendant includes 4.5 meters (15.1 " custom lengths available	3.5 meters (11.5 feet) of electrical cable **	optional alternative to bracket bar gripper	canopy plate and		P·CLD·GRIP·RING·364
custom length power wire + nang cable	12 - 18 week lead time may apply (expedited orders may b	a possible — please request quote and lead time)	please inquire up to 9.0m (29.5ft) up to 10.5m (34.5ft)		145 170	CLD-PWIRE-PEN-9 CLD-PWIRE-PEN-10.5
			* excluding x-large pendant longer hang lengths available fo please inquire for pricing and m			



^{**} lumen values refer to LED output; cloud shade will absorb some light

^{***} prices do not include shipping; purchaser is responsible for all taxes + import duties

cloud softlight mobile creates a canopy of soft, luminous forms. Inspired by the kinetic sculptures of Alexander Calder, each mobile supports three cloud pendants that move and shift with the air currents. The honeycomb shades are lit from within by dimmable 90+CRI LED, in warm white or neutral white colour temperatures, and transmit a gentle glow in all directions. product dimensions + specs power supply voltage LED colour pricing CAD\$****

product	dimensions + specs		power supply voltage	LED colour	pricing CAD\$***	product code
small cloud mobile	1.6m Ø (63In)	3 x white textile shade (2 sm, 1 med pendant) aluminum armature warm white: 388 lumens** neutral white: 4320 lumens** 50W power draw hanging weight: 4.04kg (8.9lbs)*	plug-in 110 - 240 V plug types available: A, C, G, I hardwire 110 - 240 V + 277 V	neutral white (4000K) warm white (2700K) neutral white (4000K) warm white (2700K)	2500	M-CLD-MOB-SM-PI-NW M-CLD-MOB-SM-PI-WW M-CLD-MOB-SM-HW-NW M-CLD-MOB-SM-HW-WW
medium cloud mobile	2.1m Ø (83in)	3 x white textile shade (1 sm. 1 med, 1 lg pendant) aluminum armature warm white: 6561 lumens** neutral white: 7290 lumens** 85W power draw hanging weight: 5.6kg (12.3lbs)*	plug-in 110 - 240 V plug types available: B, E/F hardwire 110 - 240 V + 277 V	neutral white (4000K) warm white (2700K) neutral white (4000K) warm white (2700K)	4100	M-CLD-MOB-MD-PI-NW M-CLD-MOB-MD-PI-WW M-CLD-MOB-MD-HW-NW M-CLD-MOB-MD-HW-WW
large cloud mobile	2.9m Ø (114in) small cloud mobiles include 2.8 meters (9 feet) of electrical medium cloud mobiles include 2.5 meters (6 feet) of electrical large doubt mobiles include 2.5 meters (6 feet) of electrical large doubt mobiles include 2.0 meters (5 feet) of electrical large doubt mobiles include 2.0 meters (5 feet) of electrical large doubt mobiles include 2.0 meters (6 feet) of electrical large doubt mobiles include 2.0 meters (6 feet) of electrical medium doubt mobiles include 2.0 meters (6 feet) of electrical medium doubt mobiles include 2.0 meters (6 feet) of electrical medium doubt mobiles include 2.8 meters (9 feet) of electrical medium doubt mobiles include 2.8 meters (9 feet) of electrical medium doubt mobiles include 2.8 meters (9 feet) of electrical medium doubt mobiles include 2.8 meters (9 feet) of electrical medium doubt mobiles include 2.8 meters (9 feet) of electrical medium doubt mobiles include 2.8 meters (9 feet) of electrical medium doubt mobiles include 2.0 meters (9 feet) of electrical medium doubt mobiles include 2.0 meters (9 feet) of electrical medium doubt mobiles include 2.0 meters (9 feet) of electrical medium doubt mobiles include 2.0 meters (9 feet) of electrical medium doubt mobiles include 2.0 meters (9 feet) of electrical medium doubt mobiles include 2.0 meters (9 feet) of electrical medium doubt mobiles include 2.0 meters (9 feet) of electrical medium doubt mobiles include 2.0 meters (9 feet) of electrical medium doubt mobiles include 2.0 meters (9 feet) of electrical medium doubt mobiles include 2.0 meters (9 feet) of electrical medium doubt mobiles include 2.0 meters (9 feet) of electrical medium doubt mobiles include 2.0 meters (9 feet) of electrical medium doubt mobiles include 2.0 meters (9 feet) of electrical medium doubt mobiles include 2.0 meters (9 feet) of electrical medium doubt mobiles include 2.0 meters (9 feet) of electrical medium doubt mobiles include 2.0 meters (9 feet) of electrical medium doubt mobiles include 2.0 meters (9 feet) of electrical medium doubt mobiles	ical cable (custom lengths available)	plug-in 110 - 240 V plug types available: 8, E/F hardwire 110 - 240 V + 277 V	neutral white (4000K) warm white (2700K) neutral white (4000K) warm white (2700K)	6750	M-CLD-MOB-LG-PI-NW M-CLD-MOB-LG-PI-WW M-CLD-MOB-LG-HW-NW M-CLD-MOB-LG-HW-WW
custom length power wire + hang cable	hardwire mobiles include a dimmable transformer 12 - 18 week lead time may apply (expedited orders may be possible		small mobile · 2.8 - 8. small mobile · 8.8 - 1/ medium mobile · 2.5 - large mobile · 2.0 - 6.	3.5m (28.5 - 44ft) - 8.5m (8 - 27.5ft)	315 1050 315 275	CLD-PWIRE-MOB-SM-8.5 CLD-PWIRE-MOB-SM-13.5 CLD-PWIRE-MOB-MD-8.5 CLD-PWIRE-MOB-LG-6.5



^{*} weights may vary

^{**} lumen values refer to LED output; cloud shade will absorb some light

^{***} prices do not include shipping; purchaser is responsible for all taxes + import duties

cloud softlight mast

cloud mast is a kinetic luminary that balances elements of earth and air. The mast is crowned by a boom that supports a luminous canopy of clouds and a dangling fishing weight. The boom revolves around the mast, carrying graceful light throughout a space. As a floor supported lamp, cloud mast is ideal for temporary installations or interiors where wiring might disrupt the ceiling.



product	dimensions + specs	power supply voltage	LED colour	pricing CAD\$***	product code
small cloud mast	3.9m (153.5in) Warm white: 3898 lumens** neutral white: 4320 lumens** SOW power draw	plug-in 110 - 240 V plug types available: B, E/F	neutral white (4000K) warm white (2700K)	6000	M-CLD-MAST-SM-NW M-CLD-MAST-SM-WW
medium cloud mast	4.1m (161.5in) Warm white: 6561 lumens** neutral white: 7290 lumens** 85W power draw	plug-in 110 - 240 V plug types available: B, E/F	neutral white (4000K) warm white (2700K)	7500	M-CLD-MAST-MD-NW M-CLD-MAST-MD-WW
large cloud mast	4.4m (173.5in) warm white: 9777 lumens" neutral white: 10864 lumens" 128W power draw 1 standard height from floor to cloud mobile	plug-in 110 - 240 V plug types available: B, E/F	neutral white (4000k) warm white (2700k)	14000	M-CLD-MAST-LG-NW M-CLD-MAST-LG-WW
custom length eletrical	*standard neight from moor to cloud mooile 12 - 18 week lead time may apply (expedited orders may be possible — please request quote and lead time)				
wire + hang height					



^{*} weights may vary

** lumen values refer to LED output; cloud shade will absorb some light

^{***} prices do not include shipping; purchaser is responsible for all taxes + import duties

soft collection urchin softlight

with its elastic movement and shifting form, urchin softlight invites playful interaction. By gently manipulating the shade with your hands, the lamp transforms through a range of beautiful shapes. The honeycomb shade is made from a tear- and water-resistant, non-woven polyethylene textile that is anti-static to repel dust. The integrated LED light source is available in warm white (2700K) or neutral white (4000K) colour temperatures with 90+CRI for natural colour rendition.

product	dimensions + specs		power supply voltage	LED colour	pricing CAD\$***	product code
small urchin softlight		white textile shade warm white: 270 lumens** neutral white: 270 lumens** 3.3W power draw 38 centimeters 0 x 24 centimeters tall * (15 inches 0 x 9.5 inches) shipping weight: 1.4kg (3lbs)* ships in box: 43 x 23 x 10 centimeters (17 x 9 x 4 inches)	plug-in 110 - 240 V plug types available: A, C, G, I	neutral white (4000k) warm white (2700k)	375	M-URC-T-WH-SM-NW M-URC-T-WH-SM-WW
nedium rchin softlight		white textile shade warm white: 680 lumens** neutral white: 760 lumens** 8W power draw 63.5 centimeters 0 x 35.5 centimeters tall 1(25 inches 0 x 1.4 inches) shipping weight: 2.0kg (4.3lbs)* ships in box: 43 x 23 x 10 centimeters (17 x 9 x 4 inches)	plug-in 110 - 240 V plug types available: A, C, G, I	neutral white (4000K) warm white (2700K)	975	M-URC-T-WH-MD-NW M-URC-T-WH-MD-WW
arge rchin softlight	[†] urchin is inherently flexible; dimensions will vary on arrangement. All urchin softlights come with a 3 meter (10 foot) plug-in electrical cat	white textile shade warm white: 1020 kmens** neutral white: 1140 kmens** 12W power draw 81.5 centimeters Ø x 52 centimeters tall † (32 inches Ø x 20.5 inches) shipping weight: 3.0kg (6.6ibs)* ships in box: 58 x 27 x 11 centimeters (32 x 10.75 x 4.25 inches)	plug-in 110 - 240 V plug types available: A, C, G, I	neutral white (4000K) warm white (2700K)	1400	M-URC-T-WH-LG-NW M-URC-T-WH-LG-WW




^{*} weights may vary

^{**} lumen values refer to LED output; honeycomb shade will absorb some light

^{***} prices do not include shipping; purchaser is responsible for all taxes + import duties

cappello

cappello is a modest tribute to Achille Castiglioni, his brother Pier Giacomo, and Ingo Maurer-designers who have gifted the studio (and the world) much joy and inspiration. The Carrara marble base is a byproduct of the manufacturing process for Arco, the iconic floor lamp designed by the Castiglioni brothers in 1962. Cappello is lit by LED and shaded with a paper cap, or "cappello" in Italian. A simple magnetic connection allows the cap to slide to any position along the steel wire that springs from the marble base. This allows the cap to tilt, adjusting direction of light and giving the little lamp a gestural, anthropomorphic quality.





l C				\sim	
product	dimensions + specs	power supply voltage	LED colour	pricing CAD\$***	product code
cappello light		power supply voltage plug-in 110 - 240 V plug types available: A, C, G, I	Warm white (2700k)	pricing CAD\$***	product code M-CAP-WW



^{*} weights may vary

** lumen values refer to LED output; cappello shade will absorb some light

 $^{^{\}star\star\star}$ prices do not include shipping; purchaser is responsible for all taxes + import duties

cork peg hooks	Available in two lengths, cork peg is a wall hook that uses a magnetic mounting system. cork is renewable, beautiful and naturally antibacteria form to diverse uses from door stop to toilet paper holder.									
product		dimensions	material + colour	pricing	product code					
cork peg · short		cork peg	natural cork peg	pricing CAD\$***	M·PEG·HOOK·S					
wall hook	-0	7.5 x 4 centimeters Ø (3 x 1.5 inches) bearing capacity: 3.2kg (7lbs)	Thatural Cork peg		WILETIOOKS					
		includes magnetic cup mount that screws to wall	nickel plated magnets							
cork peg · long vall mounted holder for toilet	- (0	cork peg 15 x 4 centimeters Ø (6 x 1.5 inches)	natural cork peg	75	M-PEG-HOOK-L					
aper + hand towels		includes magnetic cup mount that screws to wall	nickel plated magnets							



molodesign.com

float	suspende wall, allow fragrance	d bowl insulates liq ring for a simple, cyl and steam of the te	uid from I indrical fo a, transce	nands, and forms a len rm that can be held like ands the pragmatic to c	lesigned to emphasize the c s of liquid colour that project s a wine bottle. With a candle reate an engaging spatial exp	s light onto the ta lit below the tea la	abletop. The tea lan	tern has a	an insulating double
	float is exc	clusively available at	molodesi	gn.com					
product		volume ml (oz)	pricing CAD\$***	product code	product		volume ml (oz)	pricing CAD\$***	product code
tea lantern 3 glass parts: teapot, lid, candle holder		1000ml (34 fl oz)**	380	M·FLO·TL·C1·34 clear glass M·FLO·TL·F1·34	sugar + cream 3 parts: sugar with lid + cream		220ml (7.5 fl oz)* 120ml (4 fl oz)**	195	M·FLO·SC clear glass
steel filter				translucent fritted glass	small sugar + cream spirit measures set of 2	B B	50ml (1.7 fl oz)* 30ml (1 fl oz)**	150	M·FLO·SS·SM clear glass
small tea lantern 3 glass parts: teapot, lid, candle holder steel filter		500ml (17 fl oz)**	320	M·FLO·TS·C1·17 clear glass M·FLO·TS·F1·17 translucent fritted glass	glass infuser optional accessory to tea lantern	IJIJ	available in small or large to match size of tea lantern	55	M·FLO·GLASS·FLTR clear glass
tea / coffee / rocks glasses set of 2		220ml (7.5 fl oz)* 150ml (5 fl oz)**	170	M·FLO·TC·CF·RK·7.5 clear glass	matcha / latte bowl 1 bowl		470ml (16 fl oz)* 180ml (6 fl oz)**	180	M·FLO·MB·LT·16 clear glass
champagne flutes set of 2		180ml (6 fl oz)* 120ml (4 fl oz)**	145	M·FLO·CF-8 clear glass	wine / cappuccino glasses set of 2		400ml (14 fl oz)* 150ml (5 fl oz)**	200	M·FLO·WG·CP·14 clear glass
pilsner / cocktail flutes set of 2		325ml (11 fl oz)* 300ml (10 fl oz)**	160	M·FLO·PF-11 clear glass	liqueur / espresso / sake glasses set of 2		55ml (1.9 fl oz)* 45ml (1.5 fl oz)**	140	M·FLO·ES·LG·1.9 clear glass
martini glasses set of 2	77	200ml (7 fl oz)* 90ml (3 fl oz)**	180	M-FLO-MG-C2-7 clear glass M-FLO-MG-F2-7 translucent fritted glass	glass balls for candlelight set of 3	0	10cm Ø (4in) works with a 4.5cm Ø (1.75in) floating candle	70	M-FLO-GB-C3 clear glass M-FLO-GB-F3 translucent fritted glass
large deep bowl		4000ml (135 fl oz)*	870	M·LG·FLO·DB	animal soup		530ml (18 fl oz)*	250	M·FLO·AS
1 bowl		20 Ø x 20cm (8 Ø x 8in)		clear glass	1 bowl		400ml (14 fl oz)**		clear glass
tall vase 1 vase		2500ml (84 fl oz)* 11 Ø x 33cm (4.33 Ø x 13in)	625	M·LG·FLO·TV clear glass	large shallow bowl 1 bowl		3000ml (100 fl oz)* 30 Ø x 11cm (11.8 Ø x 4.38in)	825	M·LG·FLO·SB clear glass



total volume to rim of glass
 suggested serving volume (ask for diagram)
 prices do not include shipping; purchaser is responsible for all taxes + import duties

Canadian Pricing and Terms

Pricing

All pricing is shown in CA\$. Shipping charges are additional. Purchaser is responsible for all taxes and import duties where applicable.

Payment and Shipping

Payment must be received in full before any goods will be shipped. We accept payment by bank wire, credit card (Visa, Mastercard, AMEX, Discover) or PayPal. We do not accept cheques. For credit card or Paypal payments of orders over CA \$5,000, a 3% processing fee will be charged. Standard delivery is by FedEx or freight forwarder.

Prices and policies are subject to change without notice.

Exchange Policy

All sales are final.

Goods which are damaged or defective at the time of receipt can be exchanged for the same goods, provided we are notified by e-mail, fax, or phone within two business days of receipt of the goods.

If any damages occur during installation, contact molo immediately and do not attempt to fix. Improper tampering of products may limit repair or replacement options.

This policy does not include goods which are not defective, but rather exhibit minor variations typical of handmade products. While we do not offer an official warranty, we stand behind our products and we are available to assist with any issues should they occur.

Ordering Information

E-mail orders to sales@molodesign.com, or fax +1 604 685 0342

For small orders, goods are normally in stock and ready to ship. For larger orders, projects with fixed deadlines, or orders with custom colour softwall + softblock, please allow for up to 18 weeks lead time.

Patents and Intellectual Property

molo products are designed by Stephanie Forsythe and Todd MacAllen, manufactured by Molo Design, Ltd. and protected by patents and/or design registrations viewable at molodesign.com/ip.

