


softwall + softblock

a freestanding space partition, molo softwall + softblock room divider is a modern partition design and folding wall that has the flexibility to be shaped in any curved or linear formation. When stored compressed, the folding wall shrinks to the thickness of a book. It expands to an impressive 4.5 meters long, or any length between. Made from layers of paper structured with flexible honeycomb geometry, the walls are a new building material—relinquishing notions of rigid space making in favour of sustainable design to accommodate change over time and responsible material use.

this easily moveable wall can be arranged as a room divider to absorb sound and delineate visual privacy, or to create a striking backdrop for an event or performance. As a modular system, each softwall + softblock has magnetic end panels that connect these flexible building blocks to create longer partitions and immersive, sculptural installations.

recognized for elegant design and innovation, softwall is held in the Museum of Modern Art's permanent collection and winner of the prestigious Danish INDEX Award, for design to improve life.

design by Stephanie Forsythe + Todd MacAllen



This drawing and the content represented is the exclusive property of molo design ltd. and cannot be used without their prior written consent. For site installations verify all dimensions and notify molo of any on-site discrepancies prior to construction. Drawing scale may be affected by printing, scanning, or copying. Do not scale drawings.



molo design, ltd.
1470 Venables Street
Vancouver, BC
Canada V5L 2G7

+ 1 604 685 0340
molodesign.com

Designed by Stephanie Forsythe and Todd MacAllen,
manufactured by molo and protected by one or more patents and/or design registrations held by molo, viewable at molodesign.com/ip

METRIC DRAWING SET

OVERVIEW

softwall + softblock is a modular system of flexible space partitions. Elements are stackable and come in standard heights ranging from 30.5 to 305 centimeters tall.

Each softwall is flexible in length, opening to a maximum extension of 4.5 meters or shorter lengths as required. You can create longer partitions by easily connecting two or more softwalls via their magnetic end panels. When a softwall is compressed for shipping or storage, it is less than 5 centimeters thick.

By virtue of its honeycomb cell structure, the soft collection makes highly efficient use of its material. Once expanded, a softwall is 100 times the size of its compressed form. It can be easily re-compressed for efficient storage or shipping.

PAPER · MATERIAL

softwall + softblock is offered in three paper colour choices — brown, blue and black. brown and blue paper furniture is made from wood harvested from FSC® Certified (FSC® C158591) responsible sources. All paper products have been produced with non-toxic fire retardants, adhesives and inks.

We do not recommend using paper products in extreme humidity environments, where softblock + softwall may come into contact with moisture.

TEXTILE · MATERIAL

Made from non-woven polyethylene, textile is tear- and water-resistant, anti-static to repel dust and has a natural UV protection that prevents yellowing with sunlight or age. The translucent material has a delicate appearance reminiscent of Japanese washi and comes to life when illuminated by sunlight or integrated LED. textile softwall + softblock have a “Class A” rating for flame spread and smoke, developed in accordance with ASTM E84-05. All products made with the textile are easy to maintain and can be dusted, vacuumed or wiped clean with a damp cloth. The textile is 100% recyclable.

PANTONE MATCHING

Here is a list of the closest Pantone matches for molo colours and materials:

brown paper: Pantone 7565U
 blue paper: Pantone 293U · blue
 black paper: Pantone 19-0000 TPG/TCX · raven
 black textile: Pantone 19-0405 TPG/TCX · beluga
 white textile: Pantone 11-4001 TPG/TCX · brilliant white (also matches Corian Glacier White)
 aluminum textile: Pantone 877 C · metallic

CUSTOM COLOUR

We can create custom colour textile softwall from any Pantone. This requires a minimum order quantity of approximately 36 - 76 units, depending on the size of the softwall, and an estimated lead time of 21 - 25 weeks. If these minimums are too high for your current project or budget, we offer a waitlist where we aim to group together client projects using similar Pantones.

LIMITED EDITION

The way light reflects back and forth between the vertical fins and folds of softwall amplifies colour and transforms a single shade into a dynamic range of hues that change as light moves across the partition’s sculptural form. Observing similar effects in nature has inspired designers Stephanie Forsythe and Todd MacAllen to create softwall in a series of limited-edition colours. These limited-edition colours are also chosen intuitively for their effect on our emotions.

gilded paper:

In their material investigations, Stephanie Forsythe + Todd MacAllen found inspiration in gilded books and illuminated manuscripts.

Traditionally, artisans, bookbinders, and monks applied a thin layer of gold to the paper’s edge. This process served the practical function of safeguarding from dust, moisture, and sunlight but most significantly illuminated the manuscript’s importance. Through the same centuries-old process, the paper edges were coated with 24-karat gold leaf that will never tarnish. The gilded pleats catch light with a subtle beauty and sheen that shifts with the viewing angle.

Please inquire for more information.

RADIUS / SQUARE EDGE

softblock is offered with both a square and radius cut bottom corners. Any softwall + softblock which is in contact with the floor should be oriented so that its rounded edge is at the floor and the square edge is at the top. This minimizes wear over time and brings visual lightness to the way the partition meets the floor. For more information, review pages 3 & 4.

FIRE CERTIFICATIONS

M1 · France	· all paper products · white textile has a Class A fire rating — if M1 is required, please inquire French NF P 92 503-507 (M1) 504 rate of flame spread test. The test material is classified into 5 categories that define the fire resistance of materials: M0: non-combustible. M1: combustible (non-flammable). M2: combustible (flame retardant) M3: combustible (moderately flammable) M4: combustible (highly flammable) NC: not classified
B1 · Germany	· all paper products · white textile has a Class A fire rating — if B1 is required, please inquire German DIN 4102-1 defines fire behavior classes for building materials and specifies requirements and test methods for each class. The test material is classified into 5 categories that define the fire resistance of materials: A1 + A2: fireproof materials. B1: not easily flammable. B2: flammable B3: easily flammable. B1 (Brandschacht) is the main test method in Germany which measures reaction to fire and is considered the highest flammability standard in the country.
ASTM 84-05 Class A · United States	· all textile products — if M1 or B1 is required, please inquire Class A fire rating represents the highest rating achievable, indicating a flame spread of 0-25 and smoke developed between 0-450. A designation of Class A, or Class I, is considered superior fire protection.
NFPA 701 · United States	· all paper products · white textile has a Class A fire rating — if M1 or B1 is required, please inquire NFPA 701 testing measures the ignition resistance of a fabric after it is exposed to a flame for 12 seconds.

ACOUSTICS

There are two ways that softwall + softblock improve acoustics. First, their flowing pleated forms break up a room’s flat, typically parallel surfaces, reducing sound reflection and standing waves. Second, the sound is absorbed by softwall + softblock’s honeycomb structure, reducing sound transmission through the partitions.

NRC stands for Noise Reduction Coefficient. It is a rating system that explains how much sound an acoustic product can absorb. Ratings range from 0 to 1. An acoustic product with a 0.95 NRC rating means that 95% of the space’s noise is absorbed, while 5% is reflected.

molo softwall + softblock modular system has an average absorption range of 0.25 - 0.50.

NRC = 0.25 9.25” (23.5cm) wide softwall + softblock
 NRC = 0.30 13.3” (34cm) wide softwall + softblock
 NRC = 0.50 17.75” (45cm) wide softwall + softblock
 NRC = 0.45 cloud softlight
 * softwall + softblock NRC tests have been completed in textile and paper materials, resulting in the same NRC values.

Other soft collection products, such as seating, lighting, and tables, will absorb sound in a space as they all share the same type of honeycomb structure and pleated form.

FSC® CERTIFIED

molo brown and blue paper furniture is made from wood harvested from FSC® Certified (FSC® C158591) responsible sources and coated with a non-toxic fire retardant.

The Forest Stewardship Council GmbH is an international non-profit, multistakeholder organization established in 1993 that promotes responsible management of the world’s forests via timber certification. The FSC certification is considered the “gold standard” designation for wood harvested from forests that are responsibly managed, socially beneficial, environmentally conscious, and economically viable.

SUSTAINABILITY

The soft collection follows three core sustainable principles: flexible use of space, efficient use of material, and recyclable/responsible materials.

flexible use of space · Enabling a space to suit diverse use over time, throughout the day or over its lifespan, is an inherently sustainable practice. The soft collection requires no tools or additional supports to create freestanding structures and is easily folded away for storage. Whether for the temporary division of space in a live / work environment or shaping space for the unpredictable growth of a new business, the soft collection empowers people to change and adapt their spaces.

efficient use of material · By virtue of its honeycomb cell structure, the soft collection makes highly efficient use of its material. Once expanded, a softwall is 100 times the size of its compressed form. It can be easily re-compressed for efficient storage or shipping.

recyclable/responsible materials · softwall + softblock are designed with the intention of a long, useful life. Nevertheless, the materials can be recycled. After removing the magnets from the end panels, recycle the remaining material. textile softwall is 100% polyethylene, number “2” in the recycling stream, and paper softwall can be recycled with any regular paper recycling program.

DOWNLOAD CERTIFICATES

download all certificates at <https://molodesign.com/documentation/certifications/>


OPTIONAL ACCESSORIES

LED kit	optional LED ribbons wind through horizontal tunnels that are in each softwall + softblock, to transform these elements into expressive, luminous space partitions.
steel anchor strip	to connect softwall + softblock to fixed walls, cabinetry or structures.
wool felt handles	for ease of handling, wool felt handles may attach to paper or textile softwalls that are opened and closed frequently. Each set contains two felt pieces that combine to create a grip for one end of softwall.
tubing	may be used to lock softwall + softblock in straight lines or to form lintels over openings.
clipping system	to mount signage + printed material for display on softwall and softblock.
peg + strip	to reinforce and align horizontal layers of softblocks.
steel base	additional support for stacking softwall or softblock.
glass vase	glass vase is a delicate cylinder of borosilicate glass, handblown in the Czech Republic. The vase inserts into the hollow openings of the softwall + softblock honeycomb structure.

2D + 3D DRAWING FILES

AutoCAD, Sketchup, Revit, 3DS, and Rhino drawing files for softwall + softblock are available for download at <https://molodesign.com/documentation/product-drawings/>

<p>This drawing and the content represented is the exclusive property of molo design ltd. and cannot be used without their prior written consent. For site installations verify all dimensions and notify molo of any on-site discrepancies prior to construction. Drawing scale may be affected by printing, scanning, or copying. Do not scale drawings.</p>		<p>molo design, ltd. 1470 Venables Street Vancouver, BC Canada V5L 2G7</p> <p>+ 1 604 685 0340 molodesign.com</p>	<p>Designed by Stephanie Forsythe and Todd MacAllen, manufactured by molo and protected by one or more patents and/or design registrations held by molo, viewable at molodesign.com/ip</p>	<p>softwall + softblock · SPECIFICATIONS AND CERTIFICATIONS</p> <p>DATE: 240917</p>	<h1>01</h1>
--	---	---	---	---	-------------




softwall + softblock · 340 mm wide
HEIGHT · RADIUS CUT BASE
305 mm tall 610 mm tall 915 mm tall 1220 mm tall 1830 mm tall 2440 mm tall 3050 mm tall
HEIGHT · SQUARE CUT BASE
305 mm tall 610 mm tall 915 mm tall 1220 mm tall

* custom height available, please inquire


PLAN · EXPANDED

- 50 mm diameter tunnels every 305 mm vertically, starting 150 mm from base of softwall + softblock tunnels are used for
 - handles when opening and positioning softwall + softblock
 - optional LED kit to illuminate white textile softwall
 - optional horizontal tubes to lock softwall + softblock in straight forms or to form lintels over openings




ELEVATION · UNFOLDED END PANEL (SQUARE-CUT CORNERS)

ELEVATION · UNFOLDED END PANEL (RADIUS-CUT CORNERS)



90° blocks only used when stacking on top of other softwall + softblock



12 mm radius cut at base of softwall + some softblock minimizes wear. Orient any softwall or softblock which is in contact with floor so rounded edge is on the ground

This drawing and the content represented is the exclusive property of molo design ltd. and cannot be used without their prior written consent. For site installations verify all dimensions and notify molo of any on-site discrepancies prior to construction. Drawing scale may be affected by printing, scanning, or copying. Do not scale drawings.




molo design, ltd.
1470 Venables Street
Vancouver, BC
Canada V5L 2G7

+1 604 685 0340
molodesign.com

Designed by Stephanie Forsythe and Todd MacAllen, manufactured by molo and protected by one or more patents and/or design registrations held by molo, viewable at molodesign.com/ip

softwall + softblock · 340 mm wide · SPECIFICATIONS
SCALE · 1:20

DATE: 240917




softwall + softblock · 235 mm wide
HEIGHT · RADIUS CUT BASE
305 mm tall
610 mm tall
915 mm tall
1220 mm tall
1525 mm tall
1830 mm tall
2440 mm tall
HEIGHT · SQUARE CUT BASE
305 mm tall
610 mm tall
915 mm tall
1220 mm tall


* custom height available, please inquire

PLAN · EXPANDED

- 50 mm diameter tunnels every 305 mm vertically, starting 150 mm from base of softwall + softblock tunnels are used for
- handles when opening and positioning softwall + softblock
 - optional LED kit to illuminate white textile softwall
 - optional horizontal tubes to lock softwall + softblock in straight forms or to form lintels over openings




ELEVATION · UNFOLDED END PANEL (SQUARE-CUT CORNERS)



90° blocks only used when stacking on top of other softwall + softblock

ELEVATION · UNFOLDED END PANEL (RADIUS-CUT CORNERS)



12 mm radius cut at base of softwall + some softblock minimizes wear. Orient any softwall or softblock which is in contact with floor so rounded edge is on the ground

This drawing and the content represented is the exclusive property of molo design ltd. and cannot be used without their prior written consent. For site installations verify all dimensions and notify molo of any on-site discrepancies prior to construction. Drawing scale may be affected by printing, scanning, or copying. Do not scale drawings.




molo design, ltd.
1470 Venables Street
Vancouver, BC
Canada V5L 2G7

+ 1 604 685 0340
molodesign.com

Designed by Stephanie Forsythe and Todd MacAllen, manufactured by molo and protected by one or more patents and/or design registrations held by molo, viewable at molodesign.com/ip



softwall + softblock · 235 mm wide · SPECIFICATIONS
SCALE · 1:20

DATE: 240917



softwall · 3050 mm tall x 340 mm wide x 4.5 meters long*			
COLOUR · MATERIAL	PRODUCT WEIGHT	SHIPPING WEIGHT	SKU
white · textile	18.6 kg	31.6 kg	M-SW-T-WH-10-13
aluminum · textile	20.4 kg	33.4 kg	M-SW-T-AL-10-13
black · textile	20.4 kg	33.4 kg	M-SW-T-BK-10-13
custom colour · textile (16-24 week lead time)	20.4 kg	33.4 kg	M-SW-T-CC-10-13

*small amount of length lost when softwall + softblock are placed in curved configurations



This drawing and the content represented is the exclusive property of molo design ltd. and cannot be used without their prior written consent. For site installations verify all dimensions and notify molo of any on-site discrepancies prior to construction. Drawing scale may be affected by printing, scanning, or copying. Do not scale drawings.




molo design, ltd.
1470 Venables Street
Vancouver, BC
Canada V5L 2G7

+ 1 604 685 0340
molodesign.com

Designed by Stephanie Forsythe and Todd MacAllen, manufactured by molo and protected by one or more patents and/or design registrations held by molo, viewable at molodesign.com/ip



DATE: 240917

softwall · 3050 mm tall x 340 mm wide · SPECIFICATIONS
SCALE · 1:20




softwall · 2440 mm tall x 340 mm wide x 4.5 meters long*			
COLOUR · MATERIAL	PRODUCT WEIGHT	SHIPPING WEIGHT	SKU
brown · paper (12-18 week lead time)	26.0 kg	33.1 kg	M-SW-P-FSC-BR-08-13
black · paper (12-18 week lead time)	26.0 kg	33.1 kg	M-SW-P-BK-08-13
blue · paper (12-18 week lead time)	26.0 kg	33.1 kg	M-SW-P-FSC-BU-08-13
white · textile	14.9 kg	22.1 kg	M-SW-T-WH-08-13
aluminum · textile	16.3 kg	23.5 kg	M-SW-T-AL-08-13
black · textile	16.3 kg	23.5 kg	M-SW-T-BK-08-13
custom colour · textile (16-24 week lead time)	16.3 kg	23.5 kg	M-SW-T-CC-08-13

* small amount of length lost when softwall + softblock are placed in curved configurations



This drawing and the content represented is the exclusive property of molo design ltd. and cannot be used without their prior written consent. For site installations verify all dimensions and notify molo of any on-site discrepancies prior to construction. Drawing scale may be affected by printing, scanning, or copying. Do not scale drawings.



molo design, ltd.
1470 Venables Street
Vancouver, BC
Canada V5L 2G7

+ 1 604 685 0340
molodesign.com



Designed by Stephanie Forsythe and Todd MacAllen,
manufactured by molo and protected by one or more patents and/or design registrations held by molo, viewable at molodesign.com/ip

softwall · 2440 mm tall x 340 mm wide · SPECIFICATIONS
SCALE · 1:20

DATE: 240917

softblock · 1220 mm tall x 340 mm wide x 4.5 meters long*			
COLOUR · MATERIAL	PRODUCT WEIGHT	SHIPPING WEIGHT	SKU
brown · paper	13.0 kg	17.2 kg	M-SB-P-FSC-BR-04-13
black · paper	13.0 kg	17.2 kg	M-SB-P-BK-04-13
blue · paper	13.0 kg	17.2 kg	M-SB-P-FSC-BU-04-13
white · textile	7.4 kg	11.6 kg	M-SB-T-WH-04-13
aluminum · textile	7.6 kg	11.8 kg	M-SB-T-AL-04-13
black · textile	7.6 kg	11.8 kg	M-SB-T-BK-04-13
custom colour · textile (16-24 week lead time)	7.6 kg	11.8 kg	M-SB-T-CC-04-13

* small amount of length lost when softwall + softblock are placed in curved configurations



This drawing and the content represented is the exclusive property of molo design ltd. and cannot be used without their prior written consent. For site installations verify all dimensions and notify molo of any on-site discrepancies prior to construction. Drawing scale may be affected by printing, scanning, or copying. Do not scale drawings.



molo design, ltd.
1470 Venables Street
Vancouver, BC
Canada V5L 2G7

+ 1 604 685 0340
molodesign.com




Designed by Stephanie Forsythe and Todd MacAllen,
manufactured by molo and protected by one or more patents and/or design registrations held by molo, viewable at molodesign.com/ip

softblock · 1220 mm tall x 340 mm wide · SPECIFICATIONS
SCALE · 1:20

DATE: 240917

softblock · 915 mm tall x 340 mm wide x 4.5 meters long*			
COLOUR · MATERIAL	PRODUCT WEIGHT	SHIPPING WEIGHT	SKU
brown · paper	9.7 kg	13.0 kg	M-SB-P-FSC-BR-03-13
black · paper	9.7 kg	13.0 kg	M-SB-P-BK-03-13
blue · paper	9.7 kg	13.0 kg	M-SB-P-FSC-BU-03-13
white · textile	5.6 kg	8.9 kg	M-SB-T-WH-03-13
aluminum · textile	6.2 kg	9.5 kg	M-SB-T-AL-03-13
black · textile	6.2 kg	9.5 kg	M-SB-T-BK-03-13
custom colour · textile (16-24 week lead time)	6.2 kg	9.5 kg	M-SB-T-CC-03-13

* small amount of length lost when softwall + softblock are placed in curved configurations



This drawing and the content represented is the exclusive property of molo design ltd. and cannot be used without their prior written consent. For site installations verify all dimensions and notify molo of any on-site discrepancies prior to construction. Drawing scale may be affected by printing, scanning, or copying. Do not scale drawings.



molo design, ltd.
1470 Venables Street
Vancouver, BC
Canada V5L 2G7

+ 1 604 685 0340
molodesign.com




Designed by Stephanie Forsythe and Todd MacAllen,
manufactured by molo and protected by one or more patents and/or design registrations held by molo, viewable at molodesign.com/ip

softblock · 915 mm tall x 340 mm wide · SPECIFICATIONS
SCALE · 1:20

DATE: 240917

softblock · 610 mm tall x 340 mm wide x 4.5 meters long*			
COLOUR · MATERIAL	PRODUCT WEIGHT	SHIPPING WEIGHT	SKU
brown · paper	6.5 kg	8.7 kg	M-SB-P-FSC-BR-02-13
black · paper	6.5 kg	8.7 kg	M-SB-P-BK-02-13
blue · paper	6.5 kg	8.7 kg	M-SB-P-FSC-BU-02-13
white · textile	3.7 kg	5.9 kg	M-SB-T-WH-02-13
aluminum · textile	4.0 kg	6.2 kg	M-SB-T-AL-02-13
black · textile	4.0 kg	6.2 kg	M-SB-T-BK-02-13
custom colour · textile (16-24 week lead time)	4.0 kg	6.2 kg	M-SB-T-CC-02-13

* small amount of length lost when softwall + softblock are placed in curved configurations



This drawing and the content represented is the exclusive property of molo design ltd. and cannot be used without their prior written consent. For site installations verify all dimensions and notify molo of any on-site discrepancies prior to construction. Drawing scale may be affected by printing, scanning, or copying. Do not scale drawings.



molo design, ltd.
1470 Venables Street
Vancouver, BC
Canada V5L 2G7
+ 1 604 685 0340
molodesign.com




Designed by Stephanie Forsythe and Todd MacAllen,
manufactured by molo and protected by one or more patents and/or design registrations held by molo, viewable at molodesign.com/ip

softblock · 610 mm tall x 340 mm wide · SPECIFICATIONS
SCALE · 1:20

DATE: 240917

softwall · 305 mm tall x 340 mm wide x 4.5 meters long*			
COLOUR · MATERIAL	PRODUCT WEIGHT	SHIPPING WEIGHT	SKU
brown · paper	3.3 kg	4.5 kg	M-SB-P-FSC-BR-01-13
black · paper	3.3 kg	4.5 kg	M-SB-P-BK-01-13
blue · paper	3.3 kg	4.5 kg	M-SB-P-FSC-BU-01-13
white · textile	1.9 kg	3.1 kg	M-SB-T-WH-01-13
aluminum · textile	2.0 kg	3.2 kg	M-SB-T-AL-01-13
black · textile	2.0 kg	3.2 kg	M-SB-T-BK-01-13
custom colour · textile (16-24 week lead time)	2.0 kg	3.2 kg	M-SB-T-CC-01-13

* small amount of length lost when softwall + softblock are placed in curved configurations



This drawing and the content represented is the exclusive property of molo design ltd. and cannot be used without their prior written consent. For site installations verify all dimensions and notify molo of any on-site discrepancies prior to construction. Drawing scale may be affected by printing, scanning, or copying. Do not scale drawings.




molo design, ltd.
1470 Venables Street
Vancouver, BC
Canada V5L 2G7
+ 1 604 685 0340
molodesign.com

Designed by Stephanie Forsythe and Todd MacAllen,
manufactured by molo and protected by one or more patents and/or design registrations held by molo, viewable at molodesign.com/ip



softblock · 305 mm tall x 340 mm wide · SPECIFICATIONS
SCALE · 1:20

DATE: 240917



softwall · 2440 mm tall x 235 mm wide x 4.5 meters long*			
COLOUR · MATERIAL	PRODUCT WEIGHT	SHIPPING WEIGHT	SKU
brown · paper	16.3 kg	20.1 kg	M-SW-P-FSC-BR-08-09
black · paper	18.1 kg	21.9 kg	M-SW-P-BK-08-09
blue · paper	18.1 kg	21.9 kg	M-SW-P-FSC-BU-08-09
white · textile	10.3 kg	14.1 kg	M-SW-T-WH-08-09
aluminum · textile	10.5 kg	14.3 kg	M-SW-T-AL-08-09
black · textile	11.3 kg	15.1 kg	M-SW-T-BK-08-09
custom colour · textile (16-24 week lead time)	11.3 kg	15.1 kg	M-SW-T-CC-08-09

* small amount of length lost when softwall + softblock are placed in curved configurations



This drawing and the content represented is the exclusive property of molo design ltd. and cannot be used without their prior written consent. For site installations verify all dimensions and notify molo of any on-site discrepancies prior to construction. Drawing scale may be affected by printing, scanning, or copying. Do not scale drawings.



molo design, ltd.
1470 Venables Street
Vancouver, BC
Canada V5L 2G7

+ 1 604 685 0340
molodesign.com


Designed by Stephanie Forsythe and Todd MacAllen,
manufactured by molo and protected by one or more patents and/or design registrations held by molo, viewable at molodesign.com/ip

softwall · 2440 mm tall x 235 mm wide · SPECIFICATIONS
SCALE · 1:20

DATE: 240917

softwall · 1830 mm tall x 235 mm wide x 4.5 meters long*			
COLOUR · MATERIAL	PRODUCT WEIGHT	SHIPPING WEIGHT	SKU
brown · paper	12.6 kg	17.9 kg	M-SW-P-FSC-BR-06-09
black · paper	13.6 kg	18.9 kg	M-SW-P-BK-06-09
blue · paper	13.6 kg	18.9 kg	M-SW-P-FSC-BU-06-09
white · textile	7.8 kg	13.1 kg	M-SW-T-WH-06-09
aluminum · textile	8.5 kg	13.8 kg	M-SW-T-AL-06-09
black · textile	8.5 kg	13.8 kg	M-SW-T-BK-06-09
custom colour · textile (16-24 week lead time)	8.5 kg	13.8 kg	M-SW-T-CC-06-09

* small amount of length lost when softwall + softblock are placed in curved configurations



This drawing and the content represented is the exclusive property of molo design ltd. and cannot be used without their prior written consent. For site installations verify all dimensions and notify molo of any on-site discrepancies prior to construction. Drawing scale may be affected by printing, scanning, or copying. Do not scale drawings.



molo design, ltd.
1470 Venables Street
Vancouver, BC
Canada V5L 2G7

+ 1 604 685 0340
molodesign.com



Designed by Stephanie Forsythe and Todd MacAllen,
manufactured by molo and protected by one or more patents and/or design registrations held by molo, viewable at molodesign.com/ip

softwall · 1830 mm tall x 235 mm wide · SPECIFICATIONS
SCALE · 1:20

DATE: 240917

softwall · 1525 mm tall x 235 mm wide x 4.5 meters long*			
COLOUR · MATERIAL	PRODUCT WEIGHT	SHIPPING WEIGHT	SKU
brown · paper	10.5 kg	15.2 kg	M-SW-P-FSC-BR-05-09
black · paper	11.3 kg	16.0 kg	M-SW-P-BK-05-09
blue · paper	11.3 kg	16.0 kg	M-SW-P-FSC-BU-05-09
white · textile	6.5 kg	11.2 kg	M-SW-T-WH-05-09
aluminum · textile	7.1 kg	11.8 kg	M-SW-T-AL-05-09
black · textile	7.1 kg	11.8 kg	M-SW-T-BK-05-09
custom colour · textile (16-24 week lead time)	7.1 kg	11.8 kg	M-SW-T-CC-05-09

* small amount of length lost when softwall + softblock are placed in curved configurations



This drawing and the content represented is the exclusive property of molo design ltd. and cannot be used without their prior written consent. For site installations verify all dimensions and notify molo of any on-site discrepancies prior to construction. Drawing scale may be affected by printing, scanning, or copying. Do not scale drawings.



molo design, ltd.
1470 Venables Street
Vancouver, BC
Canada V5L 2G7
+ 1 604 685 0340
molodesign.com




Designed by Stephanie Forsythe and Todd MacAllen, manufactured by molo and protected by one or more patents and/or design registrations held by molo, viewable at molodesign.com/ip

softwall · 1525 mm tall x 235 mm wide · SPECIFICATIONS
SCALE · 1:20

DATE: 240917

softblock · 1220 mm tall x 235 mm wide x 4.5 meters long*			
COLOUR · MATERIAL	PRODUCT WEIGHT	SHIPPING WEIGHT	SKU
brown · paper	8.4 kg	12.2 kg	M-SB-P-FSC-BR-04-09
black · paper	9.0 kg	12.8 kg	M-SB-P-BK-04-09
blue · paper	9.0 kg	12.8 kg	M-SB-P-FSC-BU-04-09
white · textile	5.2 kg	9.0 kg	M-SB-T-WH-04-09
aluminum · textile	5.4 kg	9.2 kg	M-SB-T-AL-04-09
black · textile	5.7 kg	9.5 kg	M-SB-T-BK-04-09
custom colour · textile (16-24 week lead time)	5.7 kg	9.5 kg	M-SB-T-CC-04-09

* small amount of length lost when softwall + softblock are placed in curved configurations



This drawing and the content represented is the exclusive property of molo design ltd. and cannot be used without their prior written consent. For site installations verify all dimensions and notify molo of any on-site discrepancies prior to construction. Drawing scale may be affected by printing, scanning, or copying. Do not scale drawings.



molo design, ltd.
1470 Venables Street
Vancouver, BC
Canada V5L 2G7

+1 604 685 0340
molodesign.com



Designed by Stephanie Forsythe and Todd MacAllen,
manufactured by molo and protected by one or more patents and/or design registrations held by molo, viewable at molodesign.com/ip

softblock · 1220 mm tall x 235 mm wide · SPECIFICATIONS
SCALE · 1:20


DATE: 240917

softblock · 915 mm tall x 235 mm wide x 4.5 meters long*			
COLOUR · MATERIAL	PRODUCT WEIGHT	SHIPPING WEIGHT	SKU
brown · paper	6.3 kg	9.3 kg	M-SB-P-FSC-BR-03-09
black · paper	6.8 kg	9.8 kg	M-SB-P-BK-03-09
blue · paper	6.8 kg	9.8 kg	M-SB-P-FSC-BU-03-09
white · textile	3.9 kg	6.9 kg	M-SB-T-WH-03-09
aluminum · textile	4.3 kg	7.3 kg	M-SB-T-AL-03-09
black · textile	4.3 kg	7.3 kg	M-SB-T-BK-03-09
custom colour · textile (16-24 week lead time)	4.3 kg	7.3 kg	M-SB-T-CC-03-09

* small amount of length lost when softwall + softblock are placed in curved configurations



This drawing and the content represented is the exclusive property of molo design ltd. and cannot be used without their prior written consent. For site installations verify all dimensions and notify molo of any on-site discrepancies prior to construction. Drawing scale may be affected by printing, scanning, or copying. Do not scale drawings.



molo design, ltd.
1470 Venables Street
Vancouver, BC
Canada V5L 2G7

+ 1 604 685 0340
molodesign.com




Designed by Stephanie Forsythe and Todd MacAllen,
manufactured by molo and protected by one or more patents and/or design registrations held by molo, viewable at molodesign.com/ip

softblock · 915 mm tall x 235 mm wide · SPECIFICATIONS
SCALE · 1:20

DATE: 240917

softblock · 610 mm tall x 235 mm wide x 4.5 meters long*			
COLOUR · MATERIAL	PRODUCT WEIGHT	SHIPPING WEIGHT	SKU
brown · paper	4.2 kg	6.2 kg	M-SB-P-FSC-BR-02-09
black · paper	4.5 kg	6.5 kg	M-SB-P-BK-02-09
blue · paper	4.5 kg	6.5 kg	M-SB-P-FSC-BU-02-09
white · textile	2.6 kg	4.6 kg	M-SB-T-WH-02-09
aluminum · textile	2.8 kg	4.8 kg	M-SB-T-AL-02-09
black · textile	2.8 kg	4.8 kg	M-SB-T-BK-02-09
custom colour · textile (16-24 week lead time)	2.8 kg	4.8 kg	M-SB-T-CC-02-09

* small amount of length lost when softwall + softblock are placed in curved configurations



This drawing and the content represented is the exclusive property of molo design ltd. and cannot be used without their prior written consent. For site installations verify all dimensions and notify molo of any on-site discrepancies prior to construction. Drawing scale may be affected by printing, scanning, or copying. Do not scale drawings.



molo design, ltd.
1470 Venables Street
Vancouver, BC
Canada V5L 2G7
+ 1 604 685 0340
molodesign.com




Designed by Stephanie Forsythe and Todd MacAllen,
manufactured by molo and protected by one or more patents and/or design registrations held by molo, viewable at molodesign.com/ip

softblock · 610 mm tall x 235 mm wide · SPECIFICATIONS
SCALE · 1:20


DATE: 240917

softblock · 305 mm tall x 235 mm wide x 4.5 meters long*			
COLOUR · MATERIAL	PRODUCT WEIGHT	SHIPPING WEIGHT	SKU
brown · paper	2.1 kg	3.2 kg	M-SB-P-FSC-BR-01-09
black · paper	2.3 kg	3.4 kg	M-SB-P-BK-01-09
blue · paper	2.3 kg	3.4 kg	M-SB-P-FSC-BU-01-09
white · textile	1.3 kg	2.4 kg	M-SB-T-WH-01-09
aluminum · textile	1.4 kg	2.5 kg	M-SB-T-AL-01-09
black · textile	1.4 kg	2.5 kg	M-SB-T-BK-01-09
custom colour · textile (16-24 week lead time)	1.4 kg	2.5 kg	M-SB-T-CC-01-09

* small amount of length lost when softwall + softblock are placed in curved configurations




ELEVATION · OPEN END PANEL



ELEVATION · CLOSED END PANEL

This drawing and the content represented is the exclusive property of molo design ltd. and cannot be used without their prior written consent. For site installations verify all dimensions and notify molo of any on-site discrepancies prior to construction. Drawing scale may be affected by printing, scanning, or copying. Do not scale drawings.



molo design, ltd.
1470 Venables Street
Vancouver, BC
Canada V5L 2G7

+ 1 604 685 0340
molodesign.com

Designed by Stephanie Forsythe and Todd MacAllen,
manufactured by molo and protected by one or more patents and/or design registrations held by molo, viewable at molodesign.com/ip

softblock · 305 mm tall x 235 mm wide · SPECIFICATIONS
SCALE · 1:20

DATE: 240917