






molo


small cloud mobile anatomy






small cloud mobile parts



cloud shade
2x sm, 1x md
(compressed for shipping)




plug-in transformer



shade armature
+ LEDs
2x sm, md




split ring pliers




set of 3 carbon rods
2x sm, 1x md

anatomy of cloud pendant within mobile




cloud pendant assembly




step 3



fasten with provided
chicago bolt



step 4



step 5



step 6

step 1: Review [cloud pendant instructional video](http://www.molodesign.com/instructional-video-cloud-pendant) (www.molodesign.com/instructional-video-cloud-pendant)

step 2: Stretch cloud shade carefully, as shown in video linked above.

step 3: Undo the chicago bolt and split the angle ring LED armature by pulling the open ends of the ring apart vertically. Thread the armature through the cloud shade with the horizontal flange facing down. Make sure the flat side of the shade is facing up and the wider end of the shade is facing outwards.


IMPORTANT: If this step is not done correctly the cloud will look “droopy” when installed. The cloud should sit relatively flat and undulate gently when installed correctly.

step 4: Close armature ring and fasten through hole in LED ribbons and aluminum ring using provided chicago bolt.

step 5: Complete the outer ring of the armature by inserting the white painted carbon rods into the aluminum tube connectors (fixed to cables). The rods will flex to create a circle inside the cavity of the shade.

step 6: Feed two of the three support cables through the larger cells of the shade. Make sure the red tagged wire passes through the red tagged cell and the blue tagged wire passes through the blue tagged cell . **Remove tags.**

cloud pendant assembly



step 7: Use split ring pliers to open the key ring attached to main support cable and attach the three support cables from cloud pendant armature.


step 8: Connect electrical wire to LED ribbon inside shade (be sure to line up matching groove in male and female ends of clear connectors).

step 9: Close the shade around the armature by grabbing 20+ layers of the outer fins and pulling the magnetic end panels around the ring until they connect together. The third steel support cable and electrical wire should be sandwiched between the two closed magnetic end panels.

small cloud mobile installation


step 10

push up on cable gripper to allow support cable to pass through



cut away excess support cable after cloud mobile is set to desired height

hanging method must support 3.0kg weight of cloud mobile (hook not included)




step 12


if mobile is unbalanced, adjust balance by moving pendant support cables along notches in aluminum bars of mobile armature

step 11

wrap electrical wire loosely around support cable and connect to transformer after height of cloud mobile is set



lift mobile and hang from cable gripper



Designed by Stephanie Forsythe and Todd MacAllen, manufactured by molo and protected by one or more patents and/or design registrations held by molo, viewable at molodesign.com/ip

