

USD Domestic price list

all taxes & duties included for shipments delivered within the United States
shipping quoted separately

Fall 2025

Molo Design, Ltd.

1470 Venables Street
Vancouver, BC
Canada V5L 2G7

t +1 604 586 0340

f +1 604 685 0342


info@molodesign.com

www.molodesign.com



soft collection

softwall + softblock modular system softwall + softblock is a modular system of freestanding, flexible partition walls and building blocks. The elements are available in a variety of materials and colours to offer a range of properties including translucency or opacity, acoustic absorption and fire rating, UV and water resistance. The paper and textile materials are recyclable. Blue and brown paper products are made from wood harvested from FSC® Certified (FSC® C158591) responsible sources. softwall + softblock is flexible in length, opening to a maximum of 4.5 meters long (15 feet) when fully expanded. When softwall + softblock are compressed for storage, they measure less than 5 centimeters thick (2 inches). Elements may open less than the full length to create shorter partitions, or form longer walls by connecting two or more softwalls via their magnetic end panels. An optional wall hook is available for simple, compact storage.



| product | dimensions | material + colour | product weight * | shipping weight * | pricing US\$ *** | product code |
|--|---|--|---|---|--|--|
| softwall 5 feet tall x 9.25 inches deep (152.5 cm x 23.5 cm) <small>§FR textile softwall is 11.5 inches (29 centimeters)</small> | | paper · brown paper · black textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour ** | 10.5 kg 11.3 kg 6.5 kg 8.8 kg 7.1 kg 7.1 kg varies | 15.2 kg 16.0 kg 11.2 kg 12.9 kg 11.8 kg 11.8 kg varies | 1150 1350 2075 2725 2550 2550 2550 varies | M-SW-P-FSC-BR-05-09 M-SW-P-BK-05-09 M-SW-T-WH-05-09 M-SW-FR-T-WH-05-12 M-SW-T-AL-05-09 M-SW-T-GRN-05-09 M-SW-T-BK-05-09 M-SW-T-CC-05-09 |
| softwall 6 feet tall x 9.25 inches deep (183 cm x 23.5 cm) <small>§FR textile softwall is 11.5 inches (29 centimeters)</small> | | paper · brown paper · black textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour ** | 12.6 kg 13.6 kg 7.8 kg 10.5 kg 8.5 kg 8.5 kg 8.5 kg varies | 17.9 kg 18.9 kg 13.1 kg 15.1 kg 13.8 kg 13.8 kg 13.8 kg varies | 1325 1550 2375 3125 2875 2875 2875 varies | M-SW-P-FSC-BR-06-09 M-SW-P-BK-06-09 M-SW-T-WH-06-09 M-SW-FR-T-WH-06-12 M-SW-T-AL-06-09 M-SW-T-GRN-06-09 M-SW-T-BK-06-09 M-SW-T-CC-06-09 |
| softwall 8 feet tall x 9.3 inches deep (244 cm x 23.5 cm) <small>§FR textile softwall is 11.5 inches (29 centimeters)</small> | | paper · brown paper · black textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour ** | 16.3 kg 18.1 kg 10.3 kg 14.4 kg 11.3 kg 11.3 kg 11.3 kg varies | 20.2 kg 22.0 kg 14.2 kg 20.6 kg 15.2 kg 15.2 kg 15.2 kg varies | 1650 1950 3225 4225 4125 4475 4475 varies | M-SW-P-FSC-BR-08-09 M-SW-P-BK-08-09 M-SW-T-WH-08-09 M-SW-FR-T-WH-08-12 M-SW-T-AL-08-09 M-SW-T-GRN-08-09 M-SW-T-BK-08-09 M-SW-T-CC-08-09 |
| softwall 8 feet tall x 13.3 inches deep (244 cm x 34 cm) <small>§FR textile softwall is 17.75 inches (45 centimeters)</small> | | textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour ** | 14.9 kg 18.0 kg 16.3 kg 16.3 kg 16.3 kg varies | 22.1 kg 25.6 kg 23.5 kg 23.5 kg 23.5 kg varies | 3850 5225 5175 5350 5350 varies | M-SW-T-WH-08-13 M-SW-FR-T-WH-08-18 M-SW-T-AL-08-13 M-SW-T-GRN-08-13 M-SW-T-BK-08-13 M-SW-T-CC-08-13 |
| softwall 10 tall x 13.3 inches deep (305 cm x 34 cm) <small>§FR textile softwall is 17.75 inches (45 centimeters)</small> | | textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour ** | 18.6 kg 22.5 kg 20.4 kg 20.4 kg 20.4 kg varies | 31.6 kg 36.0 kg 33.4 kg 33.4 kg 33.4 kg varies | 4950 6275 6125 6325 6325 varies | M-SW-T-WH-10-13 M-SW-FR-T-WH-10-18 M-SW-T-AL-10-13 M-SW-T-GRN-10-13 M-SW-T-BK-10-13 M-SW-T-CC-10-13 |
| custom colour ** | † softwall + softblock is flexible in length, opening to a max 4.5 meters long (15 feet). When compressed, softwall + softblock is less than 5 centimeters thick (2 inches). | textile softwall + softblock is available in any Pantone minimum order: varies; please inquire lead time: 21 - 25 weeks * * expedited service available | | | price varies with colour + size; please request a quote | |
| custom height fee | | softwall + softblock can be trimmed to custom height there are some constraints due to position of magnets in end panels; please inquire | | | 100 | SRV-CUT-H-WALL |


* weights may vary
 ** custom colour softwall + softblock: 21 - 25 week lead time + minimum quantities may apply
 *** prices include all taxes & duties; shipping quoted separately



soft collection

softwall + softblock modular system paper

paper softwall + softblock is made from a robust, cellulose-based paper that is UV resistant, coated with a non-toxic fire retardant, and recyclable. blue and brown paper products are made from FSC® Certified (FSC® C158591) responsible sources. We do not recommend using this material in environments of extreme humidity, where it may come into contact with moisture. softblock is a system of flexible building blocks that can be stacked and connected to create textured backdrops or displays.



| product | dimensions | material + colour | product weight * | shipping weight * | pricing US\$ *** | product code |
|---|------------|--|----------------------------|-------------------------------|---------------------|---|
| softblock 1-foot tall x 9.25 inches deep (30.5 cm x 23.5 cm) | | paper · brown paper · black | 2.1 kg 2.3 kg | 3.2 kg 3.4 kg | 275 300 | M-SB-P-FSC-BR-01-09 M-SB-P-BK-01-09 |
| softblock 2 feet tall x 9.25 inches deep (61 cm x 23.5 cm) | | paper · brown paper · black | 4.2 kg 4.5 kg | 6.2 kg 6.5 kg | 475 550 | M-SB-P-FSC-BR-02-09 M-SB-P-BK-02-09 |
| softblock 3 feet tall x 9.25 inches deep (91.5 cm x 23.5 cm) | | paper · brown paper · black | 6.3 kg 6.8 kg | 9.3 kg 9.8 kg | 725 825 | M-SB-P-FSC-BR-03-09 M-SB-P-BK-03-09 |
| softblock 4 feet tall x 9.25 inches deep (122 cm x 23.5 cm) | | paper · brown paper · black | 8.4 kg 9.0 kg | 12.2 kg 12.8 kg | 925 1075 | M-SB-P-FSC-BR-04-09 M-SB-P-BK-04-09 |
| softblock 1-foot tall x 13.3 inches deep (30.5 cm x 34 cm) | | paper · brown paper · black paper · blue | 3.3 kg 3.3 kg 3.3 kg | 4.5 kg 4.5 kg 4.5 kg | 325 425 425 | M-SB-P-FSC-BR-01-13 M-SB-P-BK-01-13 M-SB-P-FSC-BU-01-13 |
| softblock 2 feet tall x 13.3 inches deep (61 cm x 34 cm) | | paper · brown paper · black paper · blue | 6.5 kg 6.5 kg 6.5 kg | 8.7 kg 8.7 kg 8.7 kg | 575 750 750 | M-SB-P-FSC-BR-02-13 M-SB-P-BK-02-13 M-SB-P-FSC-BU-02-13 |
| softblock 3 feet tall x 13.3 inches deep (91.5 cm x 34 cm) | | paper · brown paper · black paper · blue | 9.7 kg 9.7 kg 9.7 kg | 13.0 kg 13.0 kg 13.0 kg | 825 1050 1050 | M-SB-P-FSC-BR-03-13 M-SB-P-BK-03-13 M-SB-P-FSC-BU-03-13 |
| softblock 4 feet tall x 13.3 inches deep (122 cm x 34 cm) | | paper · brown paper · black | 13.0 kg 13.0 kg | 17.2 kg 17.2 kg | 1075 1350 | M-SB-P-FSC-BR-04-13 M-SB-P-BK-04-13 |

† softblock is flexible in length, opening to a max 4.5 meters long (15 feet).
When compressed for storage, softblock is less than 5 centimeters thick (2 inches).

* weights may vary


*** prices include all taxes & duties; shipping quoted separately



soft collection

softwall + softblock modular system textile

textile softwall + softblock is made from non-woven polyethylene. This material is tear and water-resistant, anti-static to repel dust, recyclable and is highly UV-resistant. molo offers a range of standard colours, and the textile material can be printed in any Pantone. softblock is a system of flexible building blocks that can be stacked and connected to create textured backdrops or displays. Please ask about minimum order quantities or limited editions.



| product | dimensions | material + colour | product weight * | shipping weight * | pricing US\$ *** | product code |
|---|------------|--|--|---|--|--|
| softblock 1-foot tall x 9.25 inches deep (30.5 cm x 23.5 cm) §FR textile softblock is 11.5 inches (29 centimeters) | | textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour ** | 1.3 kg 1.8 kg 1.4 kg 2.5 kg 1.4 kg varies | 2.4 kg 2.8 kg 2.5 kg 2.5 kg varies | 450 575 525 525 525 varies | M-SB-T-WH-01-09 M-SB-FR-T-WH-01-12 M-SB-T-AL-01-09 M-SB-T-GRN-01-09 M-SB-T-BK-01-09 M-SB-T-CC-01-09 |
| softblock 2 feet tall x 9.25 inches deep (61 cm x 23.5 cm) §FR textile softblock is 11.5 inches (29 centimeters) | | textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour ** | 2.6 kg 3.6 kg 2.8 kg 4.8 kg 2.8 kg varies | 4.6 kg 5.4 kg 4.8 kg 4.8 kg 4.8 kg varies | 825 1100 1000 1025 1025 varies | M-SB-T-WH-02-09 M-SB-FR-T-WH-02-12 M-SB-T-AL-02-09 M-SB-T-GRN-02-09 M-SB-T-BK-02-09 M-SB-T-CC-02-09 |
| softblock 3 feet tall x 9.25 inches deep (91.5 cm x 23.5 cm) §FR textile softblock is 11.5 inches (29 centimeters) | | textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour ** | 3.9 kg 5.3 kg 4.3 kg 4.3 kg 4.3 kg varies | 6.9 kg 7.9 kg 7.3 kg 7.3 kg 7.3 kg varies | 1225 1600 1475 1500 1500 varies | M-SB-T-WH-03-09 M-SB-FR-T-WH-03-12 M-SB-T-AL-03-09 M-SB-T-GRN-03-09 M-SB-T-BK-03-09 M-SB-T-CC-03-09 |
| softblock 4 feet tall x 9.25 inches deep (122 cm x 23.5 cm) §FR textile softblock is 11.5 inches (29 centimeters) | | textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour ** | 5.2 kg 7.2 kg 5.4 kg 5.7 kg 5.7 kg varies | 9.0 kg 10.5 kg 9.2 kg 9.5 kg 9.5 kg varies | 1600 2075 1875 2000 2000 varies | M-SB-T-WH-04-09 M-SB-FR-T-WH-04-12 M-SB-T-AL-04-09 M-SB-T-GRN-04-09 M-SB-T-BK-04-09 M-SB-T-CC-04-09 |
| softblock 1-foot tall x 13.3 inches deep (30.5 cm x 34 cm) §FR textile softblock is 11.5 inches (29 centimeters) | | textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour ** | 1.9 kg 2.3 kg 2.0 kg 2.0 kg 2.0 kg varies | 3.1 kg 3.6 kg 3.2 kg 3.2 kg 3.2 kg varies | 550 800 700 700 700 varies | M-SB-T-WH-01-13 M-SB-FR-T-WH-01-18 M-SB-T-AL-01-13 M-SB-T-GRN-01-13 M-SB-T-BK-01-13 M-SB-T-CC-01-13 |
| softblock 2 feet tall x 13.3 inches deep (61 cm x 34 cm) §FR textile softblock is 11.5 inches (29 centimeters) | | textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour ** | 3.7 kg 4.5 kg 4.0 kg 4.0 kg 4.0 kg varies | 5.9 kg 6.7 kg 6.2 kg 6.2 kg 6.2 kg varies | 1025 1500 1275 1275 1275 varies | M-SB-T-WH-02-13 M-SB-FR-T-WH-02-18 M-SB-T-AL-02-13 M-SB-T-GRN-02-13 M-SB-T-BK-02-13 M-SB-T-CC-02-13 |
| softblock 3 feet tall x 13.3 inches deep (91.5 cm x 34 cm) §FR textile softblock is 11.5 inches (29 centimeters) | | textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour ** | 5.6 kg 6.8 kg 6.2 kg 6.2 kg 6.2 kg varies | 8.9 kg 10.3 kg 9.5 kg 9.5 kg 9.5 kg varies | 1500 2400 1875 1875 1875 varies | M-SB-T-WH-03-13 M-SB-FR-T-WH-03-18 M-SB-T-AL-03-13 M-SB-T-GRN-03-13 M-SB-T-BK-03-13 M-SB-T-CC-03-13 |
| softblock 4 feet tall x 13.3 inches deep (122 cm x 34 cm) §FR textile softblock is 11.5 inches (29 centimeters) | | textile · white (translucent) FR textile · white (translucent) § textile · aluminum textile · forest green textile · black textile · custom colour ** | 7.4 kg 9.0 kg 7.6 kg 7.6 kg 7.6 kg varies | 11.6 kg 13.4 kg 11.8 kg 11.8 kg 11.8 kg varies | 2000 2900 2425 2425 2425 varies | M-SB-T-WH-04-13 M-SB-FR-T-WH-04-18 M-SB-T-AL-04-13 M-SB-T-GRN-04-13 M-SB-T-BK-04-13 M-SB-T-CC-04-13 |

† softblock is flexible in length, opening to a max 4.5 meters long (15 feet).
 When compressed for storage, softblock is less than 5 centimeters thick (2 inches).

* weights may vary

** custom colour softwall + softblock: 21 - 25 week lead time + minimum quantities may apply


*** prices include all taxes & duties; shipping quoted separately



soft collection

softwall + softblock LED ribbon for white textile

Flexible LED ribbons integrate with textile softwall + softblock to transform the elements into expressive, luminous space partitions. Light emphasizes the subtle beauty of the translucent material, illuminating the delicate fibres. LEDs are available in neutral white (4000K), warm white (3000K) or warmer white (2700K). Please inquire about the recommended arrangement for your project.



| product | | dimensions | LED colour | pricing US\$ *** | product code |
|--|--|---|---|---|---|
| softwall + softblock LED we recommend 1 LED ribbon per every 2 feet (61 centimeters) in height of softwall or softblock. Please ask for advice specific to your project. | | LED · 1 ribbon kit · 4.5 m (15') ribbon 1 ribbon in any horizontal tunnel of any size softwall or softblock shipping weight: 1.7 lbs (0.79 kg) * | neutral white (4000K) warm white (3000K) warmer white (2700K) | 430 | M-1LED-15-24V-4000K M-1LED-15-24V-3000K M-1LED-15-24V-2700K |
| | | LED · 1 ribbon kit · 9.0 m (30') ribbon 1 ribbon in any horizontal tunnel of any size softwall or softblock shipping weight: 2.2 lbs (0.99 kg) * | neutral white (4000K) warm white (3000K) warmer white (2700K) | 695 | M-1LED-30-24V-4000K M-1LED-30-24V-3000K M-1LED-30-24V-2700K |
| | | LED · 2 ribbon kit · 4.5 m (15') ribbons up to 61 cm (2') apart 2 ribbons for a single softwall or softblock stack spaced at 2' (61 cm) vertical intervals | neutral white (4000K) warm white (3000K) warmer white (2700K) | 800 | M-2LED-15-24V-4000K-2 M-2LED-15-24V-3000K-2 M-2LED-15-24V-2700K-2 |
| | | LED · 2 ribbon kit · 4.5 m (15') ribbons up to 152.5 cm (5') apart 2 ribbons for a single softwall or softblock stack spaced at 5' (152.5 cm) vertical intervals | neutral white (4000K) warm white (3000K) warmer white (2700K) | | M-2LED-15-24V-4000K-5 M-2LED-15-24V-3000K-5 M-2LED-15-24V-2700K-5 |
| | | LED · 2 ribbon kit · 4.5 m (15') ribbons up to 213 cm (7') apart 2 ribbons for a single softwall or softblock stack spaced at 7' (213 cm) vertical intervals shipping weight: 2.4 lbs (1.07 kg) * | neutral white (4000K) warm white (3000K) warmer white (2700K) | | M-2LED-15-24V-4000K-7 M-2LED-15-24V-3000K-7 M-2LED-15-24V-2700K-7 |
| | | LED · 2 ribbon kit · 9.0 m (30') ribbons up to 61 cm (2') apart 2 ribbons for single softwall, spaced at 2' (61 cm) vertical intervals | neutral white (4000K) warm white (3000K) warmer white (2700K) | 1130 | M-2LED-30-24V-4000K-2 M-2LED-30-24V-3000K-2 M-2LED-30-24V-2700K-2 |
| | | LED · 2 ribbon kit · 9.0 m (30') ribbons up to 152.5 cm (5') apart 2 ribbons for single softwall, spaced at 5' (152.5 cm) vertical intervals | neutral white (4000K) warm white (3000K) warmer white (2700K) | | M-2LED-30-24V-4000K-5 M-2LED-30-24V-3000K-5 M-2LED-30-24V-2700K-5 |
| | | LED · 2 ribbon kit · 9.0 m (30') ribbons up to 213 cm (7') apart 2 ribbons for single softwall, spaced at 7' (213 cm) vertical intervals shipping weight: 3.4 lbs (1.56 kg) * | neutral white (4000K) warm white (3000K) warmer white (2700K) | | M-2LED-30-24V-4000K-7 M-2LED-30-24V-3000K-7 M-2LED-30-24V-2700K-7 |
| | | LED · 3 ribbon kit · 4.5 m (15') ribbons each LED up to 61 cm (2') apart 3 ribbons for a single softwall or softblock stack spaced at 2' (61 cm) vertical intervals shipping weight: 3.0 lbs (1.36 kg) * | neutral white (4000K) warm white (3000K) warmer white (2700K) | 1050 | M-3LED-15-24V-4000K-2-2 M-3LED-15-24V-3000K-2-2 M-3LED-15-24V-2700K-2-2 |
| | | LED · 4 ribbon kit · 4.5 m (15') ribbons each LED up to 91.5 cm (3') apart 4 ribbons for a single softwall or softblock stack spaced at 3' (91.5 cm) vertical intervals shipping weight: 3.5 lbs (1.58 kg) * | neutral white (4000K) warm white (3000K) warmer white (2700K) | 1265 | M-4LED-15-24V-4000K-3-3-3 M-4LED-15-24V-3000K-3-3-3 M-4LED-15-24V-2700K-3-3-3 |
| LED · 4 ribbon kit · 4.5 m (15') ribbons each LED up to 61 cm (2') apart 2 LED ribbons for each of two softwall and/or softblock stacks 2 ribbons in each, spaced at 2' (61 cm) vertical intervals shipping weight: 3.5 lbs (1.58 kg) * | | neutral white (4000K) warm white (3000K) warmer white (2700K) | 1265 | M-4LED-15-24V-4000K-2 M-4LED-15-24V-3000K-2 M-4LED-15-24V-2700K-2 | |
| electrical extension 4.5 meters (15 feet) | | to extend the length of power wire for softwall + softblock LED ribbon (silver coaxial cable) details available upon request | | 85 | M-EEXT-PI-15 |


* weights may vary
 *** prices include all taxes & duties; shipping quoted separately



soft collection

softwall + softblock accessories


softwall + softblock are freestanding, however, molo provides optional accessories that offer additional functionality. Please contact the studio to discuss which accessories may suit your project.




anchor strip
anchor magnetic end panel of softwall to any solid surface



felt handle
may attach to softwall that are opened and closed frequently



peg + strip
reinforce the connection between horizontal layers of softblock



tubes
transform softblock into a rigid beam to span windows or door openings. Tubes can also hold softwall + softblock in straight lengths.

| product | | dimensions | material + colour | pricing US\$ *** | product code |
|--|--|---|--|---------------------------|--------------------------------------|
| anchor strip 1 set per end of softwall, softblock | | for softblock 11.75 x 2.4 inches (30 x 6 cm) 1.5 lbs (0.7 kg) * | white powder coated steel without adhesive backing | 65 | M-STRP-WH-SB-01 |
| | | for softwall · 5' (152.5 cm) tall 54 x 6.3 inches (137 x 16 cm) 10.4 lbs (4.7 kg) * | white powder coated steel with adhesive backing | 225 | M-STRP-WH-SW-05 |
| | | for softwall · 6' (183 cm) tall 66 x 6.3 inches (167.5 x 16 cm) 12.4 lbs (5.6 kg) * | white powder coated steel with adhesive backing | 250 | M-STRP-WH-SW-06 |
| | | for softwall · 6' (183 cm) tall FR 66 x 2.4 inches (167.5 x 6 cm) 10.1 lbs (4.6 kg) * | white powder coated steel with adhesive backing | 300 | M-STRP-WH-FR-05 |
| | | for softwall · 8' (244 cm) + 10' (305 cm) tall 90 x 2.4 inches (228.5 x 6 cm) 13.6 lbs (6.2 kg) * | white powder coated steel with adhesive backing | 460 | M-STRP-WH-SW-08-10 |
| felt handle 1 set per end of softwall | | for softwall · 9.25 inches (23.5 cm) deep * 7.5 x 12 inches (19 x 30.5 cm) 0.4 lbs (0.2 kg) * * also used for thinwall | natural grey felted wool black felted wool | 90 100 | M-HNDL-FLT-GR-09 M-HNDL-FLT-BK-09 |
| | | for softwall · 13.3 inches (34 cm) deep * 8.5 x 12 inches (21.6 x 30.5 cm) 0.4 lbs (0.2 kg) * * also used for softwall · 11.5 in (29 cm) + 17.75 in (45 cm) deep | natural grey felted wool black felted wool | 90 100 | M-HNDL-FLT-GR-13 M-HNDL-FLT-BK-13 |
| hook for softwall to store compressed softwall on a wall | | hook for softwall 3.1 x 1 inches (7.8 x 2.5 cm) 0.2 lbs (0.1 kg) * | stainless steel | 17.50 | M-HOOK-SS-SW |
| peg + strip reinforce connection between horizontal layers of softblocks | | cork pegs 6 inches long x 1.5 inches Ø (15 x 4 cm) (set of 2) | natural cork pegs with magnets | 120 | M-2PEG-1STRP |
| | | steel strip 11.75 x 2.4 inches (30 x 6 cm) | white powder coated | | |
| tubes to lock softwall + softblock in straight line, or as a lintel above windows + doorways | | custom cut to length for your project, please inquire | clear PETG | \$6.50 /30.5 cm (1 ft) | M-TUBE-PETG |
| | | | natural brown paper | \$3.50 /30.5 cm (1 ft) | M-TUBE-P-BR |
| clipping system set of 10 | | small magnets 0.5 x 0.25-inch Ø (13 x 6 mm) 0.2 lbs (0.1 kg) * | steel clips, nickel plated magnets | 40 | M-CLIP-SM |
| | | large magnets 0.12 x 1-inch Ø (3 x 25 mm) 0.2 lbs (0.1 kg) * | | 65 | M-CLIP-LG |
| glass vase insert into honeycomb cells of softblock for flowers, pens, catering, etc. | | 7 inches long x 1.5-inch Ø (18 x 4 cm) 1 lbs (0.4 kg) * | clear borosilicate glass | 80 | M-VASE-GLS |
| steel disc use as tray / display surface on softblock | | 13.75-inch Ø (35 cm) 2.2 lbs (1.0 kg) * | white powder coated steel | 40 | M-DISC-ST-WH-LG |


* weights may vary
*** prices include all taxes & duties; shipping quoted separately



soft collection

wood softwall + softblock

wood softwall + softblock are made from FSC® Certified (FSC® C158591) sustainably sourced, engineered wood. Each piece is flexible in length opening to a maximum of 4.5 meters long (15 feet) when fully expanded, and their modular, magnetic end panels allow them to link in sequence to shape long stretches of wall or immersive environments and displays. Light transmits through the partitions as a delightful, warm glow and reveals playful, enigmatic forms as people or objects cast shadows against them. As natural light changes throughout the day, a range of colours is revealed in the walls, shifting through pale ash, soft cream, and rich yellows.



| product | dimensions | material + colour | product weight * | shipping weight * | pricing US\$ *** | product code |
|---|------------|-------------------|------------------|-------------------|------------------|---------------------|
| wood softblock 4 feet tall x 7.75 inches deep (122 cm x 19.5 cm) | | wood veneer | 14.2 kg | 18.0 kg | coming soon | M-SB-FSC-WOOD-04-08 |
| wood softwall 8 feet tall x 7.75 inches deep (244 cm x 19.5 cm) | | wood veneer | 30.0 kg | 36.0 kg | coming soon | M-SW-FSC-WOOD-08-08 |

* weights may vary

*** prices include all taxes & duties; shipping quoted separately

only products identified with a 'FSC' signifier are FSC® certified (FSC® C158591)


7 of 21



soft collection

suspended softwall + softblock luminaires

Lift white textile softwall + softblock into the air with new LED armatures designed to transform the partitions into suspended luminaires, seemingly weightless structures that hold straight lines or perfect 90-degree turns. suspended softwall + softblock luminaires are available in modules of 2.4 meters (8 feet). Connect them modularly and at different heights throughout a high-ceilinged space to form a hanging, luminous sculpture garden.



| product | dimensions | power supply voltage | LED colour | product weight * | pricing US\$ *** | product code |
|--|------------|--|--|------------------|------------------|---|
| suspended softblock luminaires 2 feet tall x 8 feet long (61 cm x 244 cm) | | plug-in 110 - 240V plug types available: A, C, G, I hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver | neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K) | 8.7 kg | 2275 | M-SSB-02-08-4000K-PI M-SSB-02-08-3000K-PI M-SSB-02-08-2700K-PI M-SSB-02-08-4000K M-SSB-02-08-3000K M-SSB-02-08-2700K |
| suspended softblock luminaires 3 feet tall x 8 feet long (91.5 cm x 244 cm) | | plug-in 110 - 240V plug types available: A, C, G, I hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver | neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K) | 10.2 kg | 2425 | M-SSB-03-08-4000K-PI M-SSB-03-08-3000K-PI M-SSB-03-08-2700K-PI M-SSB-03-08-4000K M-SSB-03-08-3000K M-SSB-03-08-2700K |
| suspended softblock luminaires 4 feet tall x 8 feet long (122 cm x 244 cm) | | plug-in 110 - 240V plug types available: A, C, G, I hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver | neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K) | 11.8 kg | 2600 | M-SSB-04-08-4000K-PI M-SSB-04-08-3000K-PI M-SSB-04-08-2700K-PI M-SSB-04-08-4000K M-SSB-04-08-3000K M-SSB-04-08-2700K |
| suspended softwall luminaires 5 feet tall x 8 feet long (152.5 cm x 244 cm) | | plug-in 110 - 240V plug types available: A, C, G, I hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver | neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K) | 13.3 kg | 2750 | M-SSW-05-08-4000K-PI M-SSW-05-08-3000K-PI M-SSW-05-08-2700K-PI M-SSW-05-08-4000K M-SSW-05-08-3000K M-SSW-05-08-2700K |
| suspended softwall luminaires 6 feet tall x 8 feet long (183 cm x 244 cm) | | plug-in 110 - 240V plug types available: A, C, G, I hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver | neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K) | 14.4 kg | 3025 | M-SSW-06-08-4000K-PI M-SSW-06-08-3000K-PI M-SSW-06-08-2700K-PI M-SSW-06-08-4000K M-SSW-06-08-3000K M-SSW-06-08-2700K |
| suspended softwall luminaires 8 feet tall x 8 feet long (244 cm x 244 cm) | | plug-in 110 - 240V plug types available: A, C, G, I hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver | neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K) | 15.5 kg | 3300 | M-SSW-08-08-4000K-PI M-SSW-08-08-3000K-PI M-SSW-08-08-2700K-PI M-SSW-08-08-4000K M-SSW-08-08-3000K M-SSW-08-08-2700K |
| suspended softwall luminaires 10 feet tall x 8 feet long (305 cm x 244 cm) | | plug-in 110 - 240V plug types available: A, C, G, I hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver | neutral white (4000K) warm white (3000K) warmer white (2700K) neutral white (4000K) warm white (3000K) warmer white (2700K) | 16.6 kg | 3700 | M-SSW-10-08-4000K-PI M-SSW-10-08-3000K-PI M-SSW-10-08-2700K-PI M-SSW-10-08-4000K M-SSW-10-08-3000K M-SSW-10-08-2700K |


* weights may vary
 ** 12 - 18 week lead time may apply
 *** prices include all taxes & duties; shipping quoted separately



soft collection

softseating

softseating is a line of flexible furniture made from paper or textile. Each element uses honeycomb geometry to fan open into a stool, bench, table or lounger, compressing for storage. Magnetic end panels allow two or more elements to connect, forming long winding benches. Blue and brown paper products are made from wood harvested from FSC® Certified (FSC® C158591) responsible sources.



| product | dimensions | material + colour | product weight * | shipping weight * | pricing US\$ *** | product code |
|---|------------|--|--|---|---|---|
| fanning stool + table 12 inches tall x 16-inch Ø (30.5 cm x 40.5 cm) | | paper · brown paper · black paper · blue textile · white (translucent) textile · aluminum textile · forest green ** | 1.8 kg 1.9 kg 1.9 kg 1.5 kg 1.7 kg 1.7 kg | 2.3 kg 2.4 kg 2.4 kg 2.0 kg 2.2 kg 2.2 kg | 180 220 250 465 525 525 | M-SS-P-FSC-BR-12-16 M-SS-P-BK-12-16 M-SS-P-FSC-BU-12-16 M-SS-T-WH-12-16 M-SS-T-AL-12-16 M-SS-T-GRN-12-16 |
| fanning stool + table 18 inches tall x 16-inch Ø (45.5 cm x 40.5 cm) | | paper · brown paper · black textile · white (translucent) textile · aluminum textile · forest green ** | 2.9 kg 3.0 kg 2.5 kg 2.7 kg 2.7 kg | 3.4 kg 3.5 kg 2.9 kg 3.1 kg 3.1 kg | 215 285 330 620 715 720 | M-SS-P-FSC-BR-18-16 M-SS-P-BK-18-16 M-SS-T-WH-18-16 M-SS-T-AL-18-16 M-SS-T-GRN-18-16 |
| fanning stool bench + table stool: 12 inches tall x 24-inch Ø (30.5 cm x 61 cm) bench: 1.8 meters (6 feet) | | paper · brown paper · black paper · blue textile · white (translucent) textile · aluminum textile · forest green ** | 5.1 kg 5.3 kg 5.3 kg 4.6 kg 4.8 kg 4.8 kg | 6.0 kg 6.2 kg 6.2 kg 5.5 kg 5.7 kg 5.7 kg | 315 415 475 1050 1240 1265 | M-SS-P-FSC-BR-12-24 M-SS-P-BK-12-24 M-SS-P-FSC-BU-12-24 M-SS-T-WH-12-24 M-SS-T-AL-12-24 M-SS-T-GRN-12-24 |
| fanning stool bench + table stool: 18 inches tall x 24-inch Ø (45.5 cm x 61 cm) bench: 1.8 meters (6 feet) | | paper · brown paper · black paper · blue textile · white (translucent) textile · aluminum textile · forest green ** | 7.9 kg 8.1 kg 8.1 kg 6.8 kg 7.0 kg 7.0 kg | 9.0 kg 9.2 kg 9.2 kg 8.0 kg 8.2 kg 8.2 kg | 475 605 750 1550 1825 1870 | M-SS-P-FSC-BR-18-24 M-SS-P-BK-18-24 M-SS-P-FSC-BU-18-24 M-SS-T-WH-18-24 M-SS-T-AL-18-24 M-SS-T-GRN-18-24 |
| fanning stool bench + table stool: 12 inches tall x 36-inch Ø (30.5 cm x 91.5 cm) bench: 2.5 meters (8 feet) | | paper · brown paper · black paper · blue textile · white (translucent) textile · aluminum textile · forest green ** | 9.3 kg 11.2 kg 11.2 kg 7.6 kg 7.8 kg 7.8 kg | 10.4 kg 12.3 kg 12.3 kg 8.7 kg 8.9 kg 8.9 kg | 525 715 750 1825 2175 2200 | M-SS-P-FSC-BR-12-36 M-SS-P-BK-12-36 M-SS-P-FSC-BU-12-36 M-SS-T-WH-12-36 M-SS-T-AL-12-36 M-SS-T-GRN-12-36 |
| fanning stool bench + table stool: 18 inches tall x 36-inch Ø (45.5 cm x 91.5 cm) bench: 2.5 meters (8 feet) | | paper · brown paper · black textile · white (translucent) textile · aluminum textile · forest green ** | 14.3 kg 15.1 kg 11.9 kg 12.1 kg 12.1 kg | 16.6 kg 17.4 kg 14.2 kg 14.4 kg 14.4 kg | 750 1030 1100 2695 3200 3300 | M-SS-P-FSC-BR-18-36 M-SS-P-BK-18-36 M-SS-T-WH-18-36 M-SS-T-AL-18-36 M-SS-T-GRN-18-36 |
| lounger 16 inches x 60-inch Ø (40.5 cm x 152.5 cm) | | paper · black textile · white (translucent) textile · aluminum | 30.0 kg 21.6 kg 22.5 kg | 42.0 kg 33.6 kg 34.5 kg | 3525 7275 9900 | M-SS-P-BK-16-60-LNGR M-SS-T-WH-16-60-LNGR M-SS-T-AL-16-60-LNGR |
| lounger 16 inches x 84-inch Ø (40.5 cm x 215 cm) | | paper · brown | 69.0 kg | 79.5 kg | 3700 | M-SS-P-FSC-BR-16-84-LNGR |

* weights may vary

*** prices include all taxes & duties; shipping quoted separately

only products identified with a 'P-FSC' signifier are FSC® certified (FSC® C158591)


9 of 21



soft collection

softseating accessories

Available in sizes that correspond to the surface diameter of softseating fanning stool, wool felt pads and PaperStone hard tops make lovely companions to molo softseating, tables and display podiums. wool felt pad can also be used as cushions along a bench or benchwall, placed directly on the floor as small area rugs, or used as a bed for four-legged friends. felt pad is 100% natural, and PaperStone hard tops are made from FSC® Certified (FSC® C158591) sustainably sourced materials.



| product | dimensions | material/dimensions + colour | product weight * | shipping weight * | pricing US\$ *** | product code |
|---|------------|--|-------------------------------|-------------------------------|-------------------|---|
| wool felt pad (optional) use wool felt pad independently or pair with softseating fanning stools | | 15 in Ø (38 cm) · natural grey wool 23 in Ø (58.5 cm) · natural grey wool 35 in Ø (89 cm) · natural grey wool | 0.8 kg 1.1 kg 2.5 kg | 1.1 kg 1.5 kg 3.9 kg | 95 165 315 | M-PAD-FLT-GR-15 M-PAD-FLT-GR-23 M-PAD-FLT-GR-35 |
| wool felt pad (optional) use wool felt pad independently or pair with softseating fanning stools | | 14 in Ø (35.5 cm) · graphite wool 23 in Ø (58.5 cm) · graphite wool 35 in Ø (89 cm) · graphite wool | 0.1 kg 0.4 kg 0.8 kg | 0.3 kg 0.6 kg 1.2 kg | 115 205 385 | M-PAD-FLT-DKGR-14 M-PAD-FLT-DKGR-23 M-PAD-FLT-DKGR-35 |
| PaperStone top (optional) 14-inch Ø (35.5 cm) use top independently or pair with benchwall, softseating fanning stools and benches | | PaperStone · brown PaperStone · black PaperStone · grey ** | 0.75 kg 0.75 kg 0.75 kg | 1.25 kg 1.25 kg 1.25 kg | 275 235 250 | M-TOP-P-FSC-BR-14 M-TOP-P-FSC-BK-14 M-TOP-P-FSC-GR-14 |
| PaperStone top (optional) 22-inch Ø (56 cm) use top independently or pair with softseating fanning stools | | PaperStone · brown PaperStone · black PaperStone · grey ** | 1.8 kg 1.8 kg 1.8 kg | 2.8 kg 2.8 kg 2.8 kg | 475 395 440 | M-TOP-P-FSC-BR-22 M-TOP-P-FSC-BK-22 M-TOP-P-FSC-GR-22 |
| PaperStone top (optional) 34-inch Ø (86.5 cm) use top independently or pair with softseating fanning stools | | PaperStone · brown PaperStone · black PaperStone · grey ** | 4.5 kg 4.5 kg 4.5 kg | 5.5 kg 5.5 kg 5.5 kg | 880 715 800 | M-TOP-P-FSC-BR-34 M-TOP-P-FSC-BK-34 M-TOP-P-FSC-GR-34 |
| wool felt tote (optional) use wool felt tote to carry 16-inch Ø (40.5 cm) softseating fanning stools in their compressed form | | small · natural grey felted wool for 12 x 16-inch Ø fanning stool (30.5 cm tall x 40.5 cm) large · natural grey felted wool for 18 x 16-inch Ø fanning stool (45.5 cm tall x 40.5 cm) shipping dimensions available upon request | 0.1 kg 0.1 kg | 0.2 kg 0.2 kg | 90 100 | P-TOTE-FLT-GR-12 P-TOTE-FLT-GR-18 |

* weights may vary

** PaperStone grey: 12 - 18 week lead time may apply

*** prices include all taxes & duties; shipping quoted separately

only products identified with a 'P-FSC' signifier are FSC® certified (FSC® C158591)

10 of 21




soft collection

cantilever table bases

cantilever table uses a flexible paper or textile base and is available in two heights. A single base uses honeycomb geometry to fan open and support a round top. Blue and brown paper bases are made from wood harvested from FSC® Certified (FSC® C158591) responsible sources. cantilever table can be purchased either with a centre hole to accommodate molo's pencil holder and sketching circles, or as a solid surface top. The felt pad is an alternative option to the hard round top.

The components of cantilever table are available for individual purchase. molo offers these pieces as an opportunity to continue the design process, encouraging clients to pair the bases with tabletops of their own design, or from a unique material palette. To discuss your idea, please contact the studio.



| product | dimensions | material + colour | product weight * | shipping weight * | pricing US\$ *** | product code |
|---|------------|---|--|--|---|---|
| cantilever table base sitting height | | paper · brown paper · black paper · blue textile · white (translucent) textile · aluminum textile · forest green | 12.8 kg 13.2 kg 13.2 kg 9.0 kg 9.6 kg - | 17.4 kg 17.8 kg 17.8 kg 13.2 kg 13.8 kg - | 1155 1275 1375 3775 4775 inquire | M-CT-B-P-FSC-BR-27-37 M-CT-B-P-BK-27-37 M-CT-B-P-FSC-BU-27-37 M-CT-B-T-WH-27-37 M-CT-B-T-AL-27-37 M-CT-B-T-GRN-27-37 |
| cantilever table base standing height | | paper · brown paper · black textile · white (translucent) textile · aluminum textile · forest green | 15.8 kg 16.1 kg 12.8 kg 13.8 kg - | 21.2 kg 21.5 kg 18.2 kg 19.2 kg - | 1450 1700 4575 5725 inquire | M-CT-B-P-FSC-BR-39-37 M-CT-B-P-BK-39-37 M-CT-B-T-WH-39-37 M-CT-B-T-AL-39-37 M-CT-B-T-GRN-39-37 |

* weights may vary

*** prices include all taxes & duties; shipping quoted separately

only products identified with a 'P-FSC' signifier are FSC® certified (FSC® C158591)

11 of 21




soft collection

cantilever table tops + accessories

cantilever table uses a flexible paper or textile base and is available in two heights. A single base uses honeycomb geometry to fan open and support a round top. Blue and brown paper bases are made from wood harvested from FSC® Certified (FSC® C158591) responsible sources. cantilever table can be purchased either with a centre hole to accommodate molo's pencil holder and sketching circles, or as a solid surface top. The felt pad is an alternative option to the hard round top.

The components of cantilever table are available for individual purchase. molo offers these pieces as an opportunity to continue the design process, encouraging clients to pair the bases with tabletops of their own design, or from a unique material palette. To discuss your idea, please contact the studio.



| product | dimensions | material + colour | product weight * | shipping weight * | pricing US\$ *** | product code |
|--|------------|--|---------------------------------------|--|---------------------------------|--|
| cantilever table top cantilever table as a solid surface top | | PaperStone · brown PaperStone · black PaperStone · grey ** marble · Carrara white ** | 8.2 kg 8.2 kg 8.2 kg 61.0 kg | 10.2 kg 10.2 kg 10.2kg 64.5 kg | 1775 1450 1600 inquire | M-CT-T-P-FSC-BR-47 M-CT-T-P-FSC-BK-47 M-CT-T-P-FSC-GR-47 M-CT-T-MAR-WH-47 |
| cantilever table top with glass pencil holder cantilever table top with a centre hole to accommodate molo's pencil holder and sketching circle | | PaperStone · brown · centre hole PaperStone · black · centre hole PaperStone · grey · centre hole marble · Carrara white · centre hole ** | 8.5 kg 8.5 kg 8.5 kg 61.0 kg | 10.5 kg 10.5 kg 10.5 kg 64.5 kg | 1815 1500 1650 inquire | M-CT-T-H-P-FSC-BR-47 M-CT-T-H-P-FSC-BK-47 M-CT-T-H-P-FSC-GR-47 M-CT-T-H-MAR-WH-47 |
| paper sketching circles 400 sheets (optional) optional accessory for cantilever table | | paper · white | 11.5 kg | 14.8 kg | 120 | M-CT-SC-P-WH-27 |
| wool felt pad (optional) use wool felt pad as a soft top to cantilever table in round arrangement | | natural grey felted wool 35-inch Ø (89 centimeters) | 2.5 kg | 3.9 kg | 315 | M-PAD-FLT-GR-35 |

* weights may vary

** Carrara white marble top: 12 - 18 week lead time may apply



*** prices include all taxes & duties; shipping quoted separately

only products identified with a 'P-FSC' signifier are FSC® certified (FSC® C158591)

12 of 21



soft collection

| benchwall + thinwall <p>benchwall is a flexible, paper or textile bench with a tall backrest that acts as both acoustic space partition and seating. benchwall can stretch into straight, high backed seating or sweep into a circular bench-lined room for intimate meetings. benchwall may magnetically connect to the 45.5 x 91.5-centimeter diameter (18 x 36-inch diameter) size softseating stool + bench to form modular seating arrangements. Blue and brown paper products are made from wood harvested from FSC® Certified (FSC® C158591) responsible sources.</p> <p>thinwall was designed as an acoustic, sculptural liner for solid walls, columns and ceilings or as a flexible wrap for storage areas, reception desks and other millwork. It measures only 9 centimeters wide (3.5 inches) and reaches 183 centimeters high (6 feet). Adjustable in length, it stretches up to 3.5 meters long.</p>  | | | | | | |
|---|--|--|---|---|--|---|
| product | dimensions | material + colour | product weight * | shipping weight * | pricing US\$ *** | product code |
| benchwall backrest: 5 feet tall x 4.5 inches deep (152.5 cm x 11.5 cm) seat: 18 inches tall x 18 inches deep (45.5 cm x 45.5 cm) |  <p>152.5 cm (5 ft) 57 cm (22.5 in) 45.5 cm (18 in) max length varies by material</p> <p>¹ benchwall elements are flexible in length, but vary by material: —paper + forest green textile benchwall opens to a max 3.5 meters (11.5 feet) long —textile benchwall opens to a max 5 meters (16.5 feet) long</p> | paper · brown paper · black textile · white (translucent) (16.5 feet long) (5 m) textile · aluminum (16.5 feet long) (5 m) textile · forest green (16.5 feet long) (5 m) | 33.0 kg 32.0 kg 34.8 kg 35.1 kg 35.1 kg | 41.5 kg 40.5 kg 43.6 kg 43.9 kg 43.9 kg | 1975 2650 11550 15250 15250 | M-BW-P-FSC-BR-05-11 M-BW-P-BK-05-11 M-BW-T-WH-05-16 M-BW-T-AL-05-16 M-BW-T-GRN-05-11 |
| thinwall 6 feet tall x 3.5 inches deep (183 cm x 9 cm) thinwall, which is not freestanding, is not designed for use as a room divider but rather as an acoustic wrap |  <p>183 cm (6 ft) 9 cm (3.5 in) 3.5 m (11.5 ft) max</p> <p>¹ thinwall is flexible in length, opening to a max 3.5 meters long (11.5 feet)</p> | paper · brown ** paper · black ** textile · white (translucent) ** textile · aluminum textile ** textile · forest green textile ** | 14.3 kg 15.1 kg 11.9 kg - - | 16.6 kg 17.4 kg 14.2 kg - - | 1100 1500 1875 inquire inquire | M-THW-P-FSC-BR-06-03 M-THW-P-BK-06-03 M-THW-T-WH-06-03 M-THW-T-AL-06-03 M-THW-T-GRN-06-03 |
| thinwall anchor strip 1 unit per end of thinwall |  | white powder coated steel with adhesive backing 66 x 2.8 inches (167.5 cm x 7.2 cm) | 2.3 kg | 2.3 kg | 175 | M-STRP-WH-TW-06 |






* weights may vary

** thinwall: 12 - 18 week lead time and minimum order quantity may apply

*** prices include all taxes & duties; shipping quoted separately







soft collection

| <p>cloud softlight pendant</p>  | <p>cloud softlight pendants are individual luminaries that radiate a gentle, ambient light. The honeycomb shades are lit from within by dimmable 90+ CRI LED, in warm white or neutral white colour temperatures. cloud pendant is available in four sizes, and can be hung independently or combined with other pendants and mobiles to create vast sculptural skylscapes. cloud softlight pendant scales to any size interior, from small apartments to multi-storey auditoriums..</p> | | | | |
|---|--|--|---|--------------------------------|---|
| <p>product</p> | <p>dimensions + specs</p> | <p>power supply voltage</p> | <p>LED colour</p> | <p>pricing US\$ ***</p> | <p>product code</p> |
| <p>cloud pendant small</p> |  | <p>plug-in 110 - 240V plug types available: A, C, G, I</p> <p>hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver</p> | <p>neutral white (4000K) warm white (3000K) warmer white (2700K)</p> <p>neutral white (4000K) warm white (3000K) warmer white (2700K)</p> | <p>575</p> | <p>M-CLD-PEN-SM-PI-4000K M-CLD-PEN-SM-PI-3000K M-CLD-PEN-SM-PI-2700K</p> <p>M-CLD-PEN-SM-HW-4000K M-CLD-PEN-SM-HW-3000K M-CLD-PEN-SM-HW-2700K</p> |
| <p>cloud pendant medium</p> |  | <p>plug-in 110 - 240V plug types available: A, C, G, I</p> <p>hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver</p> | <p>neutral white (4000K) warm white (3000K) warmer white (2700K)</p> <p>neutral white (4000K) warm white (3000K) warmer white (2700K)</p> | <p>1250</p> | <p>M-CLD-PEN-MD-PI-4000K M-CLD-PEN-MD-PI-3000K M-CLD-PEN-MD-PI-2700K</p> <p>M-CLD-PEN-MD-HW-4000K M-CLD-PEN-MD-HW-3000K M-CLD-PEN-MD-HW-2700K</p> |
| <p>cloud pendant large</p> |  | <p>plug-in 110 - 240V plug types available: A, C, G, I</p> <p>hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver</p> | <p>neutral white (4000K) warm white (3000K) warmer white (2700K)</p> <p>neutral white (4000K) warm white (3000K) warmer white (2700K)</p> | <p>1775</p> | <p>M-CLD-PEN-LG-PI-4000K M-CLD-PEN-LG-PI-3000K M-CLD-PEN-LG-PI-2700K</p> <p>M-CLD-PEN-LG-HW-4000K M-CLD-PEN-LG-HW-3000K M-CLD-PEN-LG-HW-2700K</p> |
| <p>cloud pendant x-large</p> |  <p>small cloud mobiles include 2.8 meters (9 feet) of electrical cable (custom lengths available) medium cloud mobiles include 2.5 meters (8 feet) of electrical cable (custom lengths available) large cloud mobiles include 2.0 meters (6.5 feet) of electrical cable (custom lengths available) hardwire mobiles include a dimmable transformer</p> | <p>plug-in 110 - 240V plug types available: A, C, G, I</p> <p>hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver</p> | <p>neutral white (4000K) warm white (3000K) warmer white (2700K)</p> <p>neutral white (4000K) warm white (3000K) warmer white (2700K)</p> | <p>2550</p> | <p>M-CLD-PEN-XL-PI-4000K M-CLD-PEN-XL-PI-3000K M-CLD-PEN-XL-PI-2700K</p> <p>M-CLD-PEN-XL-HW-4000K M-CLD-PEN-XL-HW-3000K M-CLD-PEN-XL-HW-2700K</p> |
| <p>gripper ring</p> |  | <p>optional alternative to canopy plate and bracket bar gripper please inquire</p> | | | <p>P-CLD-GRIP-RING-364</p> |
| <p>side exit gripper</p> |  | <p>optional alternative to canopy plate and bracket bar gripper please inquire</p> | | | <p>P-CLD-GRIP-SE</p> |
| <p>custom length power wire + hang cable</p> | | <p>up to 10.5 m (34.5 ft) * longer hang lengths available, please inquire for pricing and more details</p> | | <p>150</p> | <p>CLD-PWIRE-PEN-10.5</p> |

*** prices include all taxes & duties; shipping quoted separately



soft collection

| product | dimensions + specs | power supply voltage | LED colour | pricing US\$ *** | product code |
|--|--|---|---|------------------------------------|---|
| <p>cloud softlight mobile</p>  | <p>cloud softlight mobile creates a canopy of soft, luminous forms. Inspired by the kinetic sculptures of Alexander Calder, each mobile supports three cloud pendants that move and shift with the air currents. The honeycomb shades are lit from within by dimmable 90+ CRI LED, in neutral white (4000K), warm white (3000K) or warmer white (2700K) colour temperatures, and transmit a gentle glow in all directions.</p>  | <p>plug-in 110 - 240V plug types available: A, C, G, I</p> <p>hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver</p> | <p>neutral white (4000K) warm white (3000K) warmer white (2700K)</p> <p>neutral white (4000K) warm white (3000K) warmer white (2700K)</p> | <p>2150</p> | <p>M-CLD-MOB-SM-PI-4000K M-CLD-MOB-SM-PI-3000K M-CLD-MOB-SM-PI-2700K</p> <p>M-CLD-MOB-SM-HW-4000K M-CLD-MOB-SM-HW-3000K M-CLD-MOB-SM-HW-2700K</p> |
| <p>cloud mobile medium</p> |  | <p>plug-in 110 - 240V plug types available: B, E/F</p> <p>hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver</p> | <p>neutral white (4000K) warm white (3000K) warmer white (2700K)</p> <p>neutral white (4000K) warm white (3000K) warmer white (2700K)</p> | <p>3525</p> | <p>M-CLD-MOB-MD-PI-4000K M-CLD-MOB-MD-PI-3000K M-CLD-MOB-MD-PI-2700K</p> <p>M-CLD-MOB-MD-HW-4000K M-CLD-MOB-MD-HW-3000K M-CLD-MOB-MD-HW-2700K</p> |
| <p>cloud mobile large</p> |  <p>small cloud mobiles include 2.8 meters (9 feet) of electrical cable (custom lengths available) medium cloud mobiles include 2.5 meters (8 feet) of electrical cable (custom lengths available) large cloud mobiles include 2.0 meters (6.5 feet) of electrical cable (custom lengths available) hardwire mobiles include a dimmable transformer</p> | <p>plug-in 110 - 240V plug types available: B, E/F</p> <p>hardwire 110 - 240V + 277V 1-10V or DALI compatible LED driver</p> | <p>neutral white (4000K) warm white (3000K) warmer white (2700K)</p> <p>neutral white (4000K) warm white (3000K) warmer white (2700K)</p> | <p>5775</p> | <p>M-CLD-MOB-LG-PI-4000K M-CLD-MOB-LG-PI-3000K M-CLD-MOB-LG-PI-2700K</p> <p>M-CLD-MOB-LG-HW-4000K M-CLD-MOB-LG-HW-3000K M-CLD-MOB-LG-HW-2700K</p> |
| <p>gripper ring</p>  | | <p>optional alternative to canopy plate and bracket bar gripper please inquire</p> | | | <p>P-CLD-GRIP-RING-364</p> |
| <p>side exit gripper</p>  | | <p>optional alternative to canopy plate and bracket bar gripper please inquire</p> | | | <p>P-CLD-GRIP-SE</p> |
| <p>custom length power wire + hang cable **</p> | | <p>small mobile · 9 - 28.5 ft (2.8 - 8.8 m) small mobile · 28.5 - 44 ft (8.8 - 13.5 m) medium mobile · 8 - 27.5 ft (2.5 - 8.5 m) large mobile · 6.5 - 21 ft (2.0 - 6.5 m)</p> | | <p>275 875 275 225</p> | <p>CLD-PWIRE-MOB-SM-8.5 CLD-PWIRE-MOB-SM-13.5 CLD-PWIRE-MOB-MD-8.5 CLD-PWIRE-MOB-LG-6.5</p> |


** custom length power wire + hang cable: 12 - 18 week lead time may apply
*** prices include all taxes & duties; shipping quoted separately



soft collection

cloud mast

cloud mast is a kinetic luminary that balances elements of earth and air. The mast is crowned by a boom that supports a luminous canopy of clouds and a dangling fishing weight. The boom revolves around the mast, carrying graceful light throughout a space. As a floor supported lamp, cloud mast is ideal for temporary installations or interiors where wiring might disrupt the ceiling.



| product | dimensions + specs | power supply voltage | LED colour | pricing US\$ *** | product code |
|--------------------------|--|--|--|------------------|--|
| <p>cloud mast</p> | <p>*standard height from floor to cloud mobile</p> | <p>plug-in 110 - 240V plug types available: B, E/F</p> | <p>neutral white (4000K) warm white (3000K) warmer white (2700K)</p> | <p>11775</p> | <p>M-CLD-MAST-LG-4000K M-CLD-MAST-LG-3000K M-CLD-MAST-LG-2700K</p> |



soft collection

urchin softlight

With its elastic movement and shifting form, urchin softlight invites playful interaction. By gently manipulating the shade with your hands, the lamp transforms through a range of beautiful shapes. The honeycomb shade is made from a tear- and water-resistant, non-woven polyethylene textile that is anti-static to repel dust. The integrated LED light source is available in neutral white (4000K) or warm white (2700K) colour temperatures with 90+ CRI for natural colour rendition.





| product | dimensions + specs | power supply voltage | LED colour | pricing US\$ *** | product code |
|-----------------------------------|--|--|---|------------------|--------------------------------------|
| urchin softlight small |  <p>white textile shade 15-inch Ø x 9.5 inches tall † (38 centimeters x 24 centimeters)</p> <p>shipping weight: 3 lbs (1.4 kg) *</p> <p>ships in box: 17 x 9 x 4 inches (43 x 23 x 10 centimeters)</p> | plug-in 110 - 240V plug types available: A, C, G, I | neutral white (4000K) warm white (2700K) | 325 | M-URC-T-WH-SM-NW M-URC-T-WH-SM-WW |
| urchin softlight medium |  <p>white textile shade 25-inch Ø x 14 inches tall † (63.5 centimeters x 35.5 centimeters)</p> <p>shipping weight: 4.3 lbs (2.0 kg) *</p> <p>ships in box: 17 x 9 x 4 inches (43 x 23 x 10 centimeters)</p> | plug-in 110 - 240V plug types available: A, C, G, I | neutral white (4000K) warm white (2700K) | 825 | M-URC-T-WH-MD-NW M-URC-T-WH-MD-WW |
| urchin softlight large |  <p>white textile shade 32-inch Ø x 20.5 inches tall † (81.5 centimeters x 52 centimeters)</p> <p>shipping weight: 6.6 lbs (3.0 kg) *</p> <p>ships in box: 32 x 10.75 x 4.25 inches (58 x 27 x 11 centimeters)</p> <p>† urchin is inherently flexible; dimensions will vary on arrangement. All urchin softlight comes with a 3-meter (10-foot) plug-in electrical cable.</p> | plug-in 110 - 240V plug types available: A, C, G, I | neutral white (4000K) warm white (2700K) | 1225 | M-URC-T-WH-LG-NW M-URC-T-WH-LG-WW |




cappello

cappello

cappello is a modest tribute to Achille Castiglioni, his brother Pier Giacomo, and Ingo Maurer—designers who have gifted the studio (and the world) much joy and inspiration. The Carrara marble base is a byproduct of the manufacturing process for Arco, the iconic floor lamp designed by the Castiglioni brothers in 1962. Cappello is lit by LED and shaded with a paper cap, or “cappello” in Italian. A simple magnetic connection allows the cap to slide to any position along the steel wire that springs from the marble base. This allows the cap to tilt, adjusting direction of light and giving the little lamp a gestural, anthropomorphic quality.



| product | dimensions + specs | power supply voltage | LED colour | pricing US\$ *** | product code |
|------------------------|--|--|--|------------------|--|
| <p>cappello</p> |  <p>white marble base white paper shade steel rod</p> <p>26 inches (66 centimeters) tall</p> <p>product weight 2 lbs (0.9 kg) * shipping weight 3 lbs (1.4 kg) *</p> <p>ships in box 21.5 x 6.75 x 3.75 inches (55 x 17 x 9.5 centimeters)</p> <p>cappello comes with a 3-meter (10-foot) plug-in electrical cable.</p> | <p>plug-in 110 - 240V plug types available: A, C, G, I</p> | <p>neutral white (4000K) warm white (3000K) warmer white (2700K)</p> | <p>360</p> | <p>M-CAP-4000K M-CAP-3000K M-CAP-2700K</p> |

* weights may vary
*** prices include all taxes & duties; shipping quoted separately





accessory

cork peg hook

Available in two lengths, cork peg is a wall hook that uses a magnetic mounting system. cork is renewable, beautiful and naturally antibacterial; lending the simple form to diverse uses from door stop to toilet paper holder.







| product | | dimensions | material + colour | pricing US\$ *** | product code |
|---|---|--|---|---------------------|--------------|
| cork peg - short wall hook |  | cork peg 3 inches long x 1.5-inch Ø (7.5 x 4 centimeters) weight bearing capacity: 7 lbs (3.2 kg) includes magnetic cup mount that screws to wall | natural cork peg, nickel plated magnets | 55 | M-PEG-HOOK-S |
| cork peg - long wall mounted holder for toilet paper + hand towels |  | cork peg 6 inches long x 1.5-inch Ø (15 x 4 centimeters) includes magnetic cup mount that screws to wall | natural cork peg, nickel plated magnets | 60 | M-PEG-HOOK-L |

* weights may vary
 *** prices include all taxes & duties; shipping quoted separately



glassware

| float | | | | | | | | | |
|--|---|--|------------------|--|---|---|--|------------------|--|
| <p>float is a line of hand blown, thermally-resistant glassware designed to emphasize the colours and charms of the tea, scotch or juice served within. The suspended bowl insulates liquid from hands, and forms a lens of liquid colour that projects light onto the tabletop. The tea lantern has an insulating double wall, allowing for a simple, cylindrical form that can be held like a wine bottle. With a candle lit below the tea lantern, the ambient light, together with the colour, fragrance and steam of the tea, transcends the pragmatic to create an engaging spatial experience.</p> <p>float is exclusively available at molodesign.com</p>  | | | | | | | | | |
| product | | volume ml (oz) | pricing US\$ *** | product code | product | | volume ml (oz) | pricing US\$ *** | product code |
| tea lantern 3 glass parts: teapot, lid, candle holder steel filter |  | 1000 ml (34 fl oz) ** | 535 | M-FLO-TL-C1-34 clear glass M-FLO-TL-F1-34 translucent fritted glass | sugar + cream 3 parts: sugar with lid + cream small sugar + cream spirit measures set of 2 |  | 220 ml (7.5 fl oz) * 120 ml (4 fl oz) ** 50 ml (1.7 fl oz) * 30 ml (1 fl oz) ** | 240 | M-FLO-SC clear glass M-FLO-SS-SM clear glass |
| small tea lantern 3 glass parts: teapot, lid, candle holder steel filter |  | 500 ml (17 fl oz) ** | 420 | M-FLO-TS-C1-17 clear glass M-FLO-TS-F1-17 translucent fritted glass | glass infuser optional accessory to tea lantern |  | available in small or large to match size of tea lantern | 60 | M-FLO-GLASS-FLTR clear glass |
| tea / coffee / rocks glasses set of 2 |  | 220 ml (7.5 fl oz) * 150 ml (5 fl oz) ** | 265 | M-FLO-TC-CF-RK-7.5 clear glass | matcha / latte bowl 1 bowl |  | 470 ml (16 fl oz) * 180 ml (6 fl oz) ** | 225 | M-FLO-MB-LT-16 clear glass |
| champagne flutes set of 2 |  | 180 ml (6 fl oz) * 120 ml (4 fl oz) ** | 240 | M-FLO-CF-8 clear glass | wine / cappuccino glasses set of 2 |  | 400 ml (14 fl oz) * 150 ml (5 fl oz) ** | 320 | M-FLO-WG-CP-14 clear glass |
| pilsner / cocktail flutes set of 2 |  | 325 ml (11 fl oz) * 300 ml (10 fl oz) ** | 235 | M-FLO-PF-11 clear glass | liqueur / espresso / sake glasses set of 2 |  | 55 ml (1.9 fl oz) * 45 ml (1.5 fl oz) ** | 210 | M-FLO-ES-LG-1.9 clear glass |
| martini glasses set of 2 |  | 200 ml (7 fl oz) * 90 ml (3 fl oz) ** | 285 | M-FLO-MG-C2-7 clear glass M-FLO-MG-F2-7 translucent fritted glass | glass balls for candlelight set of 3 |  | 10 cm Ø (4 in) works with a 4.5 cm Ø (1.75 in) floating candle | 90 | M-FLO-GB-C3 clear glass M-FLO-GB-F3 translucent fritted glass |
| large deep bowl 1 bowl |  | 4000 ml (135 fl oz) * 20 Ø x 20 cm (8 Ø x 8 in) | 660 | M-LG-FLO-DB clear glass | animal soup 1 bowl |  | 530 ml (18 fl oz) * 400 ml (14 fl oz) ** | 240 | M-FLO-AS clear glass |
| tall vase 1 vase |  | 2500 ml (84 fl oz) * 11 Ø x 33 cm (4.33 Ø x 13 in) | 540 | M-LG-FLO-TV clear glass | large shallow bowl 1 bowl |  | 3000 ml (100 fl oz) * 30 Ø x 11 cm (11.8 Ø x 4.38 in) | 630 | M-LG-FLO-SB clear glass |

* total volume to rim of glass

** suggested serving volume (ask for diagram)

*** prices include all taxes & duties; shipping quoted separately



United States pricing and terms

pricing

For purchases shipping to the United States, molo maintains a Domestic price list in US Dollars (USD). This price list includes all duties and taxes for orders delivered within the United States. Shipping charges are additional.

payment and shipping

Payment must be received in full before any goods are shipped. We accept payment in USD by bank wire, credit card (Visa, MasterCard, AMEX), or PayPal. We do not accept cheques. For credit card or PayPal payments over \$5,000, a 3% processing fee will be charged. Standard delivery is by FedEx International Priority or freight forwarder.

exchange policy and warranty

ALL SALES ARE FINAL. When packaged molo products are highly compact and rarely damaged in shipping. In the unlikely event of damage, ask the delivery person to sign off on any visible damage to the packaging before leaving and photograph the damaged packaging before opening. The shipping company can only be held accountable for damages noted by the driver at the time of delivery.

Damaged or defective goods can be exchanged provided we are notified by email with photos of the damage within two business days of your receipt of goods. If any damage occurs during installation, contact molo immediately and do not attempt to fix the product, as doing so may limit our ability to assist. This policy does not include goods that are not defective but rather exhibit minor variations typical of handmade products.

While we do not offer an official warranty, we stand behind our products and are available to assist with any issues if they occur.

ordering information

E-mail orders to sales@molodesign.com, or call +1 604 685 0340.

For most orders, goods are normally in stock and ready to ship. For larger orders, projects with fixed deadlines, or orders with custom colour softwall + softblock, please allow for up to 25 weeks lead time. Please ask an account manager about availability based on your timeline and project.

patents and intellectual property

molo products are designed by Stephanie Forsythe and Todd MacAllen, manufactured by Molo Design, Ltd. and protected by patents and/or design registrations viewable at molodesign.com/ip.

Prices and policies are subject to change without notice.

